



TOWNSHIP ROAD R-3

Exist. Elev.	682.30	682.06	681.82	681.58	681.34	681.10	Exist. Elev.
690.00							690.00
685.00							685.00
680.00							680.00
675.00							675.00
670.00							670.00
665.00							665.00
660.00							660.00
655.00							655.00

Sanitary M.H. #14
Sta. 14+07, 20' Rt.
Rim=681.30
Inv. 15" E.&W.=658.52

Exist Profile

6" plug
2 each - 6" 45° bends

Napoleon Veterinary Clinic
Napoleon Veterinary Clinic Boarding House

1.50% grade
6" 200' pipe
187' L.F.
2.20% grade
6" 200' pipe
120' L.F.

San. Service riser installed looking @ Sta. 15+05 3-28-03 when Ramage Const. went to hook up originally installed by Nagel Const. Eng. on 3-28-03 said to hook up to Nagel. See this date 3-28-03 Foreman for Nagel. See this date 3-28-03 signed by Bob Mayers City of Napoleon Construction Inspector

City of Napoleon
Engineering Department
255 W. Riverview Ave., P.O. Box 151
Napoleon, Ohio 43545
Phone: (419) 592-4010
Fax: (419) 599-8393

Plans Prepared By
City of Napoleon
Engineering Department
Joseph R. Kleiner, P.E.
City Engineer

North Pointe Sanitary Sewer Construction
Plan And Profile Sta. 11+50 To Sta. 17+50

Date: 12/27/01
Scale: 1"=20' H
1"=5' V
Drawing Name: NPpointeCmpP11

Drawn By: M.B.S.
Approved By: J.R.K.

Sheet 11 of 25