## PERMIT TO SELECT

## CITY OF NAPOLEON - BUILDING DEPARTMENT 255 West Riverview Avenue, Napoleon, Ohio 43545 - 419-592-4010

Permit No	847-77 Issu	ed 10/24/77	_	16 180	FEES	BASE	PLUS	TOTAL
	6 Bauman Plac	date	K		DING	MIN HUNG	-0-	\$22.00
		address	- T	DOIL	Diita	1		Maria
XXX Pcl.	SW ½ Sec 12	r legal discript	中	ELEC	TRICAL			Piping .
Issued By	building official	renberg	- 4	PLUM	IBING			Building
Owner_Ali	ne K. Wilson							
Address 6	name Bauman Place	tel.	T	MECH	HANICAL			1817-0
	nial Builders	473-2771	中	DEMO	OLITION	WI-THE TO SECTION	V-124-2	MERCHANIA
buil	der-engetc.	tel.	Т	i		Gulfa A		printing:
Address 19	41 Alexis Tole	do,Ohio	T	ZONI		HICHER THE SHE	1	
Description of	f Use New Siding	941 - 2		SIGN		Zarandi i Primitiona	1	Operation Pignaria
	a pearmin (			WATER		tru0		
Residential	XX 1		11-9		- 0	outstand .		
	no. dwelling units	Timeka Piggia	1.7	SEWER	TAP	CAVIEND .	-	1
Commercial_	Industri	al	C C	TEMP. E	ELECT.	In the Little	ATPL NOT	a market
NewAd	dd'nAlter	Remodel XX	-		TIONAL I	Struct.	b	S
Mixed Occupa	ancv				AN	Struct.		porting so
		THE THE THE TANK				Elect.	hr	FIGOR Day 8
Change of Oc	cupancy	during i		TOT	TAL FEES			\$12 00
	st \$3020.00		0			na voué		Distriction (3)
		Summy-	0		TAL FEES. S MIN. FE	ES PAID	ate	\$12.00 0-
Estimated Co		Aming	0	LES	S MIN. FE	ES PAID	ate	Conduit -O-coding Power Fole
Estimated Co	zoning informatin/a	TION	0	LES: BAL	S MIN. FE	ES PAIDda	ate	
Estimated Co	st \$3020.00  ZONING INFORMAT	Aming	0	LES	S MIN. FE	ES PAID	ate	Conduit -0-rosery Power Fole
Estimated Co	zoning informatin/a	TION	8	LES: BAL	S MIN. FE ANCE DU	ES PAIDda	ate //ds	
Estimated Co	ZONING INFORMAT  n/a  lot dimensions	rion area no idg spaces	max	BAL/	S MIN. FE ANCE DU yd petition	ES PAID	ate //ds	= -0- \$12.00 rear yd
district max hgt	ZONING INFORMAT  n/a  lot dimensions  no pkg spaces	<b>FION</b> area	max	BAL/	S MIN. FE ANCE DU yd petition	ES PAID	vds	
district max hgt	ZONING INFORMAT  n/a  lot dimensions  no pkg spaces	no ldg spaces	max	BAL/	S MIN. FE ANCE DU yd petition	ES PAID da  E	ate //ds	
Estimated Co	ZONING INFORMAT  n/a  lot dimensions  no pkg spaces	no ldg spaces	max	BAL/	S MIN. FE ANCE DU yd petition	ES PAID	ate //ds	-0- \$12.00 rear yd
district max hgt	ZONING INFORMAT  n/a  lot dimensions  no pkg spaces	no ldg spaces	max	BAL/ front	S MIN. FE ANCE DU yd petition Grou	ES PAID da  E	ate //ds	= -0- \$12.00 rear_yd
district max hgt  WORK INFOR Size: Length_	ZONING INFORMAT  n/a  lot dimensions  no pkg spaces  RMATION:  Width  Build	no ldg spaces  Stolling Volume (for de	max ories_	BAL/ front	S MIN. FE ANCE DU yd petition Grou	ES PAID da  E	ate //ds	= 12.00 s12.00 rear yd
district max hgt  WORK INFOR  Size: Length Height Electrical: 11/2	ZONING INFORMAT  n/a  lot dimensions  no pkg spaces  MATION:  Width  Build	no ldg spaces	max ories_	BAL/ front	S MIN. FE ANCE DU yd petition Grou	ES PAID da  E	ate //ds	= 12.00 sear yd date appr
district max hgt  WORK INFOR Size: Length Height Electrical: n/a	ZONING INFORMAT  n/a  lot dimensions  no pkg spaces  EMATION:  Width  Build	no ldg spaces  Stolling Volume (for de	max ories_	BAL/ front cover	S MIN. FE ANCE DU yd petition Grou	ES PAID da  E	/ds	= 12.00 sear yd date appr
district max hgt  WORK INFOR Size: Length Height Electrical: n/a	ZONING INFORMAT  n/a  lot dimensions  no pkg spaces  EMATION:  Width  Build	no ldg spaces  Stolling Volume (for de	max ories_	BAL/ front cover	S MIN. FE ANCE DU yd petition Grou	ES PAID da Eside y or appeal req'd	/ds	= 12.00 s12.00 rear yd
district max hgt  WORK INFOR Size: Length Height Electrical: n/a Plumbing: Mechanical:	ZONING INFORMAT  n/a  lot dimensions  no pkg spaces  EMATION:  Width  Build	no Idg spaces  Stolling Volume (for de brief description brief description brief description	max ories_	BAL/ front cover	S MIN. FE ANCE DU yd petition Grou	ES PAID  da  E  side y  or appeal req'd	/ds	= 12.00 sear yd date appr
district max hgt  WORK INFOR  Size: Length Height Electrical: n/a  Plumbing: Mechanical: Sign: type	ZONING INFORMAT  n/a lot dimensions  no pkg spaces  MMATION:  Width  Build  a  n/a  Dimensions	no ldg spaces  Stolling Volume (for description brief description brief description sions	max ories_	BAL/ front cover	S MIN. FE ANCE DU yd petition Grou	ES PAID da  E	/ds	= 12.00 sear yd date appr
district max hgt  WORK INFOR  Size: Length Height Electrical: n/a  Plumbing: Mechanical: Sign: type	ZONING INFORMAT  n/a lot dimensions  no pkg spaces  MMATION:  Width  Build  a  n/a  Dimensions	no ldg spaces  Stolling Volume (for description brief description brief description sions	max ories_	BAL/ front cover	S MIN. FE ANCE DU yd petition Grou	ES PAID  da  E  side y  or appeal req'd	/ds	= 12.00 s12.00 rear yd
district max hgt  WORK INFOR  Size: Length Height Electrical: n/a  Plumbing: Mechanical: Sign: type Additional Info	ZONING INFORMAT  n/a lot dimensions  no pkg spaces  MMATION:  Width  Build  a  Dimensions  Dimensions	no ldg spaces  Stolling Volume (for description brief description brief description sions  ACHED ADDENDU	max ories_	BAL/ front cover	S MIN. FE ANCE DU yd petition Grou	ES PAID  da  E  side y  or appeal req'd	/ds	= 12.00 s12.00 rear yd
district max hgt  WORK INFOR  Size: Length Height Electrical: n/a  Plumbing: Mechanical: Sign: type Additional Info	ZONING INFORMAT  n/a lot dimensions  no pkg spaces  MMATION:  Width  Build  a  Dimensions  Dimensions	no ldg spaces  Stolling Volume (for description brief description brief description sions	max ories_	BAL/ front cover	S MIN. FE ANCE DU yd  petition  Grou	ES PAID  da  E  side y  or appeal req'd	/ds	= 12.00 s12.00 rear yd

## INSPECTION RECORD

UNDERGROUND				ROUGH-IN					FINAL	FINAL		
	Туре	Date	Ву	Туре	Date	Ву	Type	Date	Ву	Туре	Date	By
PLUMBING	Building Drainš			Drainage, Waste & Vent Piping			Indirect Waste			Drainage, Waste & Vent Piping		
	Water Piping			/						Backflow Prevention		
3	Building Sewer			Water Piping			Condensate Lines			Water Heater	- duiz	
	-									- 1 =		
	Sewer Connection		/							FINAL APPROVAL		
JAL .	Refrigerant Piping	7		Refrigerant Piping			Chimney(s)			Grease Exhaust System		
	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	10		Duct Furnace(s)			Fire Dampers			Air Cond. Unit(s)	in iid	Ą
MECHANICAL	Ducts/ Plenums			Ducts/ Plenums			□ Radiant Htr(s) □ Unit Htr(s)			Refrigeration Equipment		Ť
7 2	Tolland			Duct Insulation			Pool Heater			Furnace(s)		
Σ	1			Combustion Products Vents		F.	Ventilation  ☐ Supply ☐ Exhst.			FINAL APPROVAL		NI.
	Conduits & or Cable			Conduits/ Cable			□ Range □ Dryer			Temp Service Temp Lighting		
AL	Grounding & or Bonding			Rough Wiring			□ Generator(s) □ Motors			Fixtures Lampholders		
₹/	Floor Ducts Raceways			Service Panel Switchboard			□ Water Htr □ Welder			Signs		
ELECTRICAL	Service Conduit			Busways Ducts			☐ Heaters ☐ Heat Cable			Electric Mtr. Clearance		
	Temporary Power Pole			Subpanels			□ Duct Htr(s) □ Furnace(s)			FINAL APPROVAL		
	Location, Set- backs, Esmt(s)			Exterior Wall Construction			Roof Covering Roof Drainage			Smoke Detector		
	Excavation						Exterior Lath			Demolition (sewer cap)		
	Footings & Reinforcing						□ Interior Lath □ Wallboard					
5 NC	Floor Slab			Interior Wall Construction			Fire Wall(s)			Building or Structure		
BUILDING	Foundation Walls			Columns & Supports			Fireplace Chimney					
	Sub-soil Drain			Crawl Space  □ Vent □ Access			Attic □ Vent □ Access					
	Piles			Floor System(s)						FINAL APPROVAL BLDG. DEPT.		
				Roof System			Special Insp Reports Rec'd			Certificate of Occupancy Issued		
	INSPECTION			ONS, CORRECTIONS, ETC.		INSPECTIONS			s, CORRECTIONS, ETC.			
4												
<b>ADDITIONAL</b>												
DDI												1
⋖						10	. N					

ALINE K. WILSON BAYMAN PLACE COLONIAL BUILDERS 1941WALENS TOLEDO 473-2771 Lard Set Beck! Front P. Wh Smalle / Druble Holesplu des caracterestion Derocued Garage Antero y Buildin Replanature ETHE DESCRIPTION OF HOLD ALWRIDON SCOING ON EXTERIOR WALLS INCLUDING FORM INSULATION BEHIND STOING. ST. WINDOWS Sq. Ft. Part Masement Part Masement FINEER CUT ALUMINUM SIDING WITH FOAM ADDICATION FOR TRUNCT WHALL OF ACCOMPANIED BY THE COMPLETE SETS OF PLANS LUCATION. HE PLANS SHALL BE DRAWN TO MAKE ratione but he community sparings 3020

> Laboured Brilden by Shurn Caha Ires.

## **RESIDENTIAL PLAN CORRECTION SHEET**

CITY OF NAPOLEON, Building Dept. 255 West Riverview Avenue Napoleon, Ohio 43545 (419) 592-4010 847-77
ADDENDUM to Permit No. XXXXXX

Owner Aline Wilson

Location 6 Rauman

Place

Please note the Items checked below and incorporate them into your plans as indicated: 

Permit not yet issued Correct Plans and Re-Submit.

Permit issued incorporate the Items during construction.

	GENERAL		Show size of members supporting porch roof
	Provide 1 approved smoke detector.		Provide double top plate.
	Provide 1 hour fire wall and/or ceiling between garage and dwelling.	-	Provide design data for pre-fab. wood truss members.
	Provide (Class B) 1 hour fire rated door from garage to dwelling.		Ceiling joists undersized in
	Submit fully dimensioned plot plan.		Roof rafters undersized in
	Provide 1-3'0" x 6'8" exit door.	-	
	Provide min. 22" x 30" attic access.		PLUMBING AND MECHANICAL:
	Provide min. 18" x 24" crawl space access opening.		Terminate all exhaust systems to outside air
	LIGHT AND VENTILATION:		Insulate ducts in unheated areas.
_	·		Provide back flow device on all hose bibs
	Provide mechanical exhaust or window in bathroom		ELECTRICAL:
	Provide Minsq. in. net free area attic ventilation.		Show location of service entrance and service equipment panel.
_	Provide minsq. in. net free		G.F.C.I. req'd. on Temp. Electric.
_	area crawl space ventilation.		Outdoor and bathroom receptacles shall be protected by G.F.C.I.
	FOUNDATION:		METAL VENEERS:
	Min. depth of foundation below finished grade 30".	X	Contact City Utilities Dept. to remove conductors and/or meter.
	Min. size of footer" x		
	Provide anchor bolts ½" @ 8' o.c. 1' from each corner. Embedded 8" concrete and 15" in		Provide 18" x 18" x 34" wood backer for mete base.
_	masonry. Show size of basement columns.	X	Provide approved system of grounding and bonding.
-	FRAMING:		MISCELLANEOUS:
			Provide backwater valve in sub-soil drain tile
	Show size of wood girder in		Provide approved sheathing and flashing behind masonry veneer.
	Provide design data for structural member in		Provide 15# felt underlayment on roof
	Floor joists under sized in		Provide adequate fireplace hearth extensions
	Provide double joists under parallel partitions.		Install factory built fireplaces/stoves according to manufacturers recommendations.
	Provide 1" x 4" let in corner bracing or approved sheathing.		Terminate chimney 3' above roof or 2' above highest point of building within 10' of
	Show size of headers for openings over 4' wide:		chimney.

**ADDITIONAL CORRECTIONS:** 

The approval of plans and specifications does not permit t	the violatic	on of any section	of the Building Code, or other
City Ordiance or State Law. This addendum is attached	to Permit	No. 847-77	and made a part there of
City Ordiance or State Law. This addendum is attached Date Approved or Disapproved 10/24/77	Checked	By Smigled	D Langue Boro
	Cilecagu	Dynama	Dien Eventner

Date Rechecked and Approved

Checked By\_

