CITY OF NAPOLEON GENERAL PERMIT APPLICATION THIS APPLICATION IS FOR RESIDENTAL CONSTRUCTION INCLUDING BUILDING, ELECTRICAL, PLUMBING, MECHANICAL & REMODELING P50,50 7/7/17 JOB LOCATION 1085 BECCA LANE NAPOLIEUR 64 43545

DAVID BOWEN TELEPHONE # 419-579-0861 BIECCA CANE NAPOLEON OH 43545 CONTRACTOR HANSONS-977 E14MILE RAD

TROY-M148083

DESCRIPTION OF WORK TO BE PERFORMED **CELL PHONE #** 20 WINDOWS - REPLACES : DING- HOUSE AND GARREN ESTIMATED COST 34, 500, ESTIMATED COMPLETION DATE Affected Floor Area (AFA): In existing structures, it is the area affected by the improvement, i.e. a new wall dividing a room (the AFA would be only the room and not all the rooms). FEE TOTAL COST DESCRIPTION

DESCRIPTION							
BUILDING:							
Decks				\$25.00	\$		
Addition & Altera	tions Square foot in (AFA)	x \$0.05 = \$	+	\$25.00 =	\$		
	over 200 SF (Detached)			\$25.00	\$		
Siding and/or Roc				\$25.00	\$	25.	ەر⊷ن
/ Windows/Doors	0			\$25.00	\$	25	ارن س
ELECTRICAL:							
Electrical	Circuits in (AFA)	_ x \$3.00/Circuit = \$	+	\$25.00 =	\$		
Electrical Service	Upgrade			\$25.00	\$		
MECHANICAL:							
Water Heater				\$25.00	\$		
Furnace and/or A	C Replacement			\$25.00	\$		
PLUMBING:					_		
Plumbing	Traps in (AFA)	x \$3.00/Trap = \$	+	\$25.00 =	\$	50.	
	mo/n	A I - be Ohio Dound of Duile	lino Standard	Fee 1%	\$	^	50

TOTAL FEE:

I FULLY UNDERSTAND THAT NO EXCAVATION, CONSTRUCTION OR STRUCTURAL ALTERATION, ELECTRICAL OR MECHANICAL INSTALLATION OR ALTERATION OF ANY BUILDING STRUCTURE, SIGN, OR PART THEREOF AND NO USE OF THE ABOVE SHALL BE UNDERTAKEN OR PERFORMED UNTIL THE PERMIT APPLIED FOR HEREIN HAS BEEN APPROVED AND ISSUED BY THE CITY OF NAPOLEON BUILDING/ZONING DEPARTMENT.

I hereby certify that I am the Owner of the named property, or that the proposed work is authorized by the Owner of record and that I have been authorized by the Owner to make this application as his/her authorized agent and I agree to conform to all capticable laws of the jurisdiction. In addition, if a permit for Work described in this application is issued. I certify that the code official or the code official's authorized representative shall have the authority to enter areas covered by such permit at any reasonable hour to enforce the provisions of the code(s) applicable to such permit.

I HEREBY ACKNOWLEDGE THAT I HAVE READ AND FULLY UNDERSTAND THE A	BOVE LISTED INSTRUCTIONS.
CSG/	DATE: 7/7/17
SIGNATURE OF APPLICANT	DAIL.

Nian EliAS PRINT NAME:

DATE CHECK# BATCH# PERMIT#

C:\Users\documen\Downloads\General Permit Application.

HOME IMPROVEMENT INSTALLMENT CONTRACT AND AGREEMENT uner(s) (O mensio) listed silicity intry and swing goods and/or survives a trial by the manesant and forms of each advanced could be found as interesting the appropriate of the second and the s

agreement represents a cosh sale of good canchi and/or services purch ased as dress of the job, regardless of tining or approva	ribed below tribed below t of y firm	vices. Owner! K. W. th. Lid (1991) Inschip Owner!	a) agiens nii didaa s) may se	to cay in ca appn sucst year for the p	ish the tankal v urchsa	onel c tompl e.
WD196		20	010	199		
MEASURE DATE - MEASURE TIME	-WORTH Y	HE WAIT SUMPLET	SE P	age 1	ot <	7
10 10		PRUXIMATELY	1	6743	2/0	>
6///	Week	after approval	- Ap	pointmen, Ne	imper	
Gift Prome This Month? AYES	U NO	D WAII	/E (Cust Initi	als:	Pub
CUSTO	WER IN	FORMA	TION	SELECTION OF THE PERSON OF THE	THIE	
Customer Last Name:	Bon	re J				and the
Home Phone Number:	419	5790	286	1		-
Address where work	1085	- Kuc	y la	٠		
is to be done: Who do you pay your taxes to?	Wash	denou	H (1354	5	
(For permit applications)	Ner	27			_	_
Gilling Address:	Nogo		1. C	13541		
Mr. First Name:	Na	LO.	a version and		Mile Payer	200.00
Text OK Mr. Cell:	419	579.	086	./	Andrews	otelocare
Mr. Work #:				4		-
Mr Email	DESOL	ien @ n	Mysel	lean of	10.6	oin
Mrs./Ms. First Name:	14	اباد	- Jorgania	MICHAEL GROWN - MARKET	WIN THE REAL PROPERTY.	EW JY
Text OK Mrs. Cell.		966.7	7/7			*********
Mrs. Work #;	4.7					
Mrs. Email:)Bou	ine Na	nelen	vettio	. 2 - 4	
	TERMS plion \$ all adver	OF PAYM	h# ENT	\$60 K	OWS	81
Amount of wood prepaid, if appl	icable (II	not, see spec	sheet)	\$ E	}_	
	Ad	ministration	ı Fee	\$ 295 .	.00	-
	O PERMITANTAL PROPERTY.	FINAL TO	DTAL	\$ 38.	20	0
Control of the Contro		(50% requ		\$ 0	<u></u>	
Balance to be paid upo	n substa	ntial compl	elion !	\$ -0		
		mount fina		\$30,0	20	0
DEPOSIT/FINAL P	AYMEN	TIN THE	FORM	10:	Age	118
CASH CHECK#		□ VISA	D M	aster Car	d	
ame on Credit Card:						
edit Card #:	and the same of th	-	-		********	
p. Date	Y		CPU	Code:		
our final check is your receipt	Manager Company	Discovery and the second	*			
JYERS RIGHT TO CANCEL. You Ith me prior to midnight of the third be the accompanying Notice of Ca didtitionally, the seller is prohibited other third party pick up your pabusiness-day period in which you	ncellation of from ha	day after the form for a wing an inc	e date n expla lepende	of this tra nation of i	nsact this ri	ion ght.
IN WITNESS WHEREOF the parties have here unto signed their name(s) this	e .	aget J	11 100		201	5
MICHIGAN/OHIO SOLICITATION SALES AC	Τ,	37 d	JAJA.		261	5
) aprila tuat the approximat form and remase, with indicated and temase, with the season of the seas	Constitution # (the forms) are in,	ens agreeneest Strong and 1, ne.	lt. Agreen Lay both ()	nikel may not b in inch) and . a na	er change 1 oct 4 4 ccm	e are ed or in fix
Owner //	5-1	7		3		
The state of the s						
Owner Willel	11/2	11/01				********
TALK A	# <i>[2</i>]	LOCATION:		Windows of	Exten	sion _e

JUST THE FACTS First of all ... No verbal agreements are recognized. Everything must be in writing on the contract. Please rucke sure everything a writter on your order. If something is not on your work order, please do not request if from your staff. They are not allowed to give anything not on the contract. First of ail. from education from the second state of the se DiB Conduminiums. Distomers are responsible for obtaining their own condonaptrovals, of hysiocratious have the own rules. Normally, appeared are greated when replacing the predicts and colors. Contact with. We require at least 2 telephone numbers and an aman address from every customer. Please provide this internation and the best numbers to sourtact you during working hours (BAA-5PPA).

Provid Malances. Too will be instituted to work proper branquer. The enter certains for the installation department is one strike which as 2 from time strongly of your installation and let you know what time your asceler is expected on strike which as 2 from time stomer for example 9-11AM, but it does vary occurring on drive times and material pick up, installation start time is approximately 6 to 12 weeks after approve. Please terior to the installation time frame on your unstread. Select seps are not allowed to change these times, you may not hear from us for a period of time white we are waiting for your materials at artive. Due to worst. We will all all as soon as possible to schedule your job. If you are using our financing, the allow doesn't stark ticking unit your loan to approved. If your installations time extends past the estimated time on your content, we will credit your account 500 per week for every week that we find behind.

We cannot hold or quarantee any installation dates, installations are weather-pending and nebody van predict Mather. 弘 We cannet hold or guarantee any installation dates. Installations are woather-perding and nebody and predict Mather Nature. Our installaters use power tools, or we use weather reports as a guide, Keep in mind. It may not be reading all your nesses, out if may be expected in your area. Sometimes crews call in sick, fracts break above, ret, path we every other place of but ness. Please be understainting if this happens. If by chance, your installation is cancelled much than once, for reasons other than weather, we will gladily refund \$100 to you for your installation in cancelled much VB then under your reasons show than reconver, we wan group round a round or you not you measurements. It you MLST care a Solarday, your projected fine of installation may be longer than what is written so the contract. Special order items may use about the time frame. All installation arrival times are based on 2 bour increment, such as 8 ft. 9-ft. 16-ft. We cannot propon an exact convert time.

Longth or Installation. Average time for a roofing installation is 2 - 5 days. Siding installations are 3 - 10 days. These time frames are based on the size of the jobs and the degree of difficulty so larger installation times may occur. Vill These time traines are based on the size of the rops and the degree of difficulty so longer installation times may occur. A responsible adult 18 years or other must be at the installation site at the beginning and the end of the job. The head installer is will be a walk around with you prior to starting work to assess any existing damage, landscaping, or any property that could be affected by the construction. He is available to answer any questions you may have at that time. The head installer is also existed a post inspection when the job is completed. We want to make sure that we exceeded your expertations, an gives the job very carefully. If there is anything that used to be addressed he with be able to lake care of it, or the that any using our financing program a completion single may need to be signed. Your installer will need to extend the poly. Tel Installation Team... We only use Hansons authorized contractors. Crews usually consist of 1 to 4 people our installer-partners use their own trucks and tools and are fully insured over and above Hansons existing insurance. All work is gearranteed by Hansons, so you never have to worry. There will be lots of usuing so please take down all decorations hanging on the walls. 716 . Installers will need to use your electricity. They do not carry generature, so I agree to supply Bilb access to my power Children and pets...Please provide a sale lonation away from the crea during the installation process. Installars use power tools and we don't want anyone to get hurt Financing... If you are tinancing your balance. Harsons finance department will notify you whon your finan is approved. This could take up to 14 days. We will work hard with the lineadec companies to get your load approved and sometimes the terms will change. The finance company may also ask you for additional information and your cooperation will being speed the process. If any load terms change, Hansons tinance department and or your representative will explain them to you ub Londscaping . When your installation is in process, there is debrts. Some of it could fall on your landscaping. Our installers do their best to avoid damaging your flowers, trees, and bushes, but sometimes it does happen. Please be understanding 56 Reel / Siding / Gutters: Durngster ... <u>Higher an efficient</u>ationes do we leave debris on your property. We remove everything for safety reasons Please don't ask our sales reps or our installers if you can keep the scrap. Dumpsters are not for customer use Roof Establisher. If your roof is to iking, we will prioritize it to the best of our ability. We will be doing a to of hardway on their so you should expect debris-in-voor aftic. Make sure your valuables are protected with efficient. We will remove any refresh it your rate these dishes but we can't see the satellite so you will have to call your provider to have it fined up. Please cover all A-C units prior to installation. If your root is to sking, we will prioritize it to the best of our ability. We will be doing a for Shingles are delivered to your roof lop. There are a lot of buedles and it is very difficult to earry them up a and up a very united to your corrupt. These dies not or organized and us very united to early cent up a ladder. You will be asked to sign a waying so health activery truck can put into your driveway. A dumpster will be delikered early in the morning on the day of your scheduled installation. It will also be in your driveway. Please make sure that your vehicles are out of the way and accessible to you. We don't like to trap our cuctomers in their own garage, they get mad. Generally, the dumpster is picked up 24 to 48 hours after completion. Gutters.... Will not have extensions unless on the work order, they are an additional charge. Per code, most cities do not allow down spouts to go into crocks. Guller installers will determine the most efficient downspout placement. They will be nappy to work with you if you have any special requests. Gutter protection products can increase the formation of inicies. The is a normal occurrence Wood... We do not replace the wood framing or stops around your windows. We reuse your existing ones. It's bet-ter for the environment. These items are available for purchase if you would like to add them to your work order. Construction concerns....We do not do any painting or wood staining. Sometimes, plaster may crack dur ing construction. We will repair with first coat of mud and sand smeoth. You may have to do some touch up painting and light sanding after we finish. Drids. It you ordered grids on your windows, the pollerus with the time same as what you have existing unlock otherwise specified on your work order. Please make sure this is the pattern you want. Unless otherwise specified...half screens are standard on our windows. Full screens are available as an option but not recessary. Window treatments... We ask that you remove all of your window treatments prior to your installation. All windows that are being replaced will need at least 3 feet of clearance laside for our installers to move. We do not take down or reinstall any blinds or draperies. Most blinds will fit after the new windows are 26 installed, but this is not guaranteed Replacement windows do not have nailing lins. They fit inside your existing frame. Frames may be larger and sometimes 76 require stops. Also, on all installations, we need to allow adequate space for insulation, as all windows must be insulated. Windows are installed from the outside, but the installers do need to have access to the inside of your home Degravativ come in stack sizes unless otherwise specified on your work order. Openings often need to be slightly altered to 20 accommodate the size of the doorwall that you ordered. 5 feet, 6 feet, and 8 feet doorwalls come in 2 sections. 9 feet and 12 fool deerwalls are 3 sections and open in the center. If a special order decrwall is necessary, there will be an upcharge We do not guarantee that the A.C. units will lit in the replacement windows. Whitow Art units... Alarm contacts... will not be reconnected. We will leave the wires exposed and your alarm company will 16 need to come out and reconnect them, as you must be a licensed alarm company to work on alarms. ALL CONTRACTS l understand the details of my pre-install checklist and I have received a copy. Please start my order imme diately. If I do not answer your call within 24 hours please feel free to call my manager at extension #1121 Please be advised that all telephone calls at Hansons are monitored for quality control LEAD SAFE PAINT PRACTICES LEAR SAFE PAINT PRACTICES I we hereby acknowledge receipt of a copy of the pamphlet, "Renovate Right: Important Lead

Hazard Information for families, child care providers and schools", informing me/us of the potential risk of lead hazard expusare from renevation activity to be performed in my/our home. I/we received this pamphlet before the work began

A			Marking & reports and							r	٠. د	ر کلہ	ر م		<u></u>	•				
Replacement According to the control of the con	1.1	lã	4	ü	12		0	9 0	æ,	1		3.5			1	William Commence of the Commen	41 A	1	3	100
Replacement According to the control of the con	Nell					1	1			-	2	0,70	130	X.	3	The state of the s	3036		340	-80
And there are Another Another are Another are Another are Another are An	2					-		-	-	-	0	-	-	-	-	Bant	1 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2		Sal	
And there are And there And ther											+	I	111	18%	10	Window Type		4		Ē
And there are And there And ther	Signal (C)										1	3	8		=	Algield)		10 10 10	Self-regular Self-regular Transport	
And there any long thouse of the company of the com	rus (-				\dashv	-	_	-	-	1	-	5		5	Gustomer Initials		Printer.	Tarrison Control	18 H 18 H 2
And there any long thouse of the company of the com	(2))	7.4						63	15-0	مكسرا	عليد	2				Laboration	- 0 - 2 - 2
Art there any Art there are Art there ar							* 2	< >	× ×	36		Š		× 5 ×	Um;	Saleacerson	384		FR COM	14 15 11
Art there any Art there are Art there ar								-		-	-	-		Ľ		and the same from the same of the same		11	Ł.	٠.
Are there are some constraints of Colors and			×	×	*	× 1	× 1 >		,	A see to see							177		X	2
APPT INFO					A PART OF THE PART	The same of the sa				and the same			ĺ		*	threaten			-	5
APPT INFO		-	-		+	+	+	-	+	-			-			the reason of the state of the	Singra Wings	ı		D
APPT INFO Since there any Appt INFO Since there any Appt INFO Since there are the property of the propert	(1)	×	×	×	×	× :	× >	c >-	×	×	*	×	×	×	3w.	-	15	9		7)
APPT INFO AND APPT INFO AND APPT INFO Call Less damp C		and the state of t	- Printer		-					entropy and the second						ar (Execution)		1		.
DW Handle Frich DW Han	17 C2 C7				-	-	-	-	-	-	1-345-5				-	L. S. Constitution of the		l g	a arkir	Are II
DW Handle Frich DW Han	Roce of GAN	×	×	*	×	× 5	< >	×	×	ж.	`~	.×	><.	54				W.,	Burge	ere a
DW Handle Finish Continue Co	Blict Blick			MARA MARA		withway sacras		ĺ		-					Table of the last	≠ Actical Size		Ж.	3 5	, a
DW Handle Finish Continue Co	Unes Lines	2																1-0	lo la	
DW Handle Finish Continue Co) w 000 000 000 000 000 000 000 000 000		1-		+		-	+							-	compered Glass	EXE	\$ 110m	ISt. L.	
DW Handle Finish Continue Co	~	-	-	-		-	-		+							Full Hard Glass		The W	1	_
DW Handle Finish Continue Co	Constitution of the Consti			\dashv	-	+			-							Agement Hook if Louisi	1 / 1 / 1 / 1 / 1 / 1 / 1 / 1 / 1 / 1 /	8	ma z	N I
DW Handle Finish Continue Co					-	1	-	-	1				Promote page 4	Manager (1) second					A. B.	APPI
DW Handle Finish Continue Co	On A				-	A THE PERSON IS NOT THE PERSON IN		1						11000		Bours			3	NF.
Gents Type Gents Type Gents Type Field Contour Patter St. Dis SCI. Patter Market Patter St. Dis SCI. Patter Market Patter St. Dis SCI. Patter Market Market Patter Market Mark	O THE STATE OF THE					İ											9.85 The			
TYPE OF HOUSE REMOVAL TYPE Series Series Market a Wood Process Market a Wood Market a Wood Process Market a Wood Process Market a Wood Mar	· · · · · · · · · · · · · · · · · · ·			7	+	+	+	+	-							as andle Frach	7	4.00		4 100
TYPE OF HOUSE REMOVAL TYPE Series Series Market a Wood Process Market a Wood Market a Wood Process Market a Wood Process Market a Wood Mar		-		+	+	-	- -	+				-				First / Contract			ANTIGO CONTRACTOR OF THE PARTY	- Arrenamen
Marbeita / Wolfe Story Dinnyabow Din	17 7 E				The second second	Verter in the	-				The second				ales aries arrelated	dill ri				
Process Green Contacts C	K S S S S S - I S - I S S S S S S S S S S							-			1				1	Marbara	100		382	7
Back on Winter Grown Level D Viny Step Page Wolf Mull Removals # of Mull Togethers # of Mull Togethers Security Bars / Alerm Contacts Conta	A A A A A A A A A A A A A A A A A A A	-		+	-	-		-	 				1			Pho One	i I al	P. P.	A CP	
Back on Winter Grown Level D Viny Step Page Wolf Mull Removals # of Mull Togethers # of Mull Togethers Security Bars / Alerm Contacts Conta	130 MUTS 8			7	-		+	+					-	+		We have Width		(C	B 2	JGH.
REMOVAL TYPE Security Bars / Airm Security Bars / Airm Security Bars / Airm Contains White Bar Cours Beige Step Pacs / New Buck Contains Read Cours White Bars Contains Contains Read Cours Read Cou				1	4	1	-	L				_	1			Black on White (WOW Brown on White (ULCW)		-Lewe	Story	38
REMOVAL TYPE Security Bars / Airm Security Bars / Airm Security Bars / Airm Contains White Bar Cours Beige Step Pacs / New Buck Contains Read Cours White Bars Contains Contains Read Cours Read Cou	Anne Anne Fa	-		-	-	+	ŀ	+		-	1	-	-	-	-	# of Mull Remn	S. Bac		E U U	1 1
E G C C C Cherry Windinguin	Describer of the Bright of the		+	+	+	+	+	-		-	-	-	+	-		- ' IVII IVII Ta		Viny	Alum	RE
E G C C C Cherry Windinguin	ION			-			-	-			4		_		_	Goods Alarm	2 2 3		===	MOVA
E G C C C Cherry Windinguin	Figure 2 of Seige					+		-		+	+				-	Gloer Paris / No.			8 Y	T TYP
CONSTRUCTION TYPE LEAD PAINT CONSTR	다 다 다 다 다 다 다 Cherry Woodgraus		-	-	- Company	1	-	-	Н		+	-		+				A. Carrier	lood ans	m
NSTRUCTION TYPE LEAD PAINT NAME AND THE LEAD PAINT NAME AND THE LEAD PAINT NET COUNTY THE LEAD PAINT NET COUNTY THE LEAD PAINT NAME AND THE LEAD PAINT NET COUNTY THE LEAD PAINT NAME AND THE LEAD PAINT NAME AND THE LEAD PAINT NET COUNTY THE LEAD PAINT NAME AND THE LEAD PAINT NET COUNTY THE LEAD PAINT NAME AND THE LEAD PAINT	무 이 이 다 다 다 다 다 Dark Oak Woodgrain															Build	53 - 15 - 1 8 1. 15 - 1		El-	8
SUBSTANCE OF THE LEAD PAINT STANCE OF THE COURT OF THE STANCE OF THE ST	및 C C C C 및 C C Light Oak Wondgrain		-	1		L	L									Cut Down / O			- 2	NSTR
Frame 2 YES 2 FULL JOB 2 FARTIAL JOB 2 YES 2 OF THE LEAD PAINT 2 THE LOB 2 FARTIAL JOB	ECCECCC Auch Maple Woodgrain			-	+	+	-			1		+	4	-	1	Cut Out	# 5 T	Da.C		UCTIO
PE LEAD PAINT OF YES	C C C C C C C C C Soft Maple Woodgrain		+	-	+		\vdash	-				+	+	-		Electrical Religites	\$250 \$250 \$350 \$350 \$350 \$350 \$350 \$350 \$350 \$3		13	N TY
LEAD PAINT J YES J YES J YES J YES AND ALIAN RELIABILE NORTH AND THE STATE OF THE STATE O			1			1	1-	+		T	+	+	1	+	-	FULL SCREFIES	λ .			35
PAINT YES YES YES YES YES YES YES YE	DAMAN AMAN AMAN AMAN AMAN AMAN AMAN AMAN			+-		-	+-	-		-	+	+		-	+	OH LPCO		78	à Li	LEAC
D FULL JOB **AL PARTIAL JOB **AL PARTIAL DOPINS: STANDARD OF TANDARD OF TAN	SOO DOOD DOOD SPECIAL SANNING BANK BANK BANK BANK BANK BANK BANK BANK			-							- Company		-	melvan dente sens	-	BLIME BLIME	38.85	N.	YES	PAIN
DEFORMENT SEMENT	MANUTANANT INTO CARE OF A STREET OF ANNIANT	-			Vert, contemporary					and the second second		Chante to CF2/Cadeball &	of the school desired		-	E SER	ANTENNA PROPERTY OF THE PROPER	_		
PARTIAL JOB PARTIAL JOB SECRET FOR THE SECRET FOR THE SECRET SECRET FOR THE SECRE	UNG BEMEN SUBJECT OF STATEMEN SEMEN SEMEN SEMEN SEMEN SEMEN SUBJECT OF STATEMEN SUBJEC									- Parlementary			B Mingridge States		and the same of th	HES DO HE	Stand Stands	p	10	de un sprije de
ALL JOB ALL JOB ALL JOB ALL MARKET LOCKS KET LOCKS	MAN ALL MALL			The decident		durante commercial						Special Communication	OF R William Street,	Annual management	THE PART OF THE PARTY.	ORWA I Sizes LITUS-	D 0)	FAST	FULL	
WHENCE ALL THE SECOND S	E E			Violation and State of State o			and the second second		de don t de tank		and the second	Vehicle of Character		Pri sprana a con	-	Daily Daily	3 A	WL JU	. J08	
	WINTERCON . 11 H						<u></u>	<u></u>			L				-	SNO.	7.2	c	J	

Signal of the state of the stat		15 2 x 6 2 1 1 1 1 1 2 2 x 5 3 1 1 1 1 1 1 2 2 x 5 3	10 1 CA	6.2 GVI 11.0	DH FINE 25	10 691 0 1 1 1 25° ×50		45x 62 4W 4 4 100 8	12 July 39	5 2x 22 (10) 1100 2x x52	5 0m 01 mi 40 85	4 DN ON CAD 27 x53	1500 2.17 (J.C.)		1 10 0 P 1 10 0 0 5 7	Sale sperage	STAILUAIN 15 Norman (2) of the first of Aliabeth of A	
		X X	X	X	X X	×	×	×	X	×	×	×	×	×	}-£	€ Estimated Size through the distance Size through the size Size through the size through	To the second	9000
Size of Project		× ×	and a more and the following man of the finding of the following the following man of the fol	><,	*	X	*	ж	*	X	'सर्ट	347	All the state of t	No. of Concession, National States of Concession, National Sta	<i>y.</i> :		WHIP SERVICES TO A PROPERTY OF A DESCRIPTION OF A DESCRIP	Are there any style changes? 25th
ETHOLO PLACE TRAIN COLORS A DESCRIPTOR A DESCRIPTOR A COLOR SEA A COLOR A COLO	Dus Window Color		The state of the s		A COLUMN TO THE PROPERTY OF TH	The second secon	and the state of t	And the second s	The state of the s		The state of the s	TO THE PERSON OF	The second secon	distinguish plant data	The state of the s	Orestore Grass Full Halchic Gasement Hinge (L) or (R) Configuration 3-3-3/4-2-4 Bay/Bow Ends Stat (This Comp	LILLL C	APPI IMFO SI Lasi Nume: 5,0427
MATTICE MATTICE MISSION DECIDE BELIM MISSION DECID BELIM					And the state of t			entreme en e e e emme mentangenente e e emme en entreme en en entreme en		A CONTRACTOR OF THE PROPERTY O			1	the state of the s	of the second se	Gass Type Foli Conton Pattern, Col / Dia / SGL Perimeter Marbellts, Wood Pine / Oak Sill Wich	THE	U Ranch 1872-Stery U Story C Bungalew C Bi-Level C To-Level
	GHOS & COCOR Gridshee Herming	The state of the s	7. 11. 11. 11. 11. 11. 11. 11. 11. 11. 1		to delivery the second		and the second s	400	And the state of t	All deal designation and all all all all all all all all all al	The state of the s	Here and the distance of the second s	100		The second secon	# of Post of Tuethers Security Bare / Alaem Contacts Sizel Page / New Buck Casing: Page / Oak / Inc.	WHAT PROBLEMS TO THE PARTY OF T	E REMOVAL TYPE thery LI Aluminum 2-Wood galow LI Stoot LI Steel Pans Level LI Viny
The state of the s				The state of the s	or and other state state that because its and another includes the state of the sta	and the same of th	The same of the sa									Build-up / Build-in Build-up / Build-in Cut Down / Gul Side Cut Out Cut Out Flectrical Reroutes FULL SCREENS	Park of eggs and strate of the second of the second and strate of the second of the second and the second of th	CONSTRUCTION TYPE A-Brick Saframe CO Brick
DSI. DOI'S F SULFOR DSI DOI'S F SULFOR CS SOI. SONALE CASEMENT CS-DB. DOUALE CASEMENT CS-DB. DOUBLE CASEMENT CS-DB. DOUBL	0.40 1.40 1.00 HG		THE PERSON NAMED OF PERSONS OF PE	To the contract of the contract of the state	del	a company and a second	Andrew and the Antice of the A					Commence of the state of the st	min and a second control of the second contr			ELITE SERVE DISORMALL OPTIONS: STANDARD DISORMALL OPTIONS: STANDARD DISORMALL OPTIONS: STANDARD DISORMALL OPTIONS: ALL ARE SERVED DISORMALL OPTIONS: STANDARD DISORMALL OPTIONS: ALL ARE SERVED DISORMALL OPTIONS:	PREMIUM. Lefter dat, angle 15 - 2.23 from the English Lass of the Property Code (10-1) in the Property Code (10-1) in the English Lass of the Property Code (10-1) in the English Lass of	LEAD PAINT D YES D FULL JOB D FARTIAL JOB

Comments # C STLARES ZC OS COLOR WITH いののころの Corner Posts Williak S COIDE Gutter Colly: Some With it 101 song Charcapit 5 makes 5" DOWNSPOUTS - 1 STORY / 2 STURY TEAR OF WHIT Dientral THE LEARNING Hat' FACEBRICK ALUMNUM Lutik 5" GUTTERS LYMS* COVEO AVAILABLE SHUTTER COLORS ☐ Black COLORS SG1099 SHILLY LEVE OF 250 ☐ White 135 - Webrithin agement System 57 25.55 Matural day Caring Char. OFDARSHAKE , SCALLLOPS \$1 D4SK YOG ARDLIS & 30 # 1334 10 # HEFT TO # 1333 10 # De # OF SQUARES 1.2" Insulation, 1.1356 (Swind), 30" (28) Guerre 18 STANDARD 0.080.4 ###SDATES O # ZSOLLERS D Which Class us Only, # J18CH2 #5 ... ish (bamhoaid add .042 f color skring, 5 yezh wurranty L partition 4 Dower Drop in formed insulation - 046 full out/of siding hidden vent soffit. 20 year guarantee product and fabor. # OF SOUARES Trim and soffit only available in Smart Choice and Premium Packages LAST NAME CD 032.4" PERFORMANCE 018469 APPOINTMENT ID Putudes factory fram-backed insulation, Hars alse Wran. 046 thickness, dissignor colors Has lattle, hidden vent solft, lifetime guarantee Product and fatie. R-4.75-5 insulation # OF SOUARES SMART DHOICE IN CARTACATION OF 18 180 C. DRAWING OF HOME 30.25 Page 34 W 345-525 5.52-18×57 11×4 -44 2012 500 A 40-14- T Hardie Board 57% Blick.
7 13 Fiber Cement Prinal w/6 reveal. but day diversable in seprent of the Housewrap, Lightne Guarantee Cleaning Cleaning 13/4 - 83/42 @ 32 - 72/41 @ 17/6 - 17/41 @ 111 C. 1885 & C. 151 (2) @ 35xbx 6 -119 HONE THEY BUT SHOULD JEUL JUB Y BOARTIAL JOB (25) LOCATION 3900 SHE. \$ 30.253 1.54 五25 DIC R & R Sht taus R & R jutters lier foot Light Blocks Vents Octa Square Hectango Triangle Venus Shutters - louvered Mini Gable Fan Full Gable Fan Wrap Colum PVC Trum (per Square) Window times > 105 UtPalio Drs Bay Window Trini Wildow trims < 105 UI Door Surrount Double SIDING OPTIONS