

**PERMIT**  
**CITY OF NAPOLEON, OHIO — DEPT. OF BUILDING & ZONING**  
**255 W. Riverview Avenue, Napoleon, Ohio 43545 (419) 592-4010**

Permit No. \_\_\_\_\_ Date Aug. 8, 1980  
 Job Location 230 Briarcliff Valuation \$ 30,000  
 Owner Thomas Snyder Address 230 Briarcliff  
 Contractor Lindsay Westhoven Telephone No. 592-7308  
 Address Rt. 5, Napoleon, Ohio  
 Electric Contractor Jim Speiser & Sons, Box 145, Napoleon, Ohio  
 Plumbing Contractor Mayers Heating & Plumbing, Rt. 5, Napoleon, Ohio  
 Mechanical Contractor \_\_\_\_\_

**This permit is issued for work described in the plans, specifications, and/or application submitted, as approved by the Building Commissioner of the City of Napoleon, Ohio. Work shall conform to all pertinent construction and land use Codes and Ordinances.**

**Work Information:**

Residential \_\_\_\_\_ Commercial \_\_\_\_\_ Industrial \_\_\_\_\_  
No. dwelling units  
 New Construction \_\_\_\_\_ Addition \_\_\_\_\_ Remodel \_\_\_\_\_  
 Brief Description of Work \_\_\_\_\_

ISSUED BY \_\_\_\_\_ DEPT. OF BUILDING & ZONING  
Building Official

**It is the owners or contractors responsibility to call the Building Department for the following (X) inspections:**

- \_\_\_\_\_ Footing excavation prior to placing concrete.
- \_\_\_\_\_ Footing drains and foundation prior to backfill.
- \_\_\_\_\_ Prepared sub-grade prior to placing concrete floor slab.
- \_\_\_\_\_ Sanitary sewer
- \_\_\_\_\_ Rough-in electrical, plumbing and service framing prior to installing wall board.
- \_\_\_\_\_ Final electrical, plumbing and heating.
- \_\_\_\_\_ Final building inspection, prior to occupancy.

**Permit is not valid until all fees are paid in full, and shall be void if work is not started within six months of date above.**

**PERMIT & FEES**

Building Permit	\$ <u>5.50</u>
Electrical Permit	\$ <u>29.00</u>
Plumbing Permit	\$ <u>27.00</u>
Mechanical Permit	\$ <u>3.00</u>
Demolition Permit	\$ _____
Zoning Permit	\$ _____
Sign Permit	\$ _____
Water Tap	\$ _____
Sewer Tap	\$ _____
Temp. Elec.	\$ _____
Other	\$ _____
<b>TOTAL FEES</b>	\$ <u>24.00</u>
<b>LESS FEES PAID</b>	\$ _____
<b>BALANCE DUE</b>	\$ _____

ADVISED HOMEOWNER  
 AUG 10 1980  
 230 BRIARCLIFF  
 NAPOLEON OHIO

# INSPECTION RECORD

UNDERGROUND		ROUGH-IN &				FINAL
Type	Date	By	Type	Date	By	Date
<b>PLUMBING</b>						
Sewer Connection			Drainage, W. & Vent	9/24/11	AW	Drainage, W. & Vent
Building Sewer			Water Piping	9/24/11	AW	Water Heater
Water Piping			Condensate Lines			Backflow Prevention
			Indirect Waste			
						FINAL APPROVAL
						9/11/11
<b>ELECTRICAL</b>						
Floor Ducts Raceways			Rough Wiring	9/24/11	AW	Electric Mtr. Clearance
Conduits & Cable			Conduits/Cable			Signs
Grounding & Bonding			Service Panel Switchboard	9/24/11	AW	
			Subpanels	9/24/11	AW	
			□ Range □ Dryer			FINAL APPROVAL
						9/24/11
<b>MECHANICAL</b>						
Refrigerant Piping			Refrigerant Piping			Duct Insulation
Ducts/Plenums			Ducts/Plenums	9/11/11	AW	Chimney(s)
			Ventilation □ Supply			Furnace(s)
			□ Exhst.			FINAL APPROVAL
						9/11/11
<b>BUILDING</b>						
Location, Set-backs, Esmt(s)			Wall Construction			Fireplace Chimney
Excavation			Crawl Space □ Vent □ Access			Attic □ Vent □ Access
Footings & Reinforcing	9/24/11	AW	Floor System(s)			Special Insp Reports Rec'd
Sub-soil Drain			Roof System			Smoke Detector
Foundation Walls	9/24/11	AW	Fire Wall(s)			Demolition (sewer cap)
Floor Slab			Roof Cover Roof Drain			Building or Structure
						9/11/11
FINAL APPROVAL BLDG. DEPT			FINAL APPROVAL			9/11/11
			Certificate of Occupancy Issued			9/11/11
						# 11-18

ADVISED HOMEOWNER:

- INSULATION BETWEEN ROMEX & HEAT RUNS
- STAPLE ROMEX IN LOOSE PLACES
- HEAT RUN HAS HANGER w/SHARP edge should TAPE

# PERMIT

CITY OF NAPOLEON, OHIO — DEPT. OF BUILDING & ZONING  
255 W. Riverview Avenue, Napoleon, Ohio 43545 (419) 592-4010

Permit No. 108 Date Aug. 8, 1980  
Job Location 230 Briarcliff Valuation \$ 30,000  
Owner Thomas Snyder Address 230 Briarcliff  
Contractor Lindsay Westhoven Telephone No. 592-7308  
Address Rt. 5, Napoleon, Ohio  
Electric Contractor Jim Speiser & Sons, Box 545, Napoleon, Ohio  
Plumbing Contractor Meyers Heating & Plumbing, Rt. 5, Napoleon, Ohio  
Mechanical Contractor \_\_\_\_\_

**This permit is issued for work described in the plans, specifications, and/or application submitted, as approved by the Building Commissioner of the City of Napoleon, Ohio. Work shall conform to all pertinent construction and land use Codes and Ordinances.**

### Work Information:

Residential  Commercial \_\_\_\_\_ Industrial \_\_\_\_\_  
No. dwelling units  
New Construction \_\_\_\_\_ Addition  Remodel \_\_\_\_\_  
Brief Description of Work \_\_\_\_\_

ISSUED BY Richard H. Hayman DEPT. OF BUILDING & ZONING  
Building Official

**It is the owners or contractors responsibility to call the Building Department for the following (X) inspections:**

- Footing excavation prior to placing concrete.
- Footing drains and foundation prior to backfill.
- Prepared sub-grade prior to placing concrete floor slab.
- Sanitary sewer
- Rough-in electrical, plumbing and service framing prior to installing wall board.
- Final electrical, plumbing and heating.
- Final building inspection, prior to occupancy.

### PERMIT & FEES

Building Permit	\$ 5.50
Electrical Permit	\$ 9.00
Plumbing Permit	\$ 7.00
Mechanical Permit	\$ 3.00
Demolition Permit	\$ _____
Zoning Permit	\$ _____
Sign Permit	\$ _____
Water Tap	\$ _____
Sewer Tap	\$ _____
Temp. Elec.	\$ _____
Other	\$ _____
<b>TOTAL FEES</b>	<b>\$ 24.00</b>
<b>LESS FEES PAID</b>	<b>\$ -0-</b>
<b>BALANCE DUE</b>	<b>\$ 24.50</b>

PAID  
AUG 8 1980  
CITY OF NAPOLEON

**Permit is not valid until all fees are paid in full, and shall be void if work is not started within six months of date above.**



CITY OF NAPOLEON  
 BUILDING INSPECTION DEPARTMENT  
 APPLICATION FOR BUILDING PERMIT  
 (please print or type)

The undersigned hereby makes application for construction, installation, or alteration work as herein specified, agreeing to do all such work in strict accordance with the City of Napoleon's adopted Building Codes.

Location of project 230 Briarcliff Cost of project 30,000  
 Owner's Name Thomas Snyder Address 230 Briarcliff  
 Contractor Lindsay Westhoven Telephone No. 592-2308  
 Address Rt 5 Napoleon

Lot Information: (not required for siding job)

Lot No. 45 Subdivision Anthony Wayne Acres Third Add  
 Zoning District Napoleon Lot Size 130 ft x 200 ft. Area 26000 sq. ft.  
 Setbacks: Front 91' Right Side 37' Left Side 31 Rear 40'

Work Information:

Residential  Commercial \_\_\_\_\_ Industrial \_\_\_\_\_  
 New Construction \_\_\_\_\_ Addition  Remodel \_\_\_\_\_

Accessory Building \_\_\_\_\_ Siding Vertical Resawn fir  
 (Specific Type)

Brief Description of Work: A 30'x30' Addition of Family Room,  
Laundry, half bath, bar, closets and Recreational basement

Size: Length 30' Width 30' No. of Stories 1  
 Area: 1st Floor 900 sq. ft. Basement 810 sq. ft.  
 2nd Floor \_\_\_\_\_ sq. ft. Accessory Building \_\_\_\_\_ sq. ft.  
 3rd Floor \_\_\_\_\_ sq. ft. Other \_\_\_\_\_ sq. ft.

Additional Information: \_\_\_\_\_

APPLICATION FOR PERMIT SHALL BE ACCOMPANIED BY TWO COMPLETE SETS OF PLANS INCLUDING: ELEVATIONS, FLOOR PLANS, CROSS SECTIONS AND PLOT PLAN. IF ADDITION OR REMODELING, SHOW ALL EXISTING STRUCTURES AND THEIR SIZE AND LOCATION. ALL PLANS SHALL BE DRAWN TO SCALE.

Date 8/5/80 Applicants Signature Lindsay Westhoven

PERMIT NO. 108  
 PERMIT FEE \$ 5.50

3.00  
+ 2.50  
5.50

100

100

100

100

100

100

100

100

100

100

100

100

100

100

100

100

100

100

100

100

100

100

100

100

100

100

100

100

100

100

100

100

CITY OF NAPOLEON  
 BUILDING INSPECTION DEPARTMENT  
 APPLICATION FOR PLUMBING PERMIT  
 (Please print or type)

The undersigned hereby makes application for the installation or replacement of plumbing work as herein specified, agreeing to do all such work in strict accordance with the City of Napoleon's adopted Plumbing Codes. (1, 2 and 3 family dwelling units only).

Owner's Name Thomas Snyder Address 230 Briarcliff

Plumbing Contractor Meyers Htg + Plbg Telephone No. \_\_\_\_\_

Address \_\_\_\_\_

General Contractor Lindsay Westhoven Telephone No. 597-7308

Address RT 5 Napoleon

Location of Project 230 Briarcliff Cost of Project \$30,000

Work Information:

No. of dwelling units \_\_\_\_\_ New \_\_\_\_\_ Replacement \_\_\_\_\_ Addition X

Brief description of work: \_\_\_\_\_

Is water tap required No Size \_\_\_\_\_ Type of Pipe \_\_\_\_\_

Is sewer tap required No Size \_\_\_\_\_ Type of Pipe \_\_\_\_\_

Type of Water Distribution pipe \_\_\_\_\_

Type of Drainage, Waste and Vent Pipe \_\_\_\_\_

Size of main building drain \_\_\_\_\_ Size of main vent pipe \_\_\_\_\_

Water closets 1 Bathtubs \_\_\_\_\_ Shower \_\_\_\_\_  
 No. Trap Size No. Trap Size

Lavatories 2 1/4 Kitchen Sink \_\_\_\_\_ Disposal \_\_\_\_\_  
 No. Trap Size No. Trap Size No. Trap Size

Dishwasher \_\_\_\_\_ Clothes Washer 1 1/4 Other 1 1/4  
 No. Trap Size No. Trap Size Bar No. Trap Size

All installations are subject to plumbing tests and/or inspections.

Date 8/5/80 Applicant's Signature Lindsay Westhoven

PERMIT NO. 108  
 PERMIT FEE \$ 400 7.00

3.00  
 + 4.00  
~~8.00~~  
 7.00





100 Nov 7-28-76

CITY OF NAPOLEON  
BUILDING INSPECTION DEPARTMENT  
APPLICATION FOR HEATING PERMIT  
(PLEASE PRINT OR TYPE)

The undersigned hereby makes application for the installation, replacement or alteration of a heating system or device as herein specified, agreeing to do all such work in strict accordance with the City of Napoleon's adopted Mechanical Code for 1, 2 and 3 Family Buildings.

Owner's Name Thomas Snyder Address 230 Briarcliff St  
Contractor's Name Lindsay Westhoven Address RT 5 Tel. 592-7308

BUILDING INFORMATION:

Single Family  Double Family \_\_\_\_\_ Multiple \_\_\_\_\_ New Construction \_\_\_\_\_  
Addition  Remodel \_\_\_\_\_ Replacement \_\_\_\_\_ No. of Stories \_\_\_\_\_

DESCRIPTION OF WORK

Heating System - Warm Air  Hot Water \_\_\_\_\_ Steam \_\_\_\_\_ Electric \_\_\_\_\_

Unit Heaters \_\_\_\_\_ Unit Gas Heaters \_\_\_\_\_ Other \_\_\_\_\_

Type - Gravity \_\_\_\_\_ Forced  Radiant \_\_\_\_\_

No. of Thermostatical Heating Zone 1

Hot Water - One Pipe \_\_\_\_\_ Two Pipe \_\_\_\_\_ Series Loop \_\_\_\_\_

Electric Heat - No. of Circuits \_\_\_\_\_ Other \_\_\_\_\_

Total Heat Loss of Area to be Heated \_\_\_\_\_ Btu.

Rated Capacity of Furnace/Boiler \_\_\_\_\_ Btu.

No. of Furnaces 1 (existing) No. of Hot Air Runs connecting with existing  
4 lateral ducts

No. of Hot Water Radiators \_\_\_\_\_ Type of Fuel \_\_\_\_\_

Heating Units Located: Crawl Space \_\_\_\_\_ Floor Level  Suspended \_\_\_\_\_

Roof or Exposed to Outside Air \_\_\_\_\_ Attic \_\_\_\_\_ Other \_\_\_\_\_

APPLICATION FOR PERMIT SHALL BE ACCOMPANIED BY TWO COMPLETE SETS OF PLANS INCLUDING: LOCATION OF FURNACE OR UNIT HEATERS AND SIZE AND LOCATION OF FEEDER DUCTS AND RETURN AIR DUCTS. ALL PLANS SHALL BE DRAWN TO SCALE.

ESTIMATED COST OF COMPLETED PROJECT: \$2,300

DATE 8/5/80 APPLICANT'S SIGNATURE Lindsay Westhoven

OWNER-CONTRACTOR-AGENT

3.00 MIN.



CITY OF NAPOLEON  
BUILDING INSPECTION DEPARTMENT  
APPLICATION FOR ELECTRICAL PERMIT  
(please print or type)

The undersigned hereby makes application for installation or replacement of electrical equipment as herein specified, agreeing to do all such work in strict accordance with the City of Napoleon's adopted Electrical Codes.

Owner's Name Tom Snyder Address 230 BRACKLIF

Electrical Contractor Jim Spasaro & Sons Telephone No. 599-1846

Address Box 545 NAP. O.

General Contractor \_\_\_\_\_ Telephone No. \_\_\_\_\_

Address \_\_\_\_\_

Location of Project \_\_\_\_\_ Cost of Project 1000<sup>00</sup>

Work Information:

Residential  Commercial \_\_\_\_\_ Industrial \_\_\_\_\_

No. Units \_\_\_\_\_  
New  Service Change \_\_\_\_\_ Rewiring \_\_\_\_\_ Additional Wiring \_\_\_\_\_

Brief Description of Work: \_\_\_\_\_

Size of proposed service entrance 200A Number of new circuits 4

Type of proposed service entrance \_\_\_\_\_ Underground \_\_\_\_\_ Overhead

Require Temporary Electric No (Yes of No)

Total Floor Area - Commercial and Industrial only \_\_\_\_\_ sq. ft.

Additional Information: \_\_\_\_\_

\*GROUND FAULT CIRCUIT INTERRUPTER PROTECTION IS REQUIRED ON ALL 120-VOLT SINGLE PHASE, 15 and 20 AMP. CIRCUITS WHICH ARE PART OF A TEMPORARY ELECTRIC SERVICE; AND ALSO ON BATHROOM, OUTDOOR, AND GARAGE RECEPTACLES IN ALL DWELLING UNITS. Art. 210-8 N.E.C.

\*APPLICATION FOR PERMIT SHALL BE ACCOMPANIED BY TWO COMPLETE SETS OF PLANS INCLUDING: ELECTRICAL LAYOUT AND RISER DIAGRAM. (FOR COMMERCIAL AND INDUSTRIAL WORK ONLY).

Date 8-7-80 Applicant's Signature John P. Spasaro

5.00  
+ 4.00  
9.00

PERMIT NO.

108

PERMIT FEE \$

9.00

