PERMIT

CITY OF NAPOLEON - BUILDING DEPARTMENT 255 West Riverview Avenue, Napoleon, Ohio 43545 - 419-592-4010

| Permit No | . <u>174-78</u> Issue | | _ | | FEES | BASE | PLUS | TOTAL |
|--------------|--|-----------------------------------|-------------|---------|------------|---------------|----------------|-----------------|
| Job Locat | ion 114 Brownell | date St. | 183 | BUIL | DING | \$16.50 | | \$16.50 |
| Lot_2 | Springwells Ad | address đ¹n. legal discript | _ 25 | ELEC | CTRICAL | 5.00 | \$3.00 | 8.00 |
| Issued By | building official | bug | — ф | PLUI | MBING | 99 | | Squar |
| | egory Rudolph name 114 Brownell St. | tel. | - 4 | MEC | HANICAL | | | - wes |
| | CALL PROPERTY AND ADDRESS OF THE PARTY AND | 256-7240 | _ | DEM | OLITION | | | bewall |
| | builder-engetc. Malinta Ohio | tel. | 23 | ZON | ING | 120,24 | | 0 |
| Description | n of Use Addition | to Single | - 4 | SIGN | | THE PARTY | | |
| | dwelling | | | WATER | TAD | | | and the same of |
| Residentia | one | | | WATER | IAF | omat ivii | | 970 |
| | no. dwelling units | 1000 | | SEWER | TAP | HINTO Y | | |
| Commercia | SOUTH AND ASSESSMENT OF THE PARTY OF THE PAR | | - | TEMP. | ELECT. | Club (50) | LEON CO MA | Line Conduction |
| | _Add'nXXAlter | Remodel | 52 | | TIONAL | Struct | | Hasa yal |
| | Occupancy | (J.) *(A); | W. III | RE | VIEW | Elect. | hrs . | 9 100 E |
| | 147 2 11 14 E | HEE | | TO | TAL FEES | | | \$24.50 |
| Estimated | Cost \$ 5,000.00 | 18 144 1 11 | 7-1 | LES | S MIN. FE | ES PAID | 1/10 | O |
| | ZONING INFORMAT | ION | *** | BAL | ANCE DU | JE | date | \$24.50 |
| district | lot dimensions | area | 000 | front | vd | side | yds | rear yd |
| "LB" | 82.5' x 165' | 13,612. | 1 | | n/a | 30'W 39' | E OK 80 | '+ OK |
| OK | no additional | no ldg spaces n/a | oK OK | cover | petition | or appeal req | | date appr |
| | to perionical | 134 | 49F | | ing. | Constitut | | rach s |
| WORK INF | ORMATION: | | | | | | | |
| Size: Leng | th_24'Width_ | 13.5' 8 | Stories_ | 1 | | und Floor Ar | ea 324sg! | |
| Heigh | htBuildi | ng Volume (for | demo r | nermit) | | Ethyl II | AS . | Almid |
| Electrical: | 3 new circuits. | | | | | H state() | 9, | cu. ft. |
| Plumbing:_ | | brief description | on | | | CITY | 6 | |
| Mechanical | CHENE CONNECTION | brief description | on | A79.21 | IOITSBA | NOT RIVER | 1978 | |
| | | brief description | on | | | | CIEDLE | |
| Sign:type | | | | + | S | ign Area | | |
| Additional I | nformation: CALL FOR | INSPECTION | NS MAI | RKED O | N ATTAC | HED SHEE | T: | 6 |
| 1 | 11 | | 1 | | 01 | 11 | | 2 |
| Date UC | 7 PApplica | nt Signature | neg | ory, | & Ru | doply | | |
| | | | U | | 01 | wner-agent | | |
| White-Buil | Iding Department Yellow-App | olicant Pink-Elec | trical Insp | pector | Green-Cler | k-Treasurer | Gold-County Au | ditor |

INSPECTION RECORD

| | UNDERGROUND | | | ROUGH-IN | | | | | | FINAL | | |
|------------|----------------------------------|------------------------|----|----------------------------------|------|-----|--------------------------------|------|------|----------------------------------|------|-----|
| | Туре | Date | Ву | Туре | Date | Ву | Туре | Date | Ву | Туре | Date | By |
| 5 | Building Drains | | | Drainage, Waste & Vent Piping | | 3 | Indirect Waste | | | Drainage, Waste & Vent Piping | | |
| | Water Piping | | | | | - 5 | | 3 3 | | Backflow Prevention | | |
| 5 | Building Sewer | | | Water Piping | | | Condensate Lines | | | Water Heater | | |
| | | | | | | | - | | | l l l l l l | 0 | |
| | Sewer Connection | | | | | | | | | FINAL APPROVAL | | No. |
| | Refrigerant Piping | | | Refrigerant Piping | | | Chimney(s) | | | Grease Exhaust System | | |
| A. | i iping | | | Duct Furnace(s) | | | Fire Dampers | | | Air Cond. Unit(s) | | 1 |
| MECHANICAL | Ducts/ Plenums | | | Ducts/ Plenums | | | □ Radiant Htr(s) □ Unit Htr(s) | | | Refrigeration Equipment | | 1 |
| 7 2 | Tondino | | | Duct Insulation | | | Pool Heater | | | Furnace(s) | | |
| Σ | | | | Combustion Products Vents | | | Ventilation ☐ Supply ☐ Exhst. | | | FINAL APPROVAL | HC11 | |
| AL | Conduits & or Cable | | | Conduits/ Cable | | | □ Range □ Dryer | | | Temp Service Temp Lighting | | |
| | Grounding & or Bonding | | | Rough Wiring | | | □ Generator(s) □ Motors | | | Fixtures Lampholders | | |
| 2 | Floor Ducts Raceways | | | Service Panel Switchboard | | | □ Water Htr □ Welder | | | Signs | n 4 | |
| ELECIMICAL | Service Conduit | | | Busways Ducts | | | □ Heaters □ Heat Cable | | | Electric Mtr. Clearance | | - |
| _ | Temporary Power Pole | | | Subpanels | | | □ Duct Htr(s) □ Furnace(s) | | | FINAL APPROVAL | 00 | |
| | Location, Set- backs, Esmt(s) | | | Exterior Wall Construction | | | Roof Covering Roof Drainage | | | Smoke Detector | | |
| | Excavation | | Ł | r : | | | Exterior Lath | | | Demolition (sewer cap) | | |
| | Footings & Reinforcing | | | | | | □ Interior Lath □ Wallboard | | | | | |
| BUILDING | Floor Slab | | | Interior Wall Construction | | | Fire Wall(s) | | | Building or Structure | | 1 |
| <u> </u> | Foundation Walls | | | Columns & Supports | | | Fireplace Chimney | | | and a district qu | | |
| ш | Sub-soil Drain | | 5. | Crawl Space ☐ Vent ☐ Access | | | Attic □ Vent □ Access | | | , | | |
| | Piles | (See | .0 | Floor System(s) | | | | | | FINAL APPROVAL BLDG. DEPT. | | 1 |
| | 0 | | 1 | Roof System | | | Special Insp Reports Rec'd | | | Certificate of Occupancy Issued | | |
| | 8 | INSPECTIONS, CORRECTIO | | | | TC. | INSI | PECT | IONS | , CORRECTIONS, | ETC | |
| Å. | | Ago, | | | | | | | | | | |
| ADDITIONAL | | | | | | | | | | T _B = 111 | | |
| חסס | | | | | | | | | | 1 | | |
| 4 | | | | V 7. 3. | 4 | | | | | × | | |

RESIDENTIAL PLAN CORRECTION SHEET

CITY OF NAPOLEON, Building Dept. 255 West Riverview Avenue Napoleon, Ohio 43545 (419) 592-4010


| ADDENDUM to Permit No. 174-78 |
|-------------------------------|
| Owner RUDOLPH |
| Location 14 BROWNELL |

Please note the Items checked below and incorporate them into your plans as indicated:

Permit not yet issued Correct Plans and Re-Submit. Permit issued incorporate the Items during construction.


| | GENERAL | Show size of members si | apporting porch roc |
|----------|---|--|-----------------------|
| | Provide 1 approved smoke detector. | Provide double top plate | |
| | Provide 1 hour fire wall and/or ceiling between garage and dwelling. | Provide design data for members. | |
| | Provide (Class B) 1 hour fire rated door from garage to dwelling. | Ceiling joists undersized | in |
| | Submit fully dimensioned plot plan. | Roof rafters undersized i | |
| | Provide 1-3'0" x 6'8" exit door. | ····· | |
| | Provide min. 22" x 30" attic access. | PLUMBING AND ME | CHANICAL: |
| | Provide min. 18" x 24" crawl space access opening. | Terminate all exhaust sy | |
| | LIGHT AND VENTILATION: | Insulate ducts in unheat | |
| | | Provide back flow device | e on all hose bib |
| | Provide mechanical exhaust or window in bathroom | ELECTRICA | |
| | Provide Minsq. in. net free area attic ventilation. | Show location of ser service equipment panel | |
| | Provide minsq. in. net free | G.F.C.I. req'd. on Temp. | |
| | area crawl space ventilation. FOUNDATION: | Outdoor and bathroom protected by G.F.C.I. | receptacles shall b |
| | Min. depth of foundation below finished | METAL VENEE | RS: |
| _ | grade 30". | Contact City Utilities conductors and/or meter | Dept. to remov |
| | Min. size of footer" x | Provide 18" x 18" x ¾" wo | |
| X | Provide anchor bolts ½" @ 8' o.c. 1' from each corner. Embedded 8" concrete and 15" in masonry. | Dase. | |
| 8 1 | Show size of basement columns. | Provide approved system bonding. | n of grounding and |
| | FRAMING: | MISCELLANEO | US: |
| | Show size of wood girder in | Provide backwater valve i | n sub-soil drain tile |
| \dashv | Provide design data for structural member in | Provide approved sheat behind masonry veneer. | |
| | ······ | Provide 15# felt under | lavment on roof |
| | Floor joists under sized in | Provide adequate fireple | ace hearth exten- |
| | Provide double joists under parallel partitions. | Install factory built firepla | ces/stoves accord |
| X | Provide 1" x 4" let in corner bracing or approved sheathing. | Terminate chimney 3' abo | ve roof or 2' above |
| T | Show size of headers for openings over 4' wide. | chimney. | |

| ELASTICITY OR 2"X8" 16" 0 | C. |
|--|---|
| The approval of plans and specifications does not permit | the violation of any section of the Building Code, or other |
| only ordinance of State Law. This addendum is attached | d to Permit Noand made a part there-of. |
| Date Approved or Disapproved 10-5-78 | Checked By Somenberg |
| Date Rechecked and Approved | Checked By |
| White Building Department | and William And II |



71...

| | | | · . |
|--|--|---|-----|
| | | | |
| | | | |
| | | | |
| | | | |
| | | • | |
| | | | |
| | | | |
| | | | |



| | | * |
|---|--|--|
| | | 1 |
| | | 4 |
| | | Sec |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | e gold. |
| | | one, per and a second of the s |
| | | |
| | | Y Comments |
| | | Bellinervery |
| | | * ; |
| | | |
| • | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |