PERMIT

CITY OF NAPOLEON - BUILDING DEPARTMENT 255 West Riverview Avenue, Napoleon, Ohio 43545 - 419-592-4010

Permit No.			d 5/16/77 date	-	1.18	EES	BASE	PLUS	TOTAL	
ob Location	505 Buc	keye La		_ (XX	BUILD	ING	\$100.50	Ş	\$100.50	
pt_104	0 10	sub-dim or	address 5th Add'n. legal discript	- XX	ELECT	RICAL	3.00	19.75	22.75	
ssued By	building office	ial	renserg	- dx	PLUM	BING	3.00	10.00	13.00	
Owner Ral	h & Jud	y Nutter	tel.	- 121X	MECH	ANICAL	6.00	3.00	9.00	
Address	A WHAT	to the second	out of the later party	.			104	200	OSIN MICH	
AgenHowar			592-1217	13.1	DEMO	LITION	- Perse		Estrigoni	
Address 103	Ider-engetc. 5 Highl		tel.	ZX.	ZONIN	G	- DUG		Con retar page	
Description of	f Use New	single	family	- 中	SIGN		Duese		Mar. 12	
Dwelling.	170-4111-3		101		WATER 1	ГАР	225.00		225.00	
Residential_X	XX(1)	elling units	mitaling		SEWER 1	AP	60.00		60.00	
Commercial_	Advise to	Industria	Assertation and the		TEMP. EI	ECT.	10.00		10.00	
New_XXXXA	dd'n	_Alter	Remodel		ADDIT		Struct.	hrs	6(427 16	
Mixed Occup	Mixed Occupancy			2	PLAN		dough,		10 B 10	
Change of O	ccupancy_		1-46-9	E 01	REV	DISC	Elect.	hrs	Receivally -	
Estimated Co	ost \$60,90	00.00			TOTA	AL FEES	2 3 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1		\$440.25	
M 1/200	APPROVING		Direct Harles	5	LESS	MIN. FE	ES PAID	ate	-0-	
N. T. F.	ZONING I	NFORMATI	ON	n L	BALA	NCE DU	E		\$440.25	
district	lot d See Site	imensions	area ap 22500sq	prox.	front y	d OK	30' ea.	yds	rear yd	
max hgt	no pkg	spaces	no ldg spaces	max o	over	petition	or appeal req'd		70' OK date appr	
25' OK	two	OK	None	35%	OK		None	Į.	STOTE A	
WORK INFO	MATION	190 44/11					A Camula		dett.	
	9.6		A F. A						Highrige H	
Size: Length		Width_	45' St	ories24	baseme	ent Gro	und Floor Are	a_2545s	Q man in	
Height	21.5'	Buildi	ng Volume (for d	emo. p	ermit)		No.		_cu. ft.	
Electrical: In	stall se	ervice e	ntrance, wi		& dev	ices.	HINTS VIC			
Plumbing:	" Wa	ater sup	ply & drain	age &	vent	lines.	hiniaks			
Mechanical:_	" he	eating a	brief description nd air cond	ition	ing.	DETUEEN	CTIONS, CON	Bash!		
Sign:		Dimens	brief description	1			sign Area		5	
type	ormation: S	SEE ATTA	CHED ADDEND	UM:			<u> </u>		0.00	
Additional Inf									- 77	
Additional Int									3	
Additional Inf	-M 7		ant Signature	0	Rech	, (. + () 1 1	700	

White-Building Department Yellow-Applicant Pink-Electrical Inspector Green-Clerk-Treasurer

Gold-County Auditor

INSPECTION RECORD

	UNDERGR	OUNE		STATE OF THE STATE	F	loug	H-IN			FINAL		
	Туре	Date	Ву	Туре	Date	Ву	Туре	Date	Ву	Туре	Date	Bv
	Building Drains			Drainage, Waste & Vent Piping	8/12/17	Red.	Indirect Waste	OK 11/29fa	ROJ.	Drainage, Waste & Vent Piping	29/17	PAI
5 Z	Water Piping				-11	, ,	1	regio	1000	Backflow Prevention	14/1	Res
PLUMBING	Building Sewer	OK	A.	Water Piping	8/12/14	RES-	Condensate Lines			Water Heater	11	"
4	Sewer Connection	014	Al	<u> </u>			2 2			FINAL APPROVAL	12/1/2	Ro
	Refrigerant Piping			Refrigerant Piping		4	Chimney(s)	- ,:		Grease Exhaust System		
CAL	i iping		-	Duct Furnace(s)			Fire Dampers			Air Cond. Unit(s)	102	
MECHANICAL	Ducts/ Plenums			Ducts/ Plenums			□ Radiant Htr(s) □ Unit Htr(s)			Refrigeration Equipment		
MEC				Duct Insulation	1111		Pool Heater			Furnace(s)		
				Combustion Products Vents			Ventilation ☐ Supply ☐ Exhst.			FINAL APPROVAL		
	Conduits & or Cable	10/6/1	اإلى	Conduits/ Cable			□ Range □ Dryer			Temp Service Temp Lighting		
AL	Grounding & or Bonding			Rough Wiring	10/6/7	NH	□ Generator(s) □ Motors			Fixtures Lampholders		1
ELECTRICAL	Floor Ducts Raceways			Service Panel Switchboard	10/4/2	NI	□ Water Htr □ Welder			Signs		
	Service Conduit			Busways Ducts			□ Heaters □ Heat Cable			Electric Mtr. Clearance	10/1	7
	Temporary Power Pole	49		Subpanels			□ Duct Htr(s) □ Furnace(s)	OR SHALLOW		FINAL APPROVAL	1/2	X
	Location, Set- backs, Esmt(s)			Exterior Wall Construction			Roof Covering Roof Drainage	di e	EN.	Smoke Detector	4/7	6
1	Excavation	ale:		2	1		Exterior Lath			Demolition (sewer cap)		
G	Footings & Reinforcing		a par	el V			□ Interior Lath □ Wallboard	791.		Duitding	12//	
BUILDING	Floor Slab			Interior Wall Construction			Fire Wall(s)	4/1/19	ROY	Building or Structure	13/1/77	the
BUIL	Foundation Walls			Columns & Supports			Fireplace Chimney		- 01	Railings on		1
	Sub-soil Drain	2		Crawl Space □ Vent □ Access			Attic Access		AN	Stacy ADDROVAL		1
	Piles			Floor System(s)			Crissial Vaca			FINAL APPROVAL BLDG. DEPT. Certificate of		-
				Roof System			Special Insp Reports Rec'd			Occupancy Issued	No.	
		INSPE	CTIC	ONS, CORRECTIO	NS, E	rc.	INSP	ECTI	ONS,	CORRECTIONS,	ETC.	
MAL											75	-
ADDITIONAL										Act of Set		+
ADD												+
	handa and		,	V 5	(Sec.)							

RESIDENTIAL PLAN CORRECTION SHEET

CITY OF NAPOLEON, Building Dept. 255 West Riverview Avenue Napoleon, Ohio 43545 (419) 592-4010

ADDENDUM to	Permit No. 7/	9-77
	Owner R. N.	UTTER
	Location 505	BUCKEYE LA.

Please note the Items checked below and incorporate them into your plans as indicated:

Permit not yet issued Correct Plans and Re-Submit.

Permit issued incorporate the items during construction.

	GENERAL			Show size of members supporting porch roof.
X	Provide 1 approved smoke detector.	V		Provide double top plate.
X	Provide 1 hour fire wall and/or ceiling between garage and dwelling.		2.	Provide design data for pre-fab. wood truss/ members.
X	Provide (Class B) 1 hour fire rated door from garage to dwelling.	-	X	Ceiling joists undersized in S.IZE. JN
	Submit fully dimensioned plot plan.			Roof rafters undersized in
	Provide 1-3'0" x 6'8" exit door.			
X	Provide min. 22" x 30" attic access.			PLUMBING AND MECHANICAL:
X	Provide min. 18" x 24" crawl space access opening.	1	\approx	Terminate all exhaust systems to outside air. Insulate ducts in unheated areas.
\vdash	LIGHT AND VENTILATION:	1	\Diamond	
	Provide mechanical exhaust or window in		\sim	Provide back flow device on all hose bibs. ELECTRICAL:
X	bathroom	V		
X	Provide Min. /020 sq. in. net free area attic ventilation.			Show location of service entrance and service equipment panel.
1/	Provide min. 262 sq. in. net free		\times	G.F.C.1. req'd. on Temp. Electric.
X	area crawl space yentilation.	7	IXI	Outdoor and bathroom receptacles shall be protected by G.F.C.I.
	FOUNDATION:		ŕ	METAL VENEERS:
X	Min. depth of foundation below finished grade 30".			Contact City Utilities Dept. to remove conductors and/or meter.
	Min. size of footer		-	Provide 18" x 18" x ¾" wood backer for meter
V	Provide anchor bolts ½"@8' o.c. 1' from each corner. Embedded 8" concrete and 15" in			base.
4	masonry. Show size of basement columns.			Provide approved system of grounding and bonding.
	FRAMING:			MISCELLANEOUS:
	Show size of wood girder in		\times	Provide backwater valve in sub-soil drain tile.
	·····		X	Provide approved sheathing and flashing behind masonry veneer.
	Provide design data for structural member in			Provide 15# felt underlayment on roof.
	Floor joists under sized in			Provide adequate fireplace hearth extensions
	Provide double joists under parallel partitions.			Install factory built fireplaces/stoves according to manufacturers recommendations.
X	Provide 1" x 4" let in corner bracing or approved sheathing.			Terminate chimney 3' above roof or 2' above highest point of building within 10' of chimney.
X	Show size of headers for openings over 4' wide. GARAGE DOOR HEADER			

ADDITIONAL CORRECTIONS:

The approval of plans and specifications does not permit	the violatio	n of any section	of the Building	Code, or other
City Ordiance or State Law. This addendum is attached	d to Permit	No. 719-77	and made	a part there-of.
City Ordiance or State Law. This addendum is attached Date Approved or Disapproved 5//6/TI	Checked	By Konald	D. Sonnes	berg
Date Rechecked and Approved	Checked	Rv	Plan Examiner	0
Date Heeliecked and Approved	Ollecked	Бу		<u> </u>

719-77

CITY OF NAPOLEON BUILDING INSPECTION DEPARTMENT APPLICATION FOR CONSTRUCTION PERMIT (PLEASE PRINT OR TYPE)

tion, replace such work in	ement or alteration as herein strict accordance with the C. 3 Family Buildings.	for the construction, installa- spacified, agreeing to do all ity of Napoleon's Building Code
Owner's Name	RALPH & JURY NOTTER ACC	1000 - 950 W White Hall
Builder's Na	me HOWARD MITCHELL Address	1035 Hightand Tel. 5-9212/7
	ION: (Not required for roofing	
Location of	Project 505 Buckeye / ANR	TOT \$ 104
		or Lot Area Append 15.410 Sq. Ft.
	k: Front 42 Rear	
	Right Side 30	
BUILDING INF	ORMATION:	
Single /	Double Multiple	New Construction
Addition	Remodel Attached	Garage
Detached Gar	age Accessory Building	Replacement
Brief Descri	ption of Work:	
AMUMA	The state of the s	
Size: Lengt	h Width 63	No. of Stories
Floor Area:	1st Floor 1566 Sq. Ft.	2nd Floor 1840 Sq. Ft.
	3rd Floor Sq. Ft.	Basement 1040 Sq. Sq. Ft.
	Unfinished Attic	COCO O O O O O O O O O O O O O O O O O
Foundation:	Piers Full Basement	Part Basement
	Concrete 4 Thickness	Block /0 Size
Walls: Fram	e V Block Block Brick W	CEDES
Spec	ific Type of Exterior Siding	ana Kana kana kana kana kana kana mana mana m
INCLUDING: ADDITIONS OR LOCATION. A	ELEVATIONS, FLOOR PLANS, CROSS	STRUCTURES AND THEIR SIZE AND LE.
	APPLICANT'S SIGNAS	
		end the design and the following with and there is a design absorber of the property of the pr

X		



This is to certify that the Building or Land as herein described complies with all the building and health laws and ordinances and with the provisions of the Zoning Ordinance.

Location of Occupancy 505 Buckeye Lane	505 Buckeye Lane Occupancy Rok Single Family Dwellin
Owner of Property Ralph and Judy Nutter	Address Napoleon, 004,43545
Issued toRalph and Judy Nutter	Address Napoleon, OH 43545
Zoning "S" Suburban Residence District Bldg. Permit No. 719-77	sldg. Permit No719-77
Substantial qualifications of occupancy Install railing on one side of	one side of
basement stairway.	

that construction is completed substantially in conformity with the approved plans and permission is hereby granted to occupy such building in compliance with such legal use and occupancy as authorized under the provisions of the ordinances of the City of Napoleon. This certificate is issued by the City Building Inspector, as provided by law, and is to certify

City Building inspector

GGOES 179

	*

APPLICATION FOR PERMIT TO TAP SEWER

(Print or Type)

OwnerRalph & Judy Nutter	NO. 734
Address 505 Buckeye Lane	BLDG. PERMIT 719-77
Contractor loward Mitchell	PERMIT FEE \$ 60.00
Address 1035 Highland Ave. Tel. 592-1217	
LOCATION OF CONNECTION	for office use only
Street and No. 505 Buckeye Lane Sanitary XXX	Storm
Lot No. 104 Subdivision Anthony Wayne Acres 5th	Size of Tap
Size and Type of Sewer 6" Vit clay Pre joint ALL WORK	MUST BE INSPECTED
I certify that the sewer will be used only as indicated and no other Dr	ainage will be connected.
DateSignatureowner-bui	lder-agent
do not write below this line	tuor wgoni
INSPECTION RECORD	P. 10 DO- 10-11-
Date Inspected 9-28-77 Size and Type of Sewer 4 1/17.	CLAY PRE10/NT
Location FRUIT WEST R Depth 8 TAP Type of Test	ATEK 7 EST
Inspected and Approved By: Forestof Wi Sommer Second	9-28-77
Additional Information	Date

SKETCH OF INSTALLATION



