## PERMIT

THERESOTION RECORD

## CITY OF NAPOLEON - BUILDING DEPARTMENT 255 West Riverview Avenue, Napoleon, Ohio 43545 - 419-592-4010

Permit No	01300 <sub>Issu</sub>	ued 1-12-87	v		FEES	0,102	PLUS	TOTAL
Job Locatio	570 Buckeye L	ane address	- P	BUILI	DING	3.00	76.50	79.50
Lot_83	sub-div d		. 中	ELEC	TRICAL	2100		Moleco a
Issued By_	Eldon Huber		- ф	PLUM	BING			5
	. George Cochran	tel.	- 4	MECH	IANICAL		200	Sayıntı'i Seninci
Address 5/	70 Buckeye Lane	- Internets	. 1	D			Court Service	- Control
	el Lanzer Co.	592-2801 tel.	T	DEMC	DLITION	Design of the last		
	uilder-engetc.  D. BOX 348 - N.	Scott St.	中	ZONII	NG ·	samual I		
Description	of Use Residence		- 中	SIGN		Line?	-	West E
	JAVORSA	Arts 3 II years to		WATER	TAP	Talbarit .		- 8
Residential_	no. dwelling units		1	SEWER	TAP	Support!		
Commercial.	Industr	ial		TEMP. E		ebiro.	2. 01	Com to
New	Add'n. X Alter	Remodel			IONAL	Struct.	hrs	Missississississississississississississ
Mixed Occup	pancy	TH 19la(W)		PL	AN	Service Visited		
Change of O	Occupancy	2006011			IEW	Elect.		
				TOT	AL FEES			79.50
				101	, LE 1 LLO.			CALCULATE STATE
	cost \$ 46,400.00	(a)))+(1×1¢				ES PAID	Artis-	Power Power
		lativit Lists grife(x3 loss		LESS	S MIN. FE	ES PAID	ate	HWWPI Stand
Estimated Co	ZONING INFORMATION dimensions	TION	R	BALA front	S MIN. FE	ES PAIDda	rds	rear yd
Estimated C	zoning informa	TION PROMISE TO	F.	LESS BALA	S MIN. FE	ES PAID	vds 3.72 '	<b>rear yd</b> 51 <u>+</u>
Estimated Co	ZONING INFORMATION Interest of the dimensions 128.11' X 149'	rion area 19,089 S.	F.	BALA front y	S MIN. FE	ES PAIDda	vds 3.72 '	rear yd
Estimated Co	ZONING INFORMATION INFORMAT	rion area 19,089 S.	F. max	BALA front y	MIN. FE	ES PAID da  Eside y L-28.72xR28 or appeal req'd	vds 3.72 '	rear yd 51 <u>+</u> date appr
district S max hgt	ZONING INFORMATION:	area 19,089 S. no Idg spaces	F. max	BALA front y	MIN. FE	ES PAID  da  E  side y  L-28.72xR28  or appeal req'd	/ds 3 . 72 1	rear yd 5 <u>1+</u> date appr
district S max hgt  WORK INFO	ZONING INFORMATION:  tot dimensions 128.11' X 149' no pkg spaces 2-min.  RMATION: Build	area 19,089 S. no ldg spaces  22.81 Sto	F. max 30%	front y 401 cover	MIN. FE	ES PAID  da  E  side y  L-28.72xR28  or appeal req'd	/ds 3 . 72 1	rear yd 5 <u>1+</u> date appr
district S max hgt  WORK INFOI  Size: Length Height.	Jost \$ 46,400.00  ZONING INFORMATION:  lot dimensions 128.11' X 149' no pkg spaces 2-min.  RMATION:  24' Width Build Applied for sepera	area 19,089 S. no ldg spaces  22.81 Stolling Volume (for deately brief description	F. max 30%	front y 401 cover	MIN. FE	ES PAID  da  E	/ds 3 . 72 1	rear yd 51 <u>+</u> date appr
district S max hgt  WORK INFOI  Size: Length Height.	ZONING INFORMATION:  tot dimensions 128.11' X 149' no pkg spaces 2-min.  RMATION: Build	area 19,089 S. no Idg spaces  22.8 Stolling Volume (for deately brief description ately	F. max 30%	front y 401 cover	MIN. FE	ES PAID  di E  side y L-28.72xR28 or appeal req'd	/ds 3 . 72 1	rear yd 51 <u>+</u> date appr
district S max hgt  WORK INFOI  Size: Length Height.  Electrical:	Jost \$ 46,400.00  ZONING INFORMATION:  lot dimensions 128.11' X 149' no pkg spaces 2-min.  RMATION:  24' Width Build Applied for sepera	area 19,089 S. no Idg spaces  22.8 Storage Sto	F. max 30%	front y 401 cover	MIN. FE	ES PAID  di E  side y L-28.72xR28 or appeal req'd	yds 3.72 '	rear yd 51 <u>+</u> date appr
district S max hgt  WORK INFOI  Size: Length Height.  Electrical:	Jost \$ 46,400.00  ZONING INFORMATION:  128.11' X 149'  no pkg spaces 2-min.  RMATION:  24' Width  Build Applied for seperate Applied for seperate	area 19,089 S. no Idg spaces  22.81 Storage St	F. max 30%	front y 401 cover	MIN. FE	ES PAID  di E  side y L-28.72xR28 or appeal req'd	yds 3.72 '	rear yd 51 <u>+</u> date appr
district S max hgt  WORK INFORMATION  Size: Length Height Electrical:	Iot dimensions 128.11' X 149' no pkg spaces 2-min.  RMATION: 24' Width Applied for sepera Applied for sepera Applied for sepera	area 19,089 S. no Idg spaces  22.81 Storage St	F. max 30%	front y 40' cover	MIN. FE ANCE DU yd petition Grou	ES PAID  side y L-28.72xR28 or appeal req'd	/ds 3.72 1	rear yd 51 <u>+</u> date appr
district S max hgt  WORK INFOI  Size: Length Height.  Electrical: Plumbing: Mechanical: type	Iot dimensions 128.11' X 149' no pkg spaces 2-min.  RMATION: 24' Width Applied for seperated for separated for seperated for seperated for separated for sep	area 19,089 S. no Idg spaces  22.81 Storage  ding Volume (for deately brief description cately brief description cately brief description sions	F. max 30%	front y 40¹ cover	MIN. FE  ANCE DU  yd  petition  Grou	ES PAID  side y L-28.72xR28 or appeal req'd	/ds 3.72 1	rear yd 51 <u>+</u> date appr
district S max hgt  WORK INFORM Size: Length Height. Electrical: Plumbing: Mechanical: Sign: type Additional Inform	Iost \$ 46,400.00  ZONING INFORMATION:  128.11' X 149'  no pkg spaces 2-min.  RMATION:  24' Width  Build  Applied for seperation  Applied for seperation:  Bedroom  Doy Joccoo	area 19,089 S. no ldg spaces  22.8 Sto ling Volume (for deately brief description ately brief description sions  8 bath addition	F. max 30%	front y 40¹ cover	Ground Signature	ES PAID  side y L-28.72xR28 or appeal req'd	/ds 3.72 1	rear yd 51± date appr

## INSPECTION RECORD

	UNDERGROUND			ROUGH-IN						FINAL		15 18%
_	Туре	Date	Ву	Туре	Date	Ву	Туре	Date	Ву	Туре	Date	Ву
<u>5</u>	Building	Date	Бу	Drainage, Waste & Vent Piping	Date		Indirect Waste		Ó	Drainage, Waste & Vent-Piping		
	Drains Water			a vent riping			7/19			Backflow Prevention	. 127	
PLUMBING	Piping Building			Water Piping			Condensate Lines			Water Heater		
7	Sewer			Tiping								
	Sewer Connection									FINAL APPROVAL		
	Refrigerant Piping			Refrigerant Piping			Chimney(s)			Grease Exhaust System	ПИ	
AL	Fibing			Duct Furnace(s)			Fire Dampers			Air Cond. Unit(s)		
ANIC	Ducts/ Plenums			Ducts/ Plenums			□ Radiant Htr(s) □ Unit Htr(s)			Refrigeration Equipment		
MECHANICAL	Fletiniiia			Duct Insulation			Pool Heater			Furnace(s)		
Σ				Combustion Products Vents			Ventilation ☐ Supply ☐ Exhst.			FINAL APPROVAL		
	Conduits &			Conduits/ Cable			□ Range □ Dryer		11 121	Temp Service Temp Lighting		
Ļ	or Cable Grounding & or Bonding		-	Rough Wiring			☐ Generator(s) ☐ Motors			Fixtures Lampholders		
RIC/	Floor Ducts Raceways			Service Panel Switchboard			□ Water Htr □ Welder			Signs		
ELECTRICAL	Service Conduit			Busways Ducts			☐ Heaters ☐ Heat Cable			Electric Mtr. Clearance		
Ш	Temporary Power Pole			Subpanels			□ Duct Htr(s) □ Furnace(s)			FINAL APPROVAL	mil	
	Location, Set- backs, Esmt(s)		5/	Exterior Wall Construction		牙	Roof Covering Roof Drainage		5,	Smoke Detector	4/	5
	Excavation		F				Exterior Lath			Demolition (sewer cap)		
	Footings & Reinforcing		Fy.				□ Interior Lath □ Waliboard					
DNI	Floor			Interior Wall Construction		E	Fire Wall(s)			Building or Structure		
BUILDING	Foundation Walls		51	Columns & Supports			Fireplace Chimney			in the second second		
_	Sub-soil Drain			Crawl Space  □ Vent □ Access			Attic					
	Piles			Floor System(s)					1	FINAL APPROVAL BLDG. DEPT.	4/	5
				Roof System			Special Insp Reports Rec'd			Certificate of Occupancy Issued		
	INSPECTIONS, CORRECTION				NS, E1	NS, ETC. INSPECTIONS,				, CORRECTIONS,	ETC.	
AL					2/6	51			1		L24 ma	
NOI											2.1	
ADDITIONAL										manging htt linns	70%	1
A												
							- numme h					

CITY OF NAPOLEON 255 West Riverview Avc. Napoleon, Ohio 43545 419/592-4010

ADDENDUM TO Permit No. 01300

Owner GEORGE (CCHRAL)

Contractor MEC CARRER CANR

Location 570 BUCKEYE CANR

Pl. : note the items checked below and incorporate them into your plans as indicated: Permit NOT YET ISSUED, CORRECT PLANS AND RE-SUBMIT. PERMIT ISSUED, INCORPORATE ITEMS DURING CONSTRUCTION.

1	GENERAL		INCORPORATE ITEMS DU		
$^{\dagger}$		_	Show size of members	sup	porting perch room
1	Provide approved smoke detector(s) as req'd.  Provide 's" gypsum wallboard between		Provide double top p partitions and exter	late ior	for all bearing walls.
+	dwelling and garage, on garage side.	~	Provide design data	for	prefab wood truss
1	Provide min. 1 3/8" solid wood door from garage to dwelling. (or equal)		Ceiling joists under		
	Submit fully dimensioned plot plan.		Roof rafters undersi	zed	in
1	Provide min. of 1-3'0" x 6'8" exit door.		PLUMBING A	ND M	ECHANICAL
	Provide min. 22" x 30" attic access opening.		Terminate all exhaus	t sy	stems to outside
1	Provide min. 18" x 24" crawl space accord		Insulate ducts in un	heat	ed areas.
1	Spening.		Provide backflow pre	vent	ion device on all
4	Provide approved sheathing or flashing pehind masonry veneer.		Terminate pressure a	nđ t	emperature velica
1	Provide min. 15# underlayment on roof.		valve drain in an ap	prov	ed manner.
	Provide adequate fiteplace hearth.		Provide dishwasher d	rain	with approved ai
	Install factory built fireplaces/stoves		METAL	VEN	EERS
+	according to manufacturers instructions.		Contact City Utilitie		
1 9	Terminate chimney 2' above roof or 2' above highest point of building within		conductors and/or me	ter.	ept. to remove
1	0' of chimney.		Provide approved sys	tem	of grounding and
+	LIGHT AND VENTILATION	-	bonding.		•
i	Provide mechanical exhaust or window in	-	ELEC		
1		1	Show location of servand service equipment	/ice	entrance panel
	rovide min. <u>523</u> Sq. In. net free rea attic ventilation.		G. F. C. I. reg'd. or		
E	Provide min. 523 Sq. In. net free trea crawl space ventilation.		Outdoor, bathroom and shall be protected by	d ca	Tage receptions
1	FOUNDATION		Maximum number of rec		
M	lin. depth of foundationbelow finished rade is 32".		on a G. F. C. I. circ 20 A. circuits and 7	*13 i +	shall be to to-
+	in. size of footer " x ".		Refrigerators, microv	ZAVE	s. Washers dienos
			furnace and air condi separate circuits.	tio	ners shall be on
e	rovide anchor bolts, " 0 6' o.c. 1' from ach corner. Embedded 7" in concrete and	-			
-	- It masonry.		INSPEC		
5	how size of basement columns.	1	The following indicat required. The owner o	r hi	e acont chall
_	FRAMING		CONTACT the City Buil	đino	Dent at loans
	how size of wood girder in	- 1	24 hrs prior to the t is to be made.	ime	the inspection
Pi	rovide design data for structural member	$\propto$	Footers and Setbacks.	T	Building sewer.
_	loor joists undersized in	X	Foundation.		HVAC rough-in.
	rovide double joists under parallel		Plumbing rough-in.	V	Final Building
	earing partitions.		Plumbing final.		other,
Ъ			Electrical service.	X	FRAMINE
P	rovide 1" x 4" let in corner bracing,	-			
Pa	rovide 1" x 4" let in corner bracing, pproved sheathing, or equal.  how size of headers for openings over		Electrical rough-in.		

PERPENDICULAR TO TRUSSES WHEN SUPPLIED & ZqUELL

PLUMENC, HEATING & ELECTRICAL SHALL DE APPLIED FOR SEPERATELY

The approval of plans and specifications does not permit the violation of any section of the Building Code or other City Ordinance. This addendum is attached to Permit No.0/300 and made a part there-of. DATE APPROVED OR DISAPPROVED 1-9-67 Checked by  $\frac{1}{2}$ 

DATE RECHECKED AND APPROVED\_

\_\_\_\_ Checked by\_

Plan Examiner.

		( )
•		

## PERMIT

CITY OF NAPOLEON - BUILDING DEPARTMENT 01300 255 West Riverview Avenue, Napoleon, Ohio 43545 - 419-592-4010 Permit No. \_issued\_ **FEES** BASE PLUS TOTAL 3,00 BUILDING address WAYNE ACREIS **ELECTRICAL** sub-div or legal discript Issued By. PLUMBING building official Owner\_DR. BEORGE MECHANICAL Address\_ DEMOLITION Agent /MEC CAMO? builder-eng.-etc. ZONING NAP. OH, Description of Use\_\_ SIGN WATER TAP Residential SEWER TAP no. dwelling units Commercial\_ \_\_Industrial\_\_ TEMP. ELECT. New\_\_\_\_Add'n. Alter\_\_\_\_Remodel\_ **ADDITIONAL** Struct. \_\_\_\_ hrs \_ Mixed Occupancy\_\_\_\_ PLAN Elect. \_\_\_\_\_ hrs \_\_\_\_ REVIEW Change of Occupancy\_\_\_\_\_ Estimated Cost \$\_ +6, 400, 2 LESS MIN. FEES PAID\_ BALANCE DUE..... **ZONING INFORMATION** district lot dimensions front yd side yds rear yd 11x 149 1089 1-28,721 R 28,72 max hgt no pkg spaces no ldg spaces max cover petition or appeal reg'd date appr **WORK INFORMATION:** Size: Length 24 Width 22.8 Stories Ground Floor Area 59.4 Height\_\_\_\_\_Building Volume (for demo. permit)\_\_\_\_ Electrical: APPLYED FOR SEPERATELY brief description Plumbing: APPLIED SEPERATECY brief description Mechanical: PPPCIED SEPERATELY brief description Sign: UA, \_Dimensions\_ \_\_\_\_Sign Area\_\_\_\_ Additional Information: BEORDOM + BATH ADDITION

\_\_\_\_Applicant Signature\_\_

Date

owner-agent