

# PERMIT

**CITY OF NAPOLEON - BUILDING DEPARTMENT**  
**255 West Riverview Avenue, Napoleon, Ohio 43545 - 419-592-4010**

Permit No. 778-77 Issued 7/14/77  
date

Job Location 590 Buckeye Lane  
address

Lot 81 Anthony Wayne Acres 5th  
sub-dv or legal discript

Issued By Ronald D. Sonnenberg  
building official

Owner Harley Shumaker  
name tel.

Address 2628 Luverne Oregon, Ohio

Agent Louis Bremer 278-2881  
builder-eng.-etc. tel.

Address 417 N. Oak Deshler, Ohio

Description of Use New Dwelling

Residential XX(1)  
no. dwelling units

Commercial \_\_\_\_\_ Industrial \_\_\_\_\_

New XX Add'n. \_\_\_\_\_ Alter \_\_\_\_\_ Remodel \_\_\_\_\_

Mixed Occupancy \_\_\_\_\_

Change of Occupancy \_\_\_\_\_

Estimated Cost \$ 72,500.00

### ZONING INFORMATION

district "S"	lot dimensions 128.11' x 149'	area 19,088.4sq'	front yd 40'	side yds 34' ea. OK	rear yd 80' OK
max hgt 25' OK	no pkg spaces Two OK	no ldg spaces n/a	max cover 30% OK	petition or appeal req'd n/a	date appr ---

### WORK INFORMATION:

Size: Length 60'8" Width 28'4" Stories 2+basement Ground Floor Area 1718.88sq'

Height \_\_\_\_\_ Building Volume (for demo. permit) \_\_\_\_\_ cu. ft.

Electrical: Service entrance, wiring, & devices.  
brief description

Plumbing: Drainage, vent, & water piping.  
brief description

Mechanical: Install electric heat pump.  
brief description

Sign: \_\_\_\_\_ Dimensions \_\_\_\_\_ Sign Area \_\_\_\_\_  
type

Additional Information: See attached addendum:

FEES	BASE	PLUS	TOTAL
<input checked="" type="checkbox"/> BUILDING	\$117.50	---	\$117.50
<input checked="" type="checkbox"/> ELECTRICAL	15.75	---	15.75
<input checked="" type="checkbox"/> PLUMBING	3.00	10.00	13.00
<input checked="" type="checkbox"/> MECHANICAL	6.00	7.50	13.50
<input type="checkbox"/> DEMOLITION			
<input checked="" type="checkbox"/> ZONING	---	---	---
<input type="checkbox"/> SIGN			
WATER TAP	225.00	---	225.00
SEWER TAP	60.00	---	60.00
TEMP. ELECT.	10.00	---	10.00
ADDITIONAL PLAN REVIEW	Struct. _____ hrs		
	Elect. _____ hrs		
TOTAL FEES.....			\$454.75
LESS MIN. FEES PAID _____ date _____			-0-
BALANCE DUE.....			\$454.75

Date July 15-77 Applicant Signature Louis C. Bremer  
owner-agent

# INSPECTION RECORD

	UNDERGROUND			ROUGH-IN						FINAL		
	Type	Date	By	Type	Date	By	Type	Date	By	Type	Date	By
<b>PLUMBING</b>	Building Drains	12/17	Red	Drainage, Waste & Vent Piping	INSPECTED OK NO TEST	Red	Indirect Waste			Drainage, Waste & Vent Piping		
	Water Piping									Backflow Prevention		
	Building Sewer	"	Red	Water Piping			Condensate Lines			Water Heater		
	Sewer Connection		Red							FINAL APPROVAL		
<b>MECHANICAL</b>	Refrigerant Piping			Refrigerant Piping			Chimney(s)			Grease Exhaust System		
				Duct-Furnace(s)			Fire Dampers			Air Cond. Unit(s)		
	Ducts/Plenums			Ducts/Plenums			<input type="checkbox"/> Radiant Htr(s) <input type="checkbox"/> Unit Htr(s)			Refrigeration Equipment		
				Duct Insulation			Pool Heater			Furnace(s)		
				Combustion Products Vents			Ventilation <input type="checkbox"/> Supply <input type="checkbox"/> Exhst.			FINAL APPROVAL		
<b>ELECTRICAL</b>	Conduits & or Cable			Conduits/Cable			<input type="checkbox"/> Range <input type="checkbox"/> Dryer			Temp Service Temp Lighting		
	Grounding & or Bonding			Rough Wiring	10-3 77	NTL	<input type="checkbox"/> Generator(s) <input type="checkbox"/> Motors			Fixtures Lampholders		
	Floor Ducts Raceways			Service Panel Switchboard	"	"	<input type="checkbox"/> Water Htr <input type="checkbox"/> Welder			Signs		
	Service Conduit			Busways Ducts			<input type="checkbox"/> Heaters <input type="checkbox"/> Heat Cable			Electric Mtr. Clearance		
	Temporary Power Pole			Subpanels			<input type="checkbox"/> Duct Htr(s) <input type="checkbox"/> Furnace(s)			FINAL APPROVAL		Red
<b>BUILDING</b>	Location, Set-backs, Esmt(s)			Exterior Wall Construction	10/31/77	Red	Roof Covering Roof Drainage			Smoke Detector		
	Excavation						Exterior Lath			Demolition (sewer cap)		
	Footings & Reinforcing						<input type="checkbox"/> Interior Lath <input type="checkbox"/> Wallboard	10/31/77	Red			
	Floor Slab			Interior Wall Construction	10/31/77	"	Fire Wall(s)	10/31/77	Red	Building or Structure		
	Foundation Walls	11/1/77	Red	Columns & Supports	"	"	Fireplace Chimney					
	Sub-soil Drain			Crawl Space <input type="checkbox"/> Vent <input type="checkbox"/> Access			Attic <input type="checkbox"/> Vent <input type="checkbox"/> Access					
	Piles			Floor System(s)	"	"				FINAL APPROVAL BLDG. DEPT.		3/30/78 Red
	ANCHOR BOLTS	8/1/77	Red	Roof System	"	"	Special Insp Reports Rec'd			Certificate of Occupancy Issued		3/31/78 Red
<b>ADDITIONAL</b>	<b>INSPECTIONS, CORRECTIONS, ETC.</b>						<b>INSPECTIONS, CORRECTIONS, ETC.</b>					
	FOUND-FOOTERS CHECKED BY O. BISHOP											
	Grounding - 250-81 ✓						Final Elect.					
	By Attic over Garage - 210-26 ✓						3-30-78 UH					
# - 334-13 ✓												

CITY OF NAPOLEON

Engineering Department

ELECTRICAL INSPECTION FIELD REPORT

255 Riverview Avenue Napoleon, Ohio 43545

(Please Print or Type)

Date 1-12-78

Permit No. 778-77

Type of Inspection Electrical

Type of Occupancy OW, family

Project Name

Address 590 Buckeye Lane

City Nap State OH

Approved

Violation

Electrical Contractor

Remarks:

Code Reference

① Ground Electrical Systems to City water line, ahead of meter. 250-81-NEC.

② Provide one (1) lightning outlet in attic over garage 210- NEC  
210-26 "  
334 13 "

Compliance Time at once

Inspectors Signature [Signature]

Copies To:



## RESIDENTIAL PLAN CORRECTION SHEET

**CITY OF NAPOLEON, Building Dept.**  
 255 West Riverview Avenue  
 Napoleon, Ohio 43545  
 (419) 592-4010

**ADDENDUM to Permit No. 778-77**  
 Owner SHUMAKER  
 Location 590 BUCKEYE LA.

Please note the Items checked below and incorporate them into your plans as indicated:  Permit not yet issued  
 Correct Plans and Re-Submit.  Permit issued Incorporate the Items during construction.

GENERAL			
<input checked="" type="checkbox"/>	Provide 1 approved smoke detector.		Show size of members supporting porch roof.
<input checked="" type="checkbox"/>	Provide 1 hour fire wall and/or ceiling between garage and dwelling.		Provide double top plate.
<input checked="" type="checkbox"/>	Provide (Class B) 1 hour fire rated door from garage to dwelling.		Provide design data for pre-fab. wood truss/members.
	Submit fully dimensioned plot plan.		Ceiling joists undersized in.....
	Provide 1-3'0" x 6'8" exit door.		Roof rafters undersized in.....
<input checked="" type="checkbox"/>	Provide min. 22" x 30" attic access.		<b>PLUMBING AND MECHANICAL:</b>
	Provide min. 18" x 24" crawl space access opening.	<input checked="" type="checkbox"/>	Terminate all exhaust systems to outside air.
	<b>LIGHT AND VENTILATION:</b>	<input checked="" type="checkbox"/>	Insulate ducts in unheated areas.
<input checked="" type="checkbox"/>	Provide mechanical exhaust or window in bathroom <u>S</u> .....	<input checked="" type="checkbox"/>	Provide back flow device on all hose bibs.
<input checked="" type="checkbox"/>	Provide Min. <u>225</u> sq. in. net free area attic ventilation.		<b>ELECTRICAL:</b>
	Provide min. _____ sq. in. net free area crawl space ventilation.		Show location of service entrance and service equipment panel.
	<b>FOUNDATION:</b>	<input checked="" type="checkbox"/>	G.F.C.I. req'd. on Temp. Electric.
<input checked="" type="checkbox"/>	Min. depth of foundation below finished grade 30".	<input checked="" type="checkbox"/>	Outdoor and bathroom receptacles shall be protected by G.F.C.I.
	Min. size of footer....." x ....."		<b>METAL VENEERS:</b>
	Provide anchor bolts 1/2" @ 8' o.c. 1' from each corner. Embedded 8" concrete and 15" in masonry.		Contact City Utilities Dept. to remove conductors and/or meter.
	Show size of basement columns.		Provide 18" x 18" x 3/4" wood backer for meter base.
	<b>FRAMING:</b>		Provide approved system of grounding and bonding.
	Show size of wood girder in.....		<b>MISCELLANEOUS:</b>
	Provide design data for structural member in.....	<input checked="" type="checkbox"/>	Provide backwater valve in sub-soil drain tile.
	Floor joists under sized in.....	<input checked="" type="checkbox"/>	Provide approved sheathing and flashing behind masonry veneer.
<input checked="" type="checkbox"/>	Provide double joists under parallel partitions.	<input checked="" type="checkbox"/>	Provide 15# felt underlayment on roof.
	Provide 1" x 4" let in corner bracing or approved sheathing.	<input checked="" type="checkbox"/>	Provide adequate fireplace hearth extensions
	Show size of headers for openings over 4' wide.	<input checked="" type="checkbox"/>	Install factory built fireplaces/stoves according to manufacturers recommendations.
		<input checked="" type="checkbox"/>	Terminate chimney 3' above roof or 2' above highest point of building within 10' of chimney.

**ADDITIONAL CORRECTIONS: SHALL CONFORM TO ALL ADOPTED BUILDING CODES.**

The approval of plans and specifications does not permit the violation of any section of the Building Code, or other City Ordinance or State Law. This addendum is attached to Permit No. 778-77 and made a part thereof.

Date Approved or Disapproved 7/14/77

Checked By Ronald D. Sonnenberg  
Plan Examiner

Date Rechecked and Approved \_\_\_\_\_

Checked By \_\_\_\_\_

Handwritten notes at the top left of the page.

Vertical handwritten text on the right side of the page.

Vertical handwritten text in the middle of the page.

Vertical handwritten text in the lower middle of the page.

Small handwritten mark or character on the right side.

Horizontal handwritten text near the bottom of the page.

Handwritten text at the bottom left of the page.

Handwritten text at the bottom right of the page.

# APPLICATION FOR PERMIT TO TAP SEWER

(Print or Type)

Owner Harley Shumaker NO. 730  
Address 2628 Luverne Oregon, Ohio BLDG. PERMIT 778-77  
Contractor Herb Miller PERMIT FEE \$ 60.00  
Address Ridgeville Ohio Tel. \_\_\_\_\_ DATE PAID \_\_\_\_\_

for office use only

## LOCATION OF CONNECTION

Street and No. 590 Buckeye Lane Sanitary xxx Storm \_\_\_\_\_  
Lot No. 81 Subdivision Anthony Wayne Acres 5th Size of Tap 4"  
Size and Type of Sewer 4" vit. clay pre. joint. ALL WORK MUST BE INSPECTED

I certify that the sewer will be used only as indicated and no other Drainage will be connected.


Date \_\_\_\_\_ Signature \_\_\_\_\_ owner-builder-agent  
do not write below this line

## INSPECTION RECORD

Date Inspected 7/12/77 Size and Type of Sewer 4" vit. clay pre. joint  
Location Front of House Depth 11' @ Tap Type of Test 5# Air  
Inspected and Approved By: Ronald D. Samsonberg Date 7/12/77  
Inspector \_\_\_\_\_ Date \_\_\_\_\_  
Additional Information \_\_\_\_\_

Send copy to: HARLEY SHUMAKER 2628 LUVERNE OREGON, OHIO

## SKETCH OF INSTALLATION







CITY OF NAPOLEON  
BUILDING INSPECTION DEPARTMENT  
APPLICATION FOR CONSTRUCTION PERMIT  
(PLEASE PRINT OR TYPE)

778-77

The undersigned hereby makes application for the construction, installation, replacement or alteration as herein specified, agreeing to do all such work in strict accordance with the City of Napoleon's Building Code for 1, 2 and 3 Family Buildings.

Owner's Name Harley Shumaker Address 2628 Luverne, Oregon O.

Builder's Name Louis Bremer Address 417 Noak Tel. 278-2881  
Becker

LOT INFORMATION: (Not required for roofing or siding job.)

Location of Project Anthony Wayne Area Lot # 81

Subdivision \_\_\_\_\_ Lot Area 19,100 Sq. Ft.

Yard Set Back: Front 40 Rear 60<sup>6</sup> Left Side 33<sup>6</sup>

Right Side 33<sup>6</sup> Zoning District \_\_\_\_\_

BUILDING INFORMATION:

Single  Double \_\_\_\_\_ Multiple \_\_\_\_\_ New Construction

Addition \_\_\_\_\_ Remodel \_\_\_\_\_ Attached Garage

Detached Garage \_\_\_\_\_ Accessory Building \_\_\_\_\_ Replacement \_\_\_\_\_

Brief Description of Work: New brick veneer home

Size: Length 60<sup>8</sup> Width 28<sup>4</sup> No. of Stories 2

Floor Area: 1st Floor 1080 Sq. Ft. 2nd Floor 1080 Sq. Ft.

3rd Floor \_\_\_\_\_ Sq. Ft. Basement 1080 Sq. Ft.

Unfinished Attic \_\_\_\_\_ Garage 616

Foundation: Piers \_\_\_\_\_ Full Basement  Part Basement \_\_\_\_\_

Concrete 10" Thickness Block \_\_\_\_\_ Size \_\_\_\_\_

Walls: Frame  Block \_\_\_\_\_ Brick  Other \_\_\_\_\_

Specific Type of Exterior Siding BRICK

APPLICATION FOR PERMIT SHALL BE ACCOMPANIED BY TWO COMPLETE SETS OF PLANS INCLUDING: ELEVATIONS, FLOOR PLANS, CROSS SECTIONS AND PLOT PLAN. IF ADDITIONS OR REMODELING, SHOW ALL EXISTING STRUCTURES AND THEIR SIZE AND LOCATION. ALL PLANS SHALL BE DRAWN TO SCALE.

ESTIMATED COST OF COMPLETED PROJECT: 72,500<sup>00</sup>

DATE \_\_\_\_\_ APPLICANT'S SIGNATURE Louis C. Bremer  
OWNER-BUILDER-AGENT



DESIGNED IN ACCORDANCE WITH TPI-74 AND 1973 NDS

TYPE = 700  
SPAN = 30FT. - DIN.  
SPACING = 2FT. - GIN. ON CENTER  
SHORT TERM LOADING INCREASES  
LUMBER STRESSES INCREASED = 1.15  
PLATE RATING INCREASED = 1.15  
TOP CHORD SLOPE = 4.000/12.  
BUTT CUT = 0.25 INCHES

UNIFORM LOADING  
TOP CHORD LL = 25.0 PSF  
DL = 10.0 PSF  
BOT CHORD LL = 0.0 PSF  
DL = 10.0 PSF  
TOTAL LOAD = 45.0 PSF

JOINT	PLATE SIZE	PLATE LOCATION
J 1	3 1/8 x 6	D
J 2	1 x 4	D
J 3*	4 1/8 x 4	D 4IN 2IN
J 7	3 1/8 x 4	D 4IN

3/8" CAMBER c/c

\*\*\* TRUSS IS SYMMETRICAL ABOUT THE CENTERLINE \*\*\*

PANEL	LENGTH	CHORD	FORCE	WEB	FORCE	JOINT	LOAD	REACT
P 1	7FT 10-14/16IN	C 1	-3069	W 1	-542	J 1	379	-1349
P 2	7FT 1- 2/16IN	C 2	-2687	W 2	327	J 2	525	
P 6	9FT 5- 2/16IN	C 6	1960			J 3	496	
P 7	10FT 3- 4/16IN	C 7	2911			J 7	197	

JOINTS MARKED \*\* HAVE NO SYMMETRICAL MATCH

\*\* SPLICES BASED ON 16 FOOT MAXIMUM LENGTH LUMBER \*\*  
C 6 IS 3 1/8 X 4 D

D = 20 GA. ( 205 PSI USING NET PLATE CONTACT AREA)

WEBS ARE TO BE 2X 4 STANDARD DRY HEM FIR


\*\*\*\*\* REPETITIVE STRESS VALUES HAVE BEEN APPLIED TO THIS DESIGN \*\*\*\*\*

TOP CHORD IS 2X6 NO 2 KD MG SOUTHERN PINE F=1350 T= 925 C=1250  
STRESS FACTOR= 0.553  
BOT CHORD IS 2X4 SEL STRU S DRY HEM-FIR F=1650 T= 975 C=1300  
STRESS FACTOR= 1.056


THE MAXIMUM OVERHANG FOR A SINGLE PLY TOP CHORD IS 5FT 4 9/16IN

2X 4 MINIMUM BEARING REQUIRED AT J 1 AND J 5

This is to certify that the undersigned has examined the information hereon and it conforms to the design criteria and loading shown.



DEC 23 1975



700

PLEASE READ REVERSE SIDE FOR ADDITIONAL INFORMATION, FABRICATION INSTRUCTIONS, AND NOTICES.



HYDRO-AIR CLAIMS PROPRIETARY RIGHTS TO THE MATERIAL DISCLOSED HEREON. THIS DRAWING AND/OR TECHNICAL INFORMATION IS ISSUED IN CONFIDENCE FOR ENGINEERING INFORMATION ONLY AND MAY NOT BE REPRODUCED WITHOUT EXPRESS PERMISSION OF HYDRO-AIR ENGINEERING, INC.

NOTES:  
1. CUT ALL MEMBERS TO BEAR.  
2. CENTER ALL PLATES ON JOINTS UNLESS OTHERWISE NOTED.  
3. INDICATED CHORD SPLICES SHALL BE LOCATED 1/4 OF THE PANEL LENGTH (±6") MEASURED FROM A JOINT.

N O T I C E

Hydro-Air Engineering, Incorporated is responsible for structural accuracy only, based on the design criteria shown on this drawing. Connector plate calculations are based on Hydro-Nail connector plate values and ratings. No responsibility is assumed for dimensional accuracy or aesthetic appearance. Plates shall be placed on both sides of truss joints, located as shown on the drawing and pressed in securely. Minimum lumber grades and plate sizes are specified. All trusses shall have wood members accurately cut, assembled in design configuration and fabricated in rigid fixtures with positive clamps so that all members have good bearing and all completed truss units are uniform. For other advice concerning the fabrication, quality control, storage, delivery, erection and bracing of trusses, it is recommended that the fabricator consult the Quality Control Manual for Light Metal Plate Connected Wood Trusses, Truss Plate Institute, Inc., Suite 205, 919 Eighteenth Street, N.W., Washington, D.C. 20006, 1973.

CITY OF NAPOLEON  
 BUILDING INSPECTION DEPARTMENT  
 APPLICATION FOR HEATING PERMIT  
 (PLEASE PRINT OR TYPE)

The undersigned hereby makes application for the installation, replacement or alteration of a heating system or device as herein specified, agreeing to do all such work in strict accordance with the City of Napoleon's adopted Mechanical Code for 1, 2 and 3 Family Buildings.

Owner's Name Farley Shumaker Address 2628 Luverne, Oregon

Contractor's Name Lois Bremer Address 417 N. Oak Washou Tel 278-2881

BUILDING INFORMATION:

Single Family  Double Family \_\_\_\_\_ Multiple \_\_\_\_\_ New Construction

Addition \_\_\_\_\_ Remodel \_\_\_\_\_ Replacement \_\_\_\_\_ No. of Stories \_\_\_\_\_

DESCRIPTION OF WORK

Heating System - Warm Air \_\_\_\_\_ Hot Water \_\_\_\_\_ Steam \_\_\_\_\_ Electric  HEAT PUMP

Unit Heaters \_\_\_\_\_ Unit Gas Heaters \_\_\_\_\_ Other HEAT PUMP

Type - Gravity \_\_\_\_\_ Forced  Radiant \_\_\_\_\_

No. of Thermostatical Heating Zone 1

Hot Water - One Pipe \_\_\_\_\_ Two Pipe \_\_\_\_\_ Series Loop \_\_\_\_\_

Electric Heat - No. of Circuits \_\_\_\_\_ Other \_\_\_\_\_

Total Heat Loss of Area to be Heated 200,000

Rated Capacity of Furnace/Boiler 3 1/2 ton

No. of Furnaces 1 No. of Hot Air Runs 19

No. of Hot Water Radiators \_\_\_\_\_ Type of Fuel Electric

Heating Units Located: Crawl Space \_\_\_\_\_ Floor Level \_\_\_\_\_ Suspended Basement

Roof or Exposed to Outside Air \_\_\_\_\_ Attic \_\_\_\_\_ Other \_\_\_\_\_

APPLICATION FOR PERMIT SHALL BE ACCOMPANIED BY TWO COMPLETE SETS OF PLANS INCLUDING: LOCATION OF FURNACE OR UNIT HEATERS AND SIZE AND LOCATION OF FEEDER DUCTS AND RETURN AIR DUCTS. ALL PLANS SHALL BE DRAWN TO SCALE.

ESTIMATED COST OF COMPLETED PROJECT: 3,500.00

DATE \_\_\_\_\_ APPLICANT'S SIGNATURE Lois C. Bremer  
 OWNER-CONTRACTOR-AGENT

$$\begin{array}{r} 19 \\ 9 \\ \hline 108.75 \\ 6.00 \\ 7.50 \\ \hline \$ 13.50 \end{array}$$



CITY OF HAWAII  
 PLUMBING INSPECTION DEPARTMENT  
 ADMINISTRATION FOR ELECTRICAL PERMITS  
 (PLEASE PRINT OR TYPE)

The undersigned hereby makes application for the installation, replacement, or alteration of electrical equipment as herein specified, agreeing to do all such work in strict accordance with the City of Honolulu's adopted Electrical Code for Single and Family Buildings.

Owner's Name Harley Shomaka Address 2628 Luverne, Oregon, O.  
 Contractor's Name Louis Brenner Address 417 N. Oak Tel 278-2881  
Wahiula

LOT INFORMATION:

Location of Project Anthony Wayne Drive Building District \_\_\_\_\_

BUILDING INFORMATION:

Single Family  Multiple Family \_\_\_\_\_ Multiple Family \_\_\_\_\_  
 New Construction  Existing \_\_\_\_\_ Addition \_\_\_\_\_  
 Replacement \_\_\_\_\_ Renovation \_\_\_\_\_ Service Change \_\_\_\_\_

Area: Total Square Feet Per Floor 1080 No. of Stories 2

DESCRIPTION OF WORK:

Size of Service 200 AMP Service Change Only \_\_\_\_\_ (Yes or No)

Number of New Circuits 18 Total Number of New Circuits Excluding Appliance Circuits 12

APPLIANCE CIRCUITS (Indicate quantity)

Circuit Breaker 1 Range Hood 1 Electric Dryer 1 Dishwasher 0  
 Air Conditioner 1 Motor Fan Blower 0 Pool Exhaust Fan 3 REQ'D.  
 Refrigerator 0 Hot Water Heater 1 Electric Oven ±

Require Temporary Electric yes (Yes or No)

Note: E.F.C. required for temporary electric circuits with approved ground fault protection as per code.

APPLICATION FOR PERMIT SHALL BE SUBMITTED WITH TWO COMPLETE SETS OF PLANS INCLUDING: ELECTRICAL, SANITARY AND OTHER RELEVANT.

ESTIMATED COST OF COMPLETED PROJECT: 3,200.00

DATE \_\_\_\_\_ APPLICANT'S SIGNATURE Louis C. Brenner  
 OWNER-CONTRACTOR-AGENT

18  
 9  
 10  
 1/9  
 8.00  
 1.00  
 6.75  
 15.75





CITY OF NAPOLEON  
BUILDING INSPECTION DEPARTMENT  
APPLICATION FOR PLUMBING PERMIT  
(PLEASE PRINT OR TYPE)

3  
10.  
13.00

The undersigned hereby makes application for the installation, replacement or alteration of plumbing system or device as herein specified, agreeing to do all such work in strict accordance with the City of Napoleon's adopted Plumbing Code for 1, 2 and 3 Family Buildings.

Owner's Name Harley Shumaker Address 2628 Laverne, Oregon O.

Contractor's Name Eric Bremer Address 417 N Oak Washlu Tel 298-2881

BUILDING INFORMATION:

Single Family  Double Family  Multiple Family  New Construction

Addition  Remodel  Replacement  No. of Stories 2

DESCRIPTION OF WORK

Drainage Pipe of: Cast Iron  Copper  Other ABS Plastic

Size of Main Building Drain: 4"  Other

Size of Main Vent Stack: 3"  4"  Other

Require Water Tap:  (Yes or No) Require Sewer Tap:  (Yes or No)

Size and Type of Water Tap 3/4"

Size and Type of Sewer Tap 4" Type of Joints Premium

No. of Water Closets 3 No. of Sump Pumps 1

No. of Bathtubs 2 No. of Lavatories 3

No. of Kitchen Sinks 1 No. of Automatic Washers 1

No. of Disposals 0 No. of Hot Water Heaters 1

No. of Dishwashers 0 No. of Shower Receptors 0

No. of Floor Drains 1 - Garage Other (specify)

Storm Drainage Outlet to: Storm Sewer  Other

APPLICATION FOR PERMIT SHALL BE ACCOMPANIED BY TWO COMPLETE SETS OF A DRAINAGE ISOMETRIC, WITH ALL PIPES AND TRAPS PROPERLY SIZED. MUST INDICATE TOTAL DRAINAGE FIXTURE UNIT VALUE (dfu).

ESTIMATED COST OF COMPLETED PROJECT: 3,100

DATE  APPLICANT'S SIGNATURE Eric C. Bremer  
OWNER-CONTRACTOR-AGENT



Date: 7/8/77

TO: Water Distribution Superintendent

FROM: The Building Inspector - Building Department

Please confirm the proposed installation of 3/4 inch pipe located FRONT OF PROPOSED HOUSE

at the following address: 590 BUCKEYE LA. Lot No. 81

Approved

Not Approved

Dushorn

Water Dept.

22 Jul 77

Date

Remarks: Long service - 6" main 11 1/2' North of N. curb

Date: 7/8/77

TO: Electric Distribution Superintendent

FROM: The Building Inspector - Building Department

Please confirm the installation of 200 AMP. electrical service entrance, located REAR OF HOUSE = South Side  
50' from <sup>Post</sup> 82

at the following address: 590 BUCKEYE LA. (LOT NO. 81)

Approved

Not Approved

K. Gange

Electric Dept.

7-8-77

Date

Remarks:





**PUMPS • WATER SYSTEMS  
WATER CONDITIONERS**

6" round insulated

Date \_\_\_\_\_

To 8 6" ceiling drops Supply → up  
4 6x14 side wall return STAIRS

16x8 duct to up stairs

7 4x12 x 6" floor register supply → down  
4 6x14 side wall return stairs

4 4x12 x 6" ceiling register supply Basement

30x8" duct in Basement register down in  
15ft liner



**JOHNSTON SUPPLY, INC.**

334 S. Blanchard St. Findlay, Ohio 45840 Phone: 419 423-1023

**NORMAN SPOON**

Sales Manager

Phone 422-7174

2000 Eastview Drive

Findlay, Ohio 45840

wholesale distributors of plumbing — heating  
air conditioning — well supplies





PUMPS • WATER SYSTEMS  
WATER CONDITIONERS

Date \_\_\_\_\_

To Garage	Plugs	1
"	light	1
Dinning	Plug	1
"	"	1
Rel. + Coorner	"	1
Kid window	"	1
counter table	"	1
Family	"	1
Liv	"	1
Liv Plug Hall Plugs Lvs + Bath 3 front door chest + table light		1
Kit Lvs + Headlines over Patio		1
Bed 2 + 3		1
Bed 1 + 2 chest		1
Bed 4 + Hall		1
Bath 1 + 2		1
Bath Plug + outside Plug G.F.		1



JOHNSTON SUPPLY, INC.


334 S. Blanchard St. Findlay, Ohio 45840 Phone: 419 423-1023

NORMAN SPOON  
Sales Manager  
Phone 422-7174  
2000 Eastview Drive  
Findlay, Ohio 45840

wholesale distributors of plumbing — heating  
air conditioning — well supplies









N O T I C E

Hydro-Air Engineering, Incorporated is responsible for structural accuracy only, based on the design criteria shown on this drawing. Connector plate calculations are based on Hydro-Nail connector plate values and ratings. No responsibility is assumed for dimensional accuracy or aesthetic appearance. Plates shall be placed on both sides of truss joints, located as shown on the drawing and pressed in securely. Minimum lumber grades and plate sizes are specified. All trusses shall have wood members accurately cut, assembled in design configuration and fabricated in rigid fixtures with positive clamps so that all members have good bearing and all completed truss units are uniform. For other advice concerning the fabrication, quality control, storage, delivery, erection and bracing of trusses, it is recommended that the fabricator consult the Quality Control Manual for Light Metal Plate Connected Wood Trusses, Truss Plate Institute, Inc., Suite 205, 919 Eighteenth Street, N.W., Washington, D.C. 20006, 1973.



CERTIFICATE OF OCCUPANCY  
THE CITY OF NAPOLEON

ENGINEERING DEPARTMENT  
DIVISION OF INSPECTION

No. 134.....

This is to certify that the Building or Land as herein described complies with all the building and health laws and ordinances and with the provisions of the Zoning Ordinance.

Location of Occupancy 590 Buckeye Lane ..... Occupancy Single Family Dwelling  
590 Buckeye Lane  
Owner of Property Harley Shumaker ..... Address Napoleon, OH 43545  
Harley Shumaker  
Issued to Harley Shumaker ..... Address 590 Buckeye Lane  
Napoleon, OH 43545  
Zoning "S" Suburban Resident District ..... Bldg. Permit No. 778-77

Substantial qualifications of occupancy .....


This certificate is issued by the City Building Inspector, as provided by law, and is to certify that construction is completed substantially in conformity with the approved plans and permission is hereby granted to occupy such building in compliance with such legal use and occupancy as authorized under the provisions of the ordinances of the City of Napoleon.

Issued this 31st day of March 1978

This is a valuable record for owner or lessee and should be so preserved.

Signed *R. D. Ammerberg*  
Asst. City Building Inspector











# City of NAPOLEON, OHIO

255 RIVERVIEW AVENUE — (419) 592-4010

May 8, 1978

**Mayor**

Robert G. Heft

Mr. Harland Shoemaker  
590 Buckeye

**Clerk-Treasurer**

Rupert W. Schweinhagen

Napoleon, OH 43545

Dear Mr. Shoemaker:

**Members of Council**

Vern Holers, President

Lawrence Haase

James Jackson

Marilyn Rausch

David Strobel

William Young

It has come to our attention that the storage building under construction in your rear yard is not located within the setback regulations of the Zoning Code.

**City Manager**

Alan E. Tandy

We ask your prompt cooperation in moving the structure to a location on your premises 10' 0" or more from each side property line and 20' 0" or more from the rear property line. These minimum setback dimensions are required by Section 85.12 of the Napoleon Zoning Code.

**Law Director**

Keith Muehlfeld

If you have any questions, regarding our ordinances controlling building construction please call me at 592-4010.

Sincerely,

Robert E. Johnson  
Dept. of Building & Zoning

REJ:dd

