

# THE CITY OF NAPOLEON

## BUILDING & ZONING DEPARTMENT

255 W. RIVERVIEW

(419)592-4010

---

### Plumbing Permit

Permit Number: PL2007-50

Page 1 of 2

Printed: 12/11/2007

---

### ADDRESS:

## 430 Cambridge St.

---

### Applicant

**Name:** Beck's Construction  
**Address:** PO Box 583

**Approval Date:** 12/10/2007  
419-592-8307

---

### Owners

**Name:** Becks Construction  
**Address:** PO Box 583  
Napoleon, OH 43545

**Phone:** 419-592-8307

---

### Contractors

**Contractor Type:** GENERAL CONTRACTOR

**Name:** Beck's Construction

Napoleon, OH 43545

**Address:** PO Box 583

**Phone:** 419-592-8307

---

### Contractors

**Contractor Type:** Plumber

**Name:** D.C. Plumbing LLC

Liberty Center, OH 43532

**Address:** 8229 County Rd U-3

**Phone:** 419-533-8881

---

### Fees and Receipts:

Number	Description	Amount
FEE2007-745	sewer tap (Calc)	\$96.42
FEE2007-746	PLUMBING (Auto)	\$48.00
FEE2007-747	State 1% fee (Calc)	\$0.48
FEE2007-748	Water 5/8" meter	\$300.00
FEE2007-749	sewer tap inspection fee	\$60.00

---

**Total Fees:** \$504.90

RCPT2007-558

\$504.90

---

**Total Receipts:** \$504.90

new house







# CITY OF NAPOLEON

**BUILDING & ZONING DEPARTMENT**  
255 West Riverview Avenue, P. O. Box 151 Napoleon, OH 43545  
Telephone: 419/592-4010 Fax: 419/599-8393  
[www.napoleonohio.com](http://www.napoleonohio.com)

## WATER METER YOKE RELEASE FORM

**THIS DOCUMENT ENTITLES THE HOLDER TO "ONE" WATER METER YOKE ASSEMBLY**  
(Please pickup at City Operations Department 1775 Industrial Drive.)

**Permit Number: PL2007-50**

**Date Issued: 12/10/2007**

**Job Location 430 Cambridge St**

---

Owner: Beck's Construction  
Address: PO Bx 583

Phone: 592-8307

Contractor: DC Plumbing  
Phone: 533-8881

---

Water Tap Size: 1" 1 1/2" 2" Other: \_\_\_\_\_  
Water Meter Yoke Size: 5/8" 3/4" 1" Other \_\_\_\_\_  
New Structure: Existing Structure: Lawn Meter:

**WATER SERVICE LINE TO BE TYPE "K" COPPER OR "CTS" POLYETHELENE TUBING OF 1" MINIMUM SIZE.**

Backflow Device Required? Yes  No   
Type of Backflow Required: \_\_\_\_\_

Water Meter Yoke Installation is subject to the following conditions:

1. Must be located in an accessible area.
2. Must be in an area which is not subject to freezing temperatures.
3. Must be at least 18" above floor level (no crawl space installations.)
4. Must comply with minimum mounting requirements (drawings available).

Issued By: \_\_\_\_\_ Received By: \_\_\_\_\_

1 Copy to: Building Dept, Water Dept.





# CITY OF NAPOLEON



**BUILDING & ZONING DEPARTMENT**  
255 West Riverview Avenue, P. O. Box 151 Napoleon, OH 43545  
Telephone: 419/592-4010 Fax: 419/599-8393  
[www.napoleonohio.com](http://www.napoleonohio.com)

## ***ELECTRIC METER BASE RELEASE FORM***

THIS DOCUMENT ENTITLES THE HOLDER TO "ONE" ELECTRIC METER BASE  
(Please pickup at the City Operations Garage 1775 Industrial Drive)

**Permit # EL2007-57**

**Date Issued: 12/10/2007**

**Job Location 430 Cambridge St.**

**Work Description: New House**

**Owner: Beck's Construction**  
**Address: PO Box 583**  
**Owner Phone: 592-8.307**

**Contractor: Mike Beck**  
**Contractor Phone: 599-1390**

Electric Service Upgrade       New Service Installation:

Industrial:     Commercial     Residential:     1 Phase     3 Phase

**Size of Service:**    100 Amps:     150 Amps:     200 Amps:     400 Amps     Other

**Hub Size:** 11/4"     11/21"     2"

**Desired Voltage:** 120/240:     Other: \_\_\_\_\_

Underground Service     Overhead Service

Date Completed: \_\_\_\_\_ Approved By: \_\_\_\_\_

Old Meter Number: \_\_\_\_\_ New Meter Number: \_\_\_\_\_

Comments: \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_



CITY OF NAPOLEON WATER TAPPING PERMIT FORM

PERMIT #:

ISSUED:

JOB LOCATION: \_\_\_\_\_

SUBDIVISION NAME: \_\_\_\_\_ LOT #: \_\_\_\_\_

OWNER: *Picket Fences*

ADDRESS: *430 Cambridge*

CONTRACTOR: \_\_\_\_\_ PHONE: \_\_\_\_\_

TAP SIZE: 1" X 1.5" \_\_\_\_\_ 2" \_\_\_\_\_ OTHER \_\_\_\_\_

AMOUNT PAID: \_\_\_\_\_ YOKE SIZE: \_\_\_\_\_


PLUMBING CONTRACTOR: \_\_\_\_\_ PH: \_\_\_\_\_

DATE OF TAP: 3-04 OLD TAP #: — NEW TAP #: 0409

SIZE AND KIND OF MAIN: 8" C-900

LOCATION OF MAIN: 7' South of South CURB DEPTH OF MAIN: 5'

DIST FROM HYDRANT \ ~~VALVE~~: 33' N of Hyd 515 DIST TO CURB STOP FROM CORP: 16'



DATE APPROVED: June 21, 04 BY: [Signature]

