PERMIT

CITY OF NAPOLEON, OHIO — DEPT. OF BUILDING & ZONING 255 W. Riverview Avenue, Napoleon, Ohio 43545 (419) 592-4010

- 015

| | » 015 | | |
|--------------------------------------|---|---|-------------|
| Permit No | | Date Feb | . 20, 198 |
| Job Location | 310 W. Clinton St. | | |
| Owner | Napoleon Public Library | Address 310 W Clinton | |
| Contractor | Rausch Lumber Co., Inc. | Telephone No 592-386 | 6 |
| Addre | ss 118 W. Front St., Nap | oleon, Ohio | |
| Electric Contrac | tor | | |
| Plumbing Contra | actor | | |
| Mechanical Con | tractor | | |
| 1111666 | permit is issued for work described in ed, as approved by the Building Comm orm to all pertinent construction and | n the plans, specifications, and/or application s dissioner of the City of Napoleon, Ohio. Work si land use Codes and Ordinances. | ub- hall |
| Work Informatio | n: | | |
| Residential | No. dwelling units Commercia | alXIndustrial | |
| New Construction | n Addition | | |
| יוופו הפסלווסנוסוו | O WOLK THE CALL MALL DAME | Ling On existing walls of the s | |
| and a new s | uspended ceiling on the i | mail level, and replace lighting | ng. |
| is the owners or uilding Departmo | contractors responsibility to call the ent for the following (x) inspections: | PERMIT & FEES | |
| Fo | oting excavation prior to placing | Building Permit \$ 66.50 |) |
| CO | ncrete. | Electrical Permit \$ 18.00 | |
| | oting drains and foundation prior | Plumbing Permit \$ | |
| | backfill. | Mechanical Permit \$ | |
| Pre | epared sub-grade prior to placing nerete floor slab. | Demolition Permit \$ | |
| | | Zoning Permit \$ | |
| | nitary sewer | Sign Permit \$ | 100 |
| Hoi | ugh-in electrical, plumbing and vice framing prior to installing | Water Tap \$ | |
| wal | I board. | Sewer Tap \$ | 0. 0. |
| | al electrical, plumbing and | Temp. Elec. | ₹7. °€ |
| | iting. | Other\$_ | |
| X Fina | 1 1 11 11 | J | 10 CO |
| | al building inspection, prior to | | Non-SOp |
| | al building inspection, prior to upancy. | TOTAL FEES \$ 84.50 | Non-Sto |
| | | TOTAL FEES \$ 84.50 LESS FEES PAID \$ -0- | Partion Sto |

THEFT

DESIGN A SECOND TO SECOND THE PARTY OF THE P

210

9

PERMIT

CITY OF NAPOLEON, OHIO — DEPT. OF BUILDING & ZONING 255 W. Riverview Avenue, Napoleon, Ohio 43545 (419) 592-4010

| Permit No | | | was floor |
|---|--|---|-------------------------|
| Job Location 310 W. Clinton St. | 90 - | | Date |
| | brary | | 12,000.00 |
| ContractorRausch Lumber Co | Tea | | W. Clinton |
| Address 118 W. Front St. | | Telephon | e No. 592-3866 |
| lectric Contractor | | | |
| | | | |
| lumbing Contractorlechanical Contractor | 7 | Chican I | |
| This permit is issued for work desc mitted, as approved by the Building conform to all pertinent construct | u Commiggioner | DT THA CITY OF MARAL | ton Ohi. Mil I I I |
| ork Information: | | - | |
| esidentialCor | mmercial | × In | dustrial |
| ew ConstructionAcrief Description of Work | | | |
| rief Description of Work | paneling o | n existing wa | lls of the structu |
| SSUED BY | | | |
| s the owners or contractors responsibility to c | all the | Attircher I | EPT. OF BUILDING & ZONI |
| s the owners or contractors responsibility to c filding Department for the following (x) inspec | eall the ctions: | PI | ERMIT & FEES |
| s the owners or contractors responsibility to colliding Department for the following (x) inspection: Footing excavation prior to place concrete. | eall the ctions: | | ERMIT & FEES |
| s the owners or contractors responsibility to colliding Department for the following (x) inspecting excavation prior to place | rail the ctions: | Pl Building Permit Electrical Permit Plumbing Permit | ERMIT & FEES \$ |
| s the owners or contractors responsibility to colliding Department for the following (x) inspections are concrete. Footing excavation prior to place concrete. Footing drains and foundation prior to place concrete. | ing ing | Pl Building Permit Electrical Permit Plumbing Permit Mechanical Permit Demolition Permit | ERMIT & FEES \$ |
| s the owners or contractors responsibility to conciding Department for the following (x) inspections are concrete. Footing excavation prior to place concrete. Footing drains and foundation prior to backfill. Prepared sub-grade prior to place | rail the etions: ing fior ing | Pl Building Permit Electrical Permit Plumbing Permit Mechanical Permit Demolition Permit Coning Permit | ERMIT & FEES \$ |
| s the owners or contractors responsibility to colliding Department for the following (x) inspection: Footing excavation prior to place concrete. Footing drains and foundation prior to backfill. Prepared sub-grade prior to place concrete floor slab. Sanitary sewer Rough-in electrical, plumbing as service framing prior to installing wall board. | rail the ctions: ing | Pl Building Permit Electrical Permit Plumbing Permit Mechanical Permit Demolition Permit Coning Permit Sign Permit | ERMIT & FEES \$ |
| s the owners or contractors responsibility to colliding Department for the following (x) inspection Footing excavation prior to place concrete. Footing drains and foundation prior to backfill. Prepared sub-grade prior to place concrete floor slab. Sanitary sewer Rough-in electrical, plumbing as service framing prior to installing wall board. | rail the ctions: ing if ing if ing if ing ing if ing ing if ing | Plauilding Permit Electrical Permit Plumbing Permit Mechanical Permit Demolition Permit Coning Permit Sign Permit Vater Tap Gewer Tap Temp. Elec. | S |
| Footing drains and foundation prior to backfill. Prepared sub-grade prior to placi concrete floor slab. Sanitary sewer Rough-in electrical, plumbing as service framing prior to installing wall board. Final electrical, plumbing as a service framing prior to installing wall board. | rail the ctions: ing | Plauilding Permit Electrical Permit Plumbing Permit Mechanical Permit Demolition Permit Coning Permit Sign Permit Vater Tap Sewer Tap Femp. Elec. | S |
| s the owners or contractors responsibility to colliding Department for the following (x) inspection. Footing excavation prior to place concrete. Footing drains and foundation prior to backfill. Prepared sub-grade prior to place concrete floor slab. Sanitary sewer Rough-in electrical, plumbing as service framing prior to installing wall board. Final electrical, plumbing as heating. Final building inspection, prior | rail the ctions: ing | Building Permit Electrical Permit Plumbing Permit Mechanical Permit Demolition Permit Coning Permit Vater Tap Gewer Tap Temp. Elec. Other | S CITY OF HAPOLEON \$ |
| s the owners or contractors responsibility to colliding Department for the following (x) inspection. Footing excavation prior to place concrete. Footing drains and foundation prior to backfill. Prepared sub-grade prior to place concrete floor slab. Sanitary sewer Rough-in electrical, plumbing as service framing prior to installing wall board. Final electrical, plumbing as heating. Final building inspection, prior | rail the ctions: ing if ing i | Plauilding Permit Electrical Permit Plumbing Permit Mechanical Permit Demolition Permit Coning Permit Sign Permit Vater Tap Sewer Tap Femp. Elec. | S CITY OF HAPOLEON \$ |

INSPECTION RECORD

| | | 894 | | | | | | | | | | | | | | | | (0) | | | | | |
|---|-------------|-------|---------------------|-----------------|------------------------|--------------------|-------|----------------------------|---------------------|------------------------------|-----------|---------|-----------------------|-------------------|-----------------------|----------|----------------------------------|---------------|-------------------------------|-------------------|---------------------------|--------------------------|----------------|
| | | Date | | | | | | | | | | | | | | | | | 0 | | | | |
| | & FINA! | Туре | Drainage, W. & Vent | Water Heater | Backflow Prevention | | FINAL | Electric Mtr. Clearance | Signs | | | FINAL | Duct Insulation | Chimney(s) | Furnace(s) | FINAL | Fireplace Chimney | Attic DAccess | Special Insp Reports Rec'd | Smoke | Demolition (sewer cap) | Building or Structure | # |
| | | By | | | | | | | | | | | | | | | | | | | | | |
| | NI-H | Date, | | | | | | | | | | | | | | | | cess | | | | | ±. |
| | ROUGH-IN | Туре | Drainage, W. & Vent | Water | Condensate Lines | Indirect! Waste | | Rough | Conduits/ Cable | Service Panel Switchboard | Subpanels | ☐ Range | Refrigerant Piping | Ducts/ Plenums | Ventilation Supply | a Exhst. | Wall | Crawl Space | Floor System(s) | Roof System | Fire Wall(s) | Roof Cover Roof Drain | Certificate of |
| 1 | D | By | | | | | | | | | | | | | | | | | | | | | 19/8 |
| | NOO | Date | | | -u | | | | | | | | | | | | | | | | | | OVA |
| | UNDERGROUND | Type. | Sewer | Building | Water | | | Floor Ducts Raceways | Conduits & or Cable | Grounding & or Bonding | | | Refrigerant Piping | Ducts/ Plenums | | | Location, Set- backs, Esmt(s) | Excavation | Footings & Reinforcing | Sub-soil Drain | Foundation Walls | Floor | FINAL APPROVAL |
| | | | | NG | IIBM | กาส | | | TAS | іят: | רבכ | 3 | אר | /DIN | CHA | ME | | | эию | חורם | ä | | |

CITY OF NAPOLEON BUILDING INSPECTION DEPARTMENT APPLICATION FOR BUILDING PERMIT (please print or type)

The undersigned hereby makes application for construction, installation,

| of the structure, and a new suspended ceiling, on the main level. * FEFLACE | CE LIGHT/N |
|--|-------------------------|
| V and/ entrant, a settlem to the set | or rid HIVE |
| | |
| Size: Length 32' Width 56' No. of Stories N/A | |
| Size: Length 32' Width 56' No. of Stories N/A | alli-Miller dell'impage |
| Area: 1st Floor 1792 sq. ft. Basement sq. | . ft. |
| 25.5 Filos | |
| 2nd Floor sq. ft. Accessory Building sq. | . ft. |
| The state of the s | |
| additional Information: The Exterior walls will be furred out and be insu | 4 |

CITY OF MAPOLEON BUILDING INSPECTION DEPARTMENT APPLICATION FOR ELECTRICAL PURMET (PLEASE PRINT OR TYPE)


The undersigned hereby makes application for the installation, replacement of alteration of electrical equipment he herein specified, agreeing to do all such work in strict accordance with the fity of Mapoleon's adopted Electrical Code for 1, 2 and 3 family Buildings.

| Owners a Nam Napoleon | Public Library | 310 W. Clinton st. |
|--|---|---|
| Contractor's NameRaus | sch Limber co. Addes | 118 W. Front st. Te1592-3866 |
| Sub. Contr. Jim Spe: | | 599-1846 |
| Location of Project | annex building | Zoning District |
| BUILDING INFORMATION | | |
| Single Family | Onuble Family | Multiple Family |
| New Construction | Existing | Addition |
| Replacement x | Remodel | Service Change |
| Size: Total Square | Foot Pay Finne | No. of Stockes |
| | DISCRIPTION OF | WO ES |
| | AMP. Darvice Cha | nga Only (Yes or No) |
| Total Number of New (| Total | Number of New Circuits Wing Appliance Circuits |
| | (indicate quantity) | |
| Electric Range | Pange Boo (Clot | hes Dryer Dishwasher |
| Alt Conditions | Atilo Esh Blower | Room Edianst Fan |
| Disposel H | St Water Kenner | Electric Oven |
| Require Temporary Fo | No (Yes | |
| fote: G.F.T.C. regal | ired for all semporary | electric with approved ground |
| THE CLATTEN FOR PERMITED AND THE SECOND OF T | T SHAKA COMPANIA A AFFECT LIN BISSED | TRO COMPLETE SEES OF PLANS |
| | | |

New lights are to replace the old existing lights, and reuse the existing circuits and switches. New #12 THHN copper wire and conduit will be used.

EXISTING CEILING APROX 30" BELOW EXISTING CERING NEW SUSPENDED CEILING ... CLASS I MINERAL CEILING TILE / FLAME SARENO - 25 FURRING / FORM INSUL / 3/4 " GYPSUM / 1/4 PARIS SEE SECTION BELOW WOT TO SCALE . EXTERIOR MASONRY WALL 1X3 FURRING STRIPS 48 GYRUM DR APPLIED 16" O.C. WITH AMULED OVER RIBBON BAND AT TOP AND DAVES AND BOTTOM AND AT 8' UP FROM FLOOR. CURS C GALL 3/4" PRINGL FOAM INSUL, 14" THICK EXTERIOR WALLS ONLY

| | | | | | , |
|--|--|--|---|--|---|
| | | | • | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |



NOMINAL PHYSICAL PROPERTIES

| Section 19 | THE RESERVE OF THE PARTY OF THE | | |
|---|--|--|--|
| THICKNESS | 40° F Mean | 40° F Mean | Compressive |
| | Temperature | Temperature | Strength |
| | R VALUE | K VALUE | 10% DEFLECTION |
| 1 Pound Per Cubic 3/4" Foot Density 1" 1 1/4" 1 1/2" 1 3/4" 2" | 3.13 | . 24 | 15 psi |
| | 4.17 | . 24 | 15 psi |
| | 5.21 | . 24 | 15 psi |
| | 6.33 | . 24 | 15 psi |
| | 7.29 | . 24 | 15 psi |
| | 8.33 | . 24 | 15 psi |
| 1 1/4 Pounds Per Cubic 3/4" Foot Density 1" 1 1/4" 1 1/2" 1 3/4" 2" | 3.26 | .23 | 19 psi |
| | 4.35 | .23 | 19 psi |
| | 5.43 | .23 | 19 psi |
| | 6.52 | .23 | 19 psi |
| | 7.61 | .23 | 19 psi |
| | 8.70 | .23 | 19 psi |
| 1 1/2 Pounds Per Cubic 3/4" Foot Density 1" 1 1/4" 1 1/2" 1 3/4" 2" | 3.41 4.55 5.68 6.82 7.95 9.09 | .22 .22 .22 .22 .22 .22 | 24 psi 24 psi 24 psi 24 psi 24 psi 24 psi 24 psi |
| 2 Pounds Per Cubic 3/4" Foot Density 1" 1 1/4" 1 1/2" 1 3/4" 2" | 3.57 | .21 | 34 psi |
| | 4.76 | .21 | 34 psi |
| | 5.95 | .21 | 34 psi |
| | 7.14 | .21 | 34 psi |
| | 8.33 | .21 | 34 psi |
| | 9.52 | .21 | 34 psi |

FLAME SPREAD - Less than 25

This numerical flame spread rating is not intended to reflect hazards presented by this or any other material under actual fire conditions.

SMOKE DEVELOPED - 450 or less.

FEDERAL SPECIFICATION - HH-I-524b, Type 1, Class A.

APPLICATION APPROVED - FHA Materials Release, Bulletin #773, B.O.C.A. 1975 Code, Artical 8 IC80 — SBCC — FHA MR 808 — HUD/FHA Bulletin No. 71

TOXICITY - Extensive tests have been conducted on expanded polystyrene when exposed to sufficient heat for decomposition.


The results of these tests have revealed that the toxicity of inhalation is decidedly less than that of wood or some other conventional building materials.


ALL MODIFIED RAW MATERIALS used by Pacemaker Plastics, Inc. have been tested by, and are listed with, Underwriters Laboratories. Complete details are available upon request.

"IMPORTANT: While the information and data contained in this brochure is presented in good faith and believed to be reliable, it does not constitute a part of our terms and conditions of sale unless specifically incorporated in our Order Acknowledgement.

NOTHING MEREIN SHALL BE DEEMED TO CONSTITUTE A WARRANTY.

EXPRESSED OR IMPLIED, THAT SAID INFORMATION OR DATA IS CORRECT OR THAT THE PRODUCTS DESCRIBED ARE MERCHANTABLE OR FIT FOR A PARTICULAR PURPOSE, OR THAT SAID INFORMATION, DATA, OR PRODUCTS DAM BE USED WITHOUT INFRINGING PATENTS OR THIRD PARTIES."





APPLICATION DATA FOR

Pacemaker POLYBOARD

Pacemaker Plastics, Inc.

"We Set. The Pace - Others Follow"

ROUTE 39, WEST OF INTERSTATE 77
TELEPHONE 216/364-8862

P. O. BOX 266

DOVER, OHIO 44622

| | | | , |
|--|--|--|---|
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |