PERMIT

CITY OF NAPOLEON, OHIO - BUILDING DEPARTMENT
255 West Riverview Avenue, Napoleon, Ohio 43545 - (419) 592-4010

rermit No. 3992 Issued 07/18/96	FEES	BASE	PLUS	TOTAL
Job Location 317 W. Clinton	[]Building			
Lot	[]Electrical	\$	\$	 \$
Issued by Brent N. Damman	[]Plumbing	\$	\$\$	\$
Owner_Bill Bechtol 592-0339	[]Mechanical	\$	_\$	_\$
Address 1122 W. Riverview	[]Demolition	\$	_\$	_\$
Agent Jerry Glanz 599-4103	[]Zoning	\$	\$	\$
Address 6 Lakeview Dr. Napoleon, OH	[]Sign	\$	\$	\$
Use Type - Residential X	[]Water Tap	\$	_\$	\$
Other - Describe	[X] Sew. Insp.	\$	\$	\$_25.00
No. Dwelling Units	[]Sewer Tap			
NewReplacement	[]Temp.Water	\$	\$	\$
Add'nAlterRemodel_X	[]Temp.Elec.	\$	\$	\$
Mixed Occupancy	TOTAL FE	ES		.\$ 25.00
Change of Occupancy LESS FEES PA				.\$_25.00
Estimated Cost \$ 1500.00	BALANCE	DUE		.\$
ZONING INFORMATION				
district lot dimensions	area front	yd sid	de yd	rear yd
max hgt no pkg spaces no ldg spaces	max cover	petition or appea	al req'd	date appr
WORK INFORMATION	_			
WORK INFORMATION	~.			
Size: LengthWidthS				
HeightBuilding Volume		rmit)		
Electrical:				
Plumbing: Sewer Repairs		F	- 63	II.
Mechanical:		10	JH.	
Additional Information:			JUL 19	1996
DateApplicant Signature		61	DUOFNIA	POLEONI
		[6]	II WI IWA	

Pink-Electrical Inspector

Green-Clerk-Treasurer

Gold-County Auditor

White-Building Department Yellow-Applicant

INSPECTION RECORD

Type Building Drains	Date	Ву				UNDERGROUND ROUGH-IN			FINAL		
Drains			Type	Date	Ву	Туре	Date	Ву	Туре	Date	B:
			Drainage, Waste & Vent Piping			Indirect Waste			Drainage, Waste & Vent Piping		
Water Piping									Backflow Prevention		
Building Sewer			Water Piping			Condensate Lines			Water Heater		
Sewer Connection									FINAL APPROVAL		A PARTIES
Refrigerant Pining			Refrigerant Piping			Chimney(s)			Grease Exhaust System		
, ipg			Duct			Fire Dampers			Air Cond. Unit(s)		
Ducts/			Ducts/ Plenums			□ Radiant Htr(s) □ Unit Htr(s)			Refrigeration Equipment		
Figuria			Duct Insulation			Pool Heater			Furnace(s)		
			Combustion Products Vents			Ventilation ☐ Supply ☐ Exhst.			FINAL APPROVAL		
Conduits &			Conduits/			□ Range □ Dryer			Temp Service Temp Lighting		
Grounding &			Rough			☐ Generator(s)☐ Motors			Fixtures Lampholders		
Floor Ducts			Service Panel Switchboard			□ Water Htr □ Welder			Signs		
Service			Busways Ducts			□ Heaters □ Heat Cable			Electric Mtr. Clearance		
Temporary Power Pole			Subpanels			□ Duct Htr(s) □ Furnace(s)			FINAL APPROVAL		
Location, Set- backs, Esmt(s)			Exterior Wall Construction			Roof Covering Roof Drainage			Smoke Detector		
Excavation						Exterior Lath			Demolition (sewer cap)		
Footings & Reinforcing						☐ Interior Lath ☐ Wallboard					
Floor Slab			Interior Wall Construction			Fire Wall(s)			Building or Structure		
Foundation Walls			Columns & Supports			Fireplace Chimney					
Sub-soil Drain			Crawl Space □ Vent □ Access			Attic □ Vent □ Access					
Piles			Floor System(s)						BLDG. DEPT.		
			Roof System			Special Insp Reports Rec'd			Certificate of Occupancy Issued		
	INSPE	CTIC	ONS, CORRECTIO	NS, E	rc.	INSP	ECTI	ONS	CORRECTIONS,	ETC.	
GEQ1 6	I JU	l									
	Connection Refrigerant Piping Ducts/ Plenums Conduits & or Cable Grounding & or Bonding Floor Ducts Raceways Service Conduit Temporary Power Pole Location, Setbacks, Esmt(s) Excavation Footings & Reinforcing Floor Slab Foundation Walls Sub-soil Drain Piles	Connection Refrigerant Piping Ducts/ Plenums Conduits & or Cable Grounding & or Bonding Floor Ducts Raceways Service Conduit Temporary Power Pole Location, Setbacks, Esmt(s) Excavation Footings & Reinforcing Floor Slab Foundation Walls Sub-soil Drain Piles	Connection Refrigerant Piping Ducts/ Plenums Conduits & or Cable Grounding & or Bonding Floor Ducts Raceways Service Conduit Temporary Power Pole Location, Setbacks, Esmt(s) Excavation Footings & Reinforcing Floor Slab Foundation Walls Sub-soil Drain Piles	Connection Refrigerant Piping Duct Furnace(s) Ducts/ Plenums Duct Insulation Combustion Products Vents Conduits & Cable Grounding & Rough Wiring Floor Ducts Raceways Service Conduit Conduit Temporary Power Pole Location, Setbacks, Esmt(s) Excavation Footings & Reinforcing Floor Slab Conduits Conduits Exterior Wall Construction Foundation Walls Supports Sub-soil Drain Piles INSPECTIONS, CORRECTIO	Refrigerant Piping Piping Ducts/ Plenums Ducts/ Plenums Ducts Insulation Combustion Products Vents Cable Grounding & Cable Grounding & Rough Wiring Floor Ducts Raceways Service Conduit Ducts Conduit Ducts Conduit Construction Construction Construction Construction Construction Construction Construction Columns & Construction Columns & Construction Columns & Column	Refrigerant Piping Piping Duct Furnace(s) Ducts/ Plenums Duct Insulation Combustion Products Vents Conduits & Cable Grounding & Outs Suitchboard Service Conduit Service Service Service Conduit Service Service Service Conduit Service Service Service Service Service Service Service Service Panel Service	Refrigerant Piping	Refrigerant Piping	Connection Refrigerant Piping Refrigerant Piping Duct Furnace(s) Ducts/ Plenums Ducts/ Plenums Duct Plenums Duct Plenums Duct Insulation Combustion Products Vents Cable Cable Cable Cable Cable Cable Carvice Canduits/ Or Cable Busways Service Conduits Service Conduits Service Conduits Service Conduit Service Conduits Service Conduit Busways Ducts Deleters	Sewer Cable Conduits &	Sewer Connection Refrigerant Piping Refrigerant Piping Duct Furnace(s) Ducts/ Ducts/ Denums Ducts/ Plenums Ducts/ Plenums Ducts/ Plenums Ducts/ Denums Pool Heater Ducts/ Denums Pool Heater Ducts/ Denums Products Vents Denums Products Vents Denums Temp Service Temp Lighting Grounding & Rough Duryer Grounding & Rough Wiring Rough Duryer Denums Service Panel Service Panel Ducts Denums Refrigeration Furnace(s) Furnace(s) Fixtures Lampholders Signs Refrigeration Electric Mtr. Clearance Clearance Clearance Clearance Ducts Denums Refrigeration Furnace(s) Fixtures Lampholders Signs Refrigeration Fixtures Lampholders Finel Cable Clearance Clearance Clearance Clearance Ducts Fire Ducts Signs Refrigeration Fixtures Fire Ducts Refrigeration Fixtures Signs Refrigeration Fixtures Fixtures Bullding or Structure Foundation Walls Drain Fixure Fixure Bullding or Structure Fixure Fixure Bullding or Structure Fixure Fixure Fixure Fixure Fixure Fixure Fixure Fixure Fixure Certificate of Certificate of

Residential, Building, Electrical, Plumbing, Mechanical, and Demolition Permit

FRCM - The City of Napoleon, Ohio, Building Department

255 West Riverview Avenue; P.O. Box 151; Napoleon, Ohio 43545 - Telephone (419) 592-4010

ENTRY NO		Base	n 1	
PERMIT NO 3992 ISSUED 7-18-96	()Building	<u> </u>	Plus	Total
JOB LOCATION 317 W. Chin fon		•	_ \$	_ \$
LOT	()Electrical	\$	_ \$	_ \$
(Subdivision or Legal Description)	()Plumbing	\$	_ \$	\$\$
ISSUED BY BYD	()Mechanical	\$	\$	_ \$
(Building Official)	()Demolition	\$	\$	Ś
OWNER 5/10/ PHONE 592-0339	()Zoning	\$		- '
ADDRESS 1/22 W. RIVERVICEN	()Sign	\$	s	- *
AGENT CITY (2/0 M2 DECOME 590 M2 2		*	- '	- }
ADDRESS 6 Lakeview 1gp USE: (1) Residential (1) Commercial (1) Industrial	() agret tah		\$	\$
USE: () Residential () Commorcial () Industrial	(X) Sour Insp	\$	\$	25,00
USE: () Residential () Commercial () Industrial () Other	()Temp Water	\$	\$	\$
WORK: () New () Addition () Replacement (X) Remodel	()Temp Elec.	\$	\$	\$
ESTIMATED COST = \$ 1500.00	Additional Plan Review:		Hours _	
*				
ZONING INFORMATION	TUTAL FEES . Less Fees BALANCE DUE	Paid	• • • • • • •	25.00
District Lot Dimensions Area	Front Yar	rd Sido	Yard R	an Vand
		<u> </u>	raid K	ear Yard
Max Height No. Pkg. Spaces No. Ldg. Spaces				
No. Pkg. Spaces No. Ldg. Spaces	Max Cover	Petiti	on or Appeal	Required-Date
WORK INFORMATION				
				- 25.0
Building: Ground Floor Area sq. ft.	Basement Floor Ar	:ea	sq. ft	
Garage Floor Area sq. ft. 2nd Floor Area	sq. ft. Ot	her		sq. ft.
Size: Length Width Stories	Height			
Building Volume (for Demolition Permit) cubic		-		
Description of Work: Sower repairs			·A	
		12		
			JUL 19	1996
			I .	

ELECTRICAL:	Contractor	Phone
	Address	ESTIMATED COST = \$
Type of Work:	()New ()Service Change ()Rewiring ()Add'l Wiring	TEMPORARY ELEC. REQUIRED - ()Yes ()No
	Size of Service Underground Overhead _	Number of New Circuits
Description of	Vork:	
	Contractor	
	Address	
WATER TAP REQU	TRED - ()Yes ()No Size Type of Pipe	Water Dist. Pipe
SANITARY SEWER	TAP REQUIRED - ()Yes ()No Size Type of Pipe _	Dr. Waste Vt. Pipe
STREET SEWER T.	AP REQUIRED - ()Yes ()No Type of Pipe	STREET TO BE OPENED - ()Yes ()No
	Main Building Drain Size =	Main Vent Pipe Size =
LIST NUMBER OF	PLUMBING FIXTURES BELOW:	4
Water Closets	= Bathtubs = Showers = Lavatories =	Kitchen Sinks = Disposal =
Clothes Washer	= Floor Drains = Dishwasher = Other	Total =
Description of	Work:	7
	Contractor	
	Address	ESTIMATED COST = \$
HEATING SYSTEM	- ()Forced Air ()Gravity ()Hot Water ()Steam ()Unit	Heaters ()Radiant ()Baseboard
TYPE OF FUEL -	()Electric ()Natural Gas ()Propane ()Wood ()Coal ()Solar ()Geothermal Other
NUMBER OF HEAT	ZONES = HOT WATER - ()One (1) Pipe ()Two	(2) Pipes ()Series Loop
ELECTRIC HEAT -	- Number of Circuits Number of Furnaces	Number of Hot Air Runs
Number of Hot W	Nater Radiators Total Heat Loss Rated	Capacity of Furnace/Boiler
LOCATION OF HEA	ATING UNITS - ()Crawl Space ()Floor Level ()Attic ()Suspended ()Roof ()Outside
Description of	Work:	
Foundation Plan Electrical Layo	RED: All applications must be accompanied by two (2) completes, Floor Plans, Structural Framing Plans, Exterior Elevations out, Plumbing Isometric, Heating Layout, etc. All Plans shall be Site Plans, and show electric panel and furnace locations.	s, Section and Details, Stair Details, I be drawn to scale, show all existing
to complete the Building Code, Standard Specif	BELOW: The undersigned hereby makes application for a Permit work in strict accordance with all applicable provisions of the Napoleon Building and Zoning Codes, the Napoleon Engineer fications and other pertinent sections of the Napoleon Code or the Napoleon Co	the current edition of the C.A.B.O. ring Department Rules and Regulations,
Signature of Ap	pplicant	Date

7-18-96 Serry Glanz 317 W. Clinton w. clinton Owner Bill Bechtol Walk 31 36 maple 631 6"c/008'F/L Porch 6" PVC SDR 35 New 4"c/0@ 6.0 FL Connected to good 4" vit tile under house crawl space Porcho109 Connected to Longsweep 900 G"Vitax this point tile in excellent condition.