

CITY OF NAPOLEON
BUILDING CONSTRUCTION PERMIT
 (1, 2 or 3 Family Dwelling)

Owner Name Roger Weaver

Address 523 West Clinton St.

Builder Name Von Daylen Plumbing & Heating, Inc.

Address 1080 Glenwood Ave. Tel. 592-4756

Lot Information:

Street No. 523 West Clinton Street

Lot 4 Subdivision Sheffield's Sub-div. Out-Lot 1

Lot Dimensions _____ Lot Area _____ Sq. Ft.

Yard Set Back: Front _____ Rear _____

Side _____ Side _____

Zoning "R" Intended use of Building: Installing to the existing dwelling a new 30,000 BTU air-conditioning. (Central)

Building Information:

Single Double _____ Multiple _____ New Construction _____ Addition _____ Remodel

Size: Length _____ Width _____ No. of Stories 2

Floor Area: 1st Floor _____ 2nd Floor _____ 3rd Floor _____ Basement _____

Unfinished Attic _____ Garage _____

Foundation: Piers _____ Full Basement _____ Part Basement _____

Concrete _____ Block _____

Walls: Frame _____ Block _____ Brick _____ Other _____

Electrical: Wiring Electric Heating _____ Electrical Appliances _____

Plumbing: Fixtures or Traps _____ Warm Air Heating _____ Hot Water Heating _____

Additional Information: This permit requires compliance with the attached addendum marked exhibit "A" and made a part hereof.

Date 12/10/75 Applicant Signature Eleanor Daylen

NOTE: REQUIRED TO CONTACT THE BUILDING INSPECTOR WHOSE SIGNATURE IS COMPLETED FOR FINAL INSPECTION.

12/31/75 A/C - unit inspected by R.W.P.

Inspection Record:

Work Started _____ Foundations _____ Plumbing, Heating _____

Set Back, Side Lines _____ Plumbing (Rough In) _____ And Air Conditioning _____

Excavation _____ Erecting Frame _____ Roof _____

Footing _____ Electrical Work 12/31/75 inspected & approved by Howes.

Comments: _____

Certificate of Occupancy Issued _____

Permit No. 433-754

Issued 12/1/75

By [Signature]
 Building Inspector

Valuation \$900.00

Fees	Base	Plus	Total
Construction	---	---	---
Plumbing	---	---	---
Electrical	\$3.00	---	\$3.00
Heating	---	---	---
Water Tap	---	---	---
Sewer Tap	---	---	---
Temporary Elec.	---	---	---
TOTAL	\$3.00	---	\$3.00

CITY OF NAPOLEON

Engineering Department

ELECTRICAL INSPECTION FIELD REPORT

255 Riverview Avenue Napoleon, Ohio 43545
(Please Print or Type)

Date 12-31-75

Permit No. 431-759

Type of Inspection Electrical: A/C unit

Type of Occupancy Dwelling

Project Name Roger Weaver

Address 523 West Clinton St.

City Napoleon State Ohio

43545

Approved

Violation Electrical Contractor

Remarks:

Code Reference

For your protection please
attach and secure panel covers
to panel board in basement

- This was noticed during
the electrical inspection of
the A/C unit installed by
Van Deylen Plumbing And Heating Inc.

Compliance Time Inspectors Signature Norman Howes

Copies To:

White - Applicant Yellow - Engineering Pink - Electrical Inspector

CITY OF NAPOLEON
ENGINEERING DEPARTMENT
APPLICATION FOR HEATING PERMIT
(PLEASE PRINT OR TYPE)

The undersigned hereby makes application for the installation, replacement or alteration of a heating system or device as herein specified, agreeing to do all such work in strict accordance with the City of Napoleon's adopted Mechanical Code for 1, 2 and 3 Family Buildings.

Owner's Name ROGER WEAVER Address 523 W. CLINTON

Contractor's Name V. N. DEYLEN PBLCA/HTC Address 1080 GLENWOOD Tel. 5924756

LOT INFORMATION:

Location of Project _____ Lot # _____

Subdivision _____ Zoning District _____

BUILDING INFORMATION:

Single Family Double Family _____ Multiple _____ New Construction _____

Addition Remodel _____ Replacement _____ No. of Stories _____

DESCRIPTION OF WORK

Heating System - Warm Air _____ Hot Water _____ Steam _____ Electric _____

Unit Heaters _____ Unit Gas Heaters _____ Other CENTRAL AIR CONDITIONING

Type - Gravity _____ Forced _____ Radiant _____

No. of Thermostatical Heating Zone _____

Hot Water - One Pipe _____ Two Pipe _____ Series Loop _____

Electric Heat - No. of Circuits _____ Other _____

Total Heat Loss of Area to be Heated _____ Btu.

Rated Capacity of Furnace/Boiler AIRCND. 30000 Btu.

No. of Furnances _____ No. of Hot Air Runs _____

No. of Hot Water Radiators _____ Type of Fuel _____

Heating Units Located: Crawl Space _____ Floor Level _____ Suspended _____

Roof or Exposed to Outside Air _____ Attic _____ Other _____

APPLICATION FOR PERMIT SHALL BE ACCOMPANIED BY TWO COMPLETE SETS OF PLANS INCLUDING: LOCATION OF FURNACE OR UNIT HEATERS AND SIZE AND LOCATION OF FEEDER DUCTS AND RETURN AIR DUCTS. ALL PLANS SHALL BE DRAWN TO SCALE.

ESTIMATED COST OF COMPLETED PROJECT: \$990.00

DATE 12/11/75 APPLICANT'S SIGNATURE E. DeYlen

OWNER-CONTRACTOR-AGENT

CITY OF NAPOLEON
ENGINEERING DEPARTMENT
APPLICATION FOR HEATING PERMIT
(PLEASE PRINT OR TYPE)

The undersigned hereby makes application for the installation, replacement or alteration of a heating system or device as herein specified, agreeing to do all such work in strict accordance with the City of Napoleon's adopted Mechanical Code for 1, 2 and 3 Family Buildings.

Owner's Name Roger Weaver Address 523 W Clinton St

Contractor's Name Von Deylen Plbrs & Htg Inc Address 1041 Glenview Tel. 572 4756

LOT INFORMATION:

Location of Project _____ Lot # _____

Subdivision _____ Zoning District _____

BUILDING INFORMATION:

Single Family Double Family _____ Multiple _____ New Construction _____

Addition _____ Remodel _____ Replacement No. of Stories 2

DESCRIPTION OF WORK

Heating System - Warm Air Hot Water _____ Steam _____ Electric _____

Unit Heaters _____ Unit Gas Heaters _____ Other _____

Type - Gravity _____ Forced Radiant _____

No. of Thermostatical Heating Zone one

Hot Water - One Pipe _____ Two Pipe _____ Series Loop _____

Electric Heat - No. of Circuits _____ Other _____

Total Heat Loss of Area to be Heated 98,600 Btu.

Rated Capacity of Furnace/Boiler 109,000 Btu.

No. of Furnances 1 No. of Hot Air Runs 8 (Replacement)

No. of Hot Water Radiators _____ Type of Fuel Nat gas

Heating Units Located: Crawl Space _____ Floor Level _____ Suspended _____

Roof or Exposed to Outside Air _____ Attic _____ Other Basement

APPLICATION FOR PERMIT SHALL BE ACCOMPANIED BY TWO COMPLETE SETS OF PLANS INCLUDING: LOCATION OF FURNACE OR UNIT HEATERS AND SIZE AND LOCATION OF FEEDER DUCTS AND RETURN AIR DUCTS. ALL PLANS SHALL BE DRAWN TO SCALE.

ESTIMATED COST OF COMPLETED PROJECT 1150.00

DATE 11/19/75 APPLICANT'S SIGNATURE Evan Von Deylen
OWNER-CONTRACTOR-AGENT

