

METER YOKE RELEASE

This document is for the release of one (1) Water Meter Yoke for Residential water service lines.

RELEASE NO. 185
PERMIT NO. 3668 ISSUED 1-31-96
JOB LOCATION R-195 Co. Rd. 15 Napobona
() - Inside City Limits (X) - Outside City Limits
ISSUED BY BND
OWNER Tom Moriarty
ADDRESS 55 Sollette Dr. Nap.
CONTRACTOR Billing P+H
ADDRESS 7-487 St. Rt. 108 Napobon
CONTRACTOR'S PHONE NO. 598-8991
WATER TAP SIZE: (X) = 1" () = 1-1/2" () = 2"
WATER METER s# _____
(X) - New Dwelling () - Existing Dwelling
() - Lawn Meter

Water Service Line to be Type (K) Copper or (CTS) Polyethelene Tubing of one inch (1") minimum.

Watts No. 007 Dual check required (X) = Yes () = No

Water Meter Yoke installation is subject to the following conditions:

- 1.) Must be located in an accessible area.
- 2.) Must be in an area not subject to freezing temperatures.
- 3.) Must be eighteen inches (18") above floor level, not in crawl spaces.
- 4.) Must comply with the mounting criteria and clearances as set forth in DRAWING #04403901.