

P E R M I T

CITY OF NAPOLEON  
255 W. RIVERVIEW AVE  
NAPOLEON, OHIO 43545

DIVISION OF BUILDING & ZONING  
PH (419) 592-4010  
FAX (419) 599-8393

PERMIT NO: 98397                      DATE ISSUED: 11-13-98                      ISSUED BY: BND  
JOB LOCATION: 12724 CO RD P                      EST. COST: 4000.00

LOT #:    SUBDIVISION NAME:  
  
OWNER: DONOVAN, JOHN    AGENT: AUSTERMILLER MIKE  
ADDRESS: 12724 CO RD P    ADDRESS: 1079 DODD ST  
CSZ: NAPOLEON, OH 43545    CSZ: NAPOLEON, OH 43545  
PHONE: 419-599-5120    PHONE: 419-599-4296

USE TYPE - RESIDENTIAL:    OTHER:

ZONING INFORMATION

DIST:                      LOT DIM:                      AREA:                      FYRD:                      SYRD:                      RYRD:  
MAX HT:                      # PKG SPACES:                      # LOADING SP:                      MAX LOT COV:

BOARD OF ZONING APPEALS:

WORK TYPE - NEW:                      REPLMNT:                      ADD'N:                      ALTER:                      REMODEL:

WORK INFORMATION

SIZE - LGTH:                      WIDTH:                      STORIES:                      LIVING AREA SF:  
GARAGE AREA SF:                      HEIGHT:                      BLDG VOL DEMO PERMIT:


WORK DESCRIPTION  
PORCH REBUILD

FEE DESCRIPTION	PAID DATE	FEE AMOUNT DUE
BUILDING PERMIT		45.00

TOTAL FEES DUE                      45.00

11-13-98  
DATE

*Michael L. Austermiller*  
APPLICANT SIGNATURE






John Donovan

~~#~~ 12-724 Co. Rd. P

Rd. P




ALL LUMBER DIMENSIONS CAN ALWAYS BE DEDUCED FROM PLAN & SECTION

SCALE 1/2" = 1'

CAN PUT  
FIXED PANEL  
AGAINST HOSE



$\frac{1}{2}'' = 1'$



$8.5 \times 25 = 21.25''$   
 $10 \times 2.5 =$

53" HT  
 UNITS.

4-6 weeks.  
 Very least  
 2 1/2 4 weeks.

6'4    76    76  
       48    46  
       34    30

2' to 30" wav AT.






# SUNROOMS & SUNSPACES



## FOUNDATION AND ROUGH FRAMING DIMENSIONS

4-17



A Dimension = Total Beam Dimensions + 7-1/2".

NOTE: Adjust 7-1/2" dimension as required, if standard corner detail is not used. Also add control joint dimension, if required.

### FOUNDATION AND ROUGH FRAMING DIMENSIONS

Sloped Glazing Unit	Dimension	3/12 Pitch	4/12 Pitch	5/12 Pitch	6/12 Pitch	7/12* Pitch	8/12* Pitch	9/12* Pitch	10/12* Pitch	12/12* Pitch
19SR	C=	0' 5-3/16"	2' 0-1/8"	1' 11-5/8"	1' 11-1/16"	1' 10-7/16"	1' 9-13/16"	1' 9-1/8"	1' 8-1/2"	1' 7-1/4"
	D=	7' 1-5/16"	0' 6-11/16"	0' 8-1/16"	0' 9-3/8"	0' 10-1/2"	0' 11-1/2"	1' 0-7/16"	1' 1-1/4"	1' 2-5/8"
27SR	B=	2' 8-5/16"	2' 7-3/4"	2' 7"	2' 6-3/16"	2' 5-5/16"	2' 4-7/16"	2' 3-9/16"	2' 2-5/8"	2' 0-15/16"
	C=	0' 7-1/8"	0' 9-1/4"	0' 11-3/16"	1' 0-15/16"	1' 2-1/2"	1' 3-15/16"	1' 5-1/4"	1' 6-3/8"	1' 8-1/4"
	D=	7' 3-1/4"	7' 5-3/8"	7' 7-5/16"	7' 9-1/16"	7' 10-5/8"	8' 0-1/16"	8' 1-3/8"	8' 2-1/2"	8' 4-3/8"
33SR	B=	3' 2-3/4"	3' 2"	3' 1-1/8"	3' 0-1/8"	2' 11-1/16"	2' 9-15/16"	2' 8-13/16"	2' 7-3/4"	2' 5-5/8"
	C=	0' 8-3/4"	0' 11-5/16"	1' 1-11/16"	1' 3-7/8"	1' 5-7/8"	1' 7-5/8"	1' 9-3/16"	1' 10-5/8"	2' 0-15/16"
	D=	7' 4-7/8"	7' 7-7/16"	7' 9-13/16"	8' 0"	8' 2"	8' 3-3/4"	8' 5-5/16"	8' 6-3/4"	8' 9-1/16"
44SR	B=	4' 0-9/16"	3' 11-5/8"	3' 10-1/2"	3' 9-3/16"	3' 7-13/16"	3' 6-3/8"	3' 4-15/16"	3' 3-1/2"	3' 0-3/4"
	C=	0' 11-3/16"	1' 2-1/2"	1' 5-5/8"	1' 8-7/16"	1' 10-15/16"	2' 1-1/4"	2' 3-5/16"	2' 5-1/16"	2' 8-1/8"
	D=	7' 7-5/16"	7' 10-5/8"	8' 1-3/4"	8' 4-9/16"	8' 7-1/16"	8' 9-3/8"	8' 11-7/16"	9' 1-3/16"	9' 4-1/4"
73SR	B=	6' 4-15/16"	6' 3-3/8"	6' 1-1/2"	5' 11-3/8"	5' 9-1/16"	5' 6-11/16"	5' 4-5/16"	5' 2"	4' 9-7/16"
	C=	1' 6-5/16"	1' 11-3/4"	2' 4-7/8"	2' 9-1/2"	3' 1-11/16"	3' 5-1/2"	3' 8-13/16"	3' 11-13/16"	4' 4-3/4"
	D=	8' 2-7/16"	8' 7-7/8"	9' 1"	9' 5-5/8"	9' 9-13/16"	10' 1-5/8"	10' 4-15/16"	10' 7-15/16"	11' 0-7/8"
96SR	B=	8' 3-1/16"	8' 0-15/16"	7' 10-1/2"	7' 7-11/16"	7' 4-3/4"	7' 1-5/8"	6' 10-9/16"	6' 7-7/16"	6' 1-9/16"
	C=	1' 11-13/16"	2' 6-15/16"	3' 1-5/8"	3' 7-11/16"	4' 1-3/16"	4' 6-1/16"	4' 10-1/2"	5' 2-3/8"	5' 8-7/8"
	D=	8' 7-15/16"	9' 3-1/16"	9' 9-3/4"	10' 3-13/16"	10' 9-5/16"	11' 2-3/16"	11' 6-5/8"	11' 10-1/2"	12' 5"

\*Special bottom and top flashing is required. Vertical sloped beams must be special-cut. Special detailing may be required. Consult with your local Pella Window Store® Representative.

