## CITY OF NAPOLEON - BUILDING DEPARTMENT

255 West Riverview Avenue, Napoleon, Ohio 43545

Permit No	01202 Iss	ued 7-7-86	At a	FEES	BASE	PLUS	TOTAL
	663 Cripple	Creek Dr.	_ BUI	LDING	3.00	6.00	9.00
Lot_3	Cripple Creek	Add. or legal discript	_	CTRICAL			Might might
Issued By_E	Idon Huber building official	- rogal discript	1	JMBING	TOTAL ST		(04)4231m8
Owner <u>Mer</u>	ril Niebel	592-1318					
Address 66	3 Cripple Creek	tel.	_ \ MEC	CHANICAL	_	ni ni	Storing 3
Agent Mer	ril Niebel		P DEM	OLITION	A Sanan	E-To-	
	<sup>der-engetc.</sup> Cripple Creek	tel.	ZON	ling	881219		Positiva
Description of	Use Residence	(a) recording	D SIGN		WCame in		
	WAT HE I	THOU HAN	WATE	DIAD	Spinoral .		entainere!
Residential	1	TO THE			DieG overnigu		
Commercial	no. dwelling units	TRUE TO SHIP IN	SEWER	RTAP	POLITICA LOCALIST		
	d'n. X Alter		TEMP.	ELECT.	medical Carte	A S	rivbnaD/
	incy			TIONAL	Struct. 5 Co		
		Tib Think		LAN	Elect.	hrs	
Estimated On	cupancy						
Estimated Cos	st \$ 2,000.00	Bitti Mont					/ Daniel
2	ONING INFORMAT	ION	BAL	ANCE DU	ES PAID dat	е	Prowor.
district	lot dimensions	il perusados		wights.	a L. Contiger	1 VI (#16#	SOFTER THE
A max hgt	147.33' X 64'	1640 S.F	front 30'	<sup>yd</sup> Min.	side yo 7' Min.	ls	rear yd 15' Min.
35' Max.	no pkg spaces 2-Min.	no ldg spaces	max cover	petition	or appeal req'd		date appr
	A Bytania again	91			tokafni	EV. Burs	TOTOLUE S
WORK INFORM	MATION:						(Sigl)
Size: Length_	171 Width	101 Sto	ories1		nd Floor Area_	170 S.	
Height	12' Buildi	ng Volume (for de	mo. permit)	EEE SOA II	nd 11001 Alea_		March
Electrical:	10 Ki il			(á)	ming.		cu. ft.
Plumbing:		brief description			li Vlegg		
Mechanical:	CARDONS, CICRISCILL	brief description	DY11 SW	MATCHIO	D.D. IZMONT CE	Paragit	
		brief description					
Sign:	Dimens	ions					
Sign:	Dimens	2	00 2000		n Area		- 3
Sign:	Va		ce approved			nclopre	AID
Sign:	mation: Rear no	2		seperate		nclose	A I D

White-Building Department Yellow-Applicant

Pink-Electrical Inspector

Green-Clerk-Treasurer

Gold-County Auditor

## INSPECTION RECORD

T	UNDERGR	OUNE		ROUGH-IN					FINAL			
$\dashv$	Туре	Date	Ву	Type	Date	Ву	Туре	Date	Ву	Cacilla	Date	Ву
	Building Drains	Date	U,	Drainage, Waste & Vent Piping			Indirect Waste			*Drainage, Waste & Vent Piping	4	24
- 1	Water Piping									Backflow Prevention		
	Building Sewer			Water Piping			Condensate Lines			Water Heater		
	Sewer Connection						1			FINAL APPROVAL		
	Refrigerant			Refrigerant			Chimney(s)			Grease Exhaust System		
1	Piping			Piping Duct Furnace(s)			Fire Dampers			Air Cond. Unit(s)	-19	
MECHANICAL	Ducts/			Ducts/ Plenums			☐ Radiant Htr(s)☐ Unit Htr(s)			Refrigeration Equipment		
֡֝֝֟֝֝֟֝֝֟֝֓֓֓֓֞֝֟֝֓֓֓֟	Plenums			Duct Insulation		-	Pool Heater			Furnace(s)		_
Ξ				Combustion Products Vents			Ventilation ☐ Supply ☐ Exhst.			FINAL APPROVAL		
	Conduits &			Conduits/ Cable			□ Range □ Dryer			Temp Service Temp Lighting		
ļ	or Cable Grounding & or Bonding						□ Generator(s) □ Motors			Fixtures Lampholders		-
ECTHICAL	Floor Ducts Raceways			Service Panel Switchboard			□ Water Htr □ Welder			Signs		
ELECT	Service Conduit			Busways Ducts			□ Heaters □ Heat Cable			Electric Mtr. Clearance		1
Ш	Temporary Power Pole			Subpanels			□ Duct Htr(s) □ Furnace(s)			FINAL APPROVAL	-	-
	Location, Set- backs, Esmt(s		3 5,	Exterior Wall Construction			Roof Covering Roof Drainage			Smoke Detector		1
	Excavation	71	-				Exterior Lath			Demolition (sewer cap)		
	Footings & Reinforcing	7/12	3				□ Interior Lath □ Wallboard	P		Building or	-	
SING	Floor Slab			Interior Wall Construction			Fire Wall(s)			Structure		+
BUILDING	Foundation Walls			Columns & Supports			Fireplace Chimney	-				+
	Sub-soil Drain			Crawl Space  ☐ Vent ☐ Acces	s		Attic Dent Decess	-	-	FINAL APPROVA	91	7 1
	Piles			Floor System(s)		_	Special Insp		-	BLDG. DEPT.  Certificate of	1	7/
				System			Reports Rec'd	DEC	TION	Occupancy Issued	E-10-E	-
		INS	PEC1	TIONS, CORRECT	IONS,	ETC.	INS	PEC		10, Odinie 110110,		
IAMO	801311											
		4								1		
1				1 135 11		1 =	(4.					
1	OF NAPO EDA	1113										

#### PERMIT

## CITY OF NAPOLEON - BUILDING DEPARTMENT

255 West Riverview Avenue, Napoleon, Ohio 43545 - 419-592-4010

Permit No. 01292 Issued	FEES	713-332-4010	E	
Job Location 663 (RIPPLE CREIK DE,	BUILDING	3,00	PLUS 6,00	9.00
Lot 3 CRIPPLE CREEK ADP	1			1,00
Issued By	ELECTRICAL	-		
building official Owner <u>MERRIC NIEBEC 592-1318</u> name tel.	PLUMBING	-		
Address 663 CRIPPUL CREEK	P MECHANICAL			
Agent MERRIC WIEREC 592-1318	DEMOLITION			
builder-engetc. tel.  Address 663 CRIPPLR CRETIC	ZONING			
Description of Use	SIGN			
	WATER TAP			
Residential	SEWER TAP			
CommercialIndustrial	(*)			
NewAdd'nAlterRemodel	TEMP. ELECT.  ADDITIONAL	5.COP	45	1125
Mixed Occupancy	PLAN	Struct.		
Change of Occupancy	REVIEW	Elect.		<u> </u>
Estimated Cost \$ 2000,				900
	LESS MIN. FE	ES PAID		
ZONING INFORMATION	BALANCE DU	E		·
district lot dimensions area  A 147,331 × 641 1640	front yd	side yds		rear yd
max hgt no pkg spaces no idg spaces ma	ax cover petition	or appeal req'd		date appr
25	-%			
WORK INFORMATION:		ا اللها - الله الموا		12
Size: Length 17 Width 10 Stories		A 1		
Height /Z / Building Volume (for demo.	G100	nd Floor Area_	170	FI
Electrical: Non	permit)		CI	u. at.
Plumbing: NONE brief description				
Mechanical: Long	* 1	;		<u> </u>
brief description	A			
type	Sig	n Area		
- FREE AVENUE		AUCD A	PPROL	1/10
Data	ENC COS URE	)		# 1 h
DateApplicant Signature		000 00000		
White-Building Department Yellow-Applicant Pink-Electrical Ins		er-agent		P
First-Electrical Ins	pector Green-Clerk-	Treasurer Gold-	County Audit	or

		()

# CITY OF NAPOLEON BUILDING INSPECTION DEPARTMENT APPLICATION FOR BUILDING PERMIT (Please print or type)

The undersigned hereby makes application for construction, installation, or alteration work as herein specified, agreeing to do all such work in strict accordance with the City of Napoleon's adopted Building Codes.

		if the control of the	aopieu buil	arny coaes.
Location of project 6	63 Crypnle	Prook blr.	Cost of pro	ject 2 m
Owner's Name Meyr'l	Niebel	Addre	ess 663 6	vibole (vec
Contractor Contractor	TSTACT SEC	Teler	phone No59	75-1318
Address 3	Napoteon.		= 1	55 (310
Lot Information: (Not	roquined for	siding job)		
Lot No. 147.33 X 64	3 Subdivision	Cripple (	, VOOK F	9-1-1
Zoning DistrictA	Lot Size/ルカ	33 ft x 4 d	ft Amos	E.PP.
Setbacks: Front	Right Side	I of t	tc. Area	1,640 sq. it
Work Information:		Here b	rue	Rear
Residential	Commer	cial	T 3	
New Construction 10 Wid	exin' additi	on le	Indus	trial
Accessory Building	LANT PAGE CT	0:11	Remod	el
Accessory Building NO Brief Description of Wo	~k	Slaing	(Specif	ic Type)
or and a second of wo	IX.			
Size: Length	Width	No of Str		
Area: _lst Floor	ea ft	E NO. OI SEO	ries_one	/
Area: ,lst Floor	sq. It.	Basement_	None	sq. ft.
2nd Floor	sq. rt.	Accessory	Bldg. None	sq. ft.
3rd Floor	sq. ft.	Other		sq. ft.
Additional Information:				
APPLICATION FOR PERMIT SINCLUDING: ELEVATIONS, ADDITION OR REMODELING, OCATION. ALL PLANS SHA	SHOW ALL EXIS	TING STRUCTU O SCALE.	INS AND PLOT IRES AND THE	T PLAN. IF EIR SIZE AND
11/00	Appercant	s Signature	Merril	niebel
	DDALL DLOW DE			

DRAW PLOT PLAN REVERS SIDE

### RESIDENTIAL PLAN CORRECTION SHEET

CITY OF NAPOLEON 255 West Riverview Avc. Napoleon, Ohio 43545 419/592-4010

ADDENDUM	то	Permit No. 01202
		Owner MERRIL WITELE
		Contractor SELF
		Location 663 (PIPPID / PKK


Please note the items checked below and incorporate them into your plans as indicated: PERMIT NOT YET ISSUED, CORRECT PLANS AND RE-SUBMIT. PERMIT ISSUED, INCORPORATE ITEMS DURING CONSTRUCTION.


	GENERAL				CONSTRUCTION.		
X	Provide approved smoke detector(s) as req'd.	Show size of members supporting porch roof Provide double top plate for all bearing partitions and exterior walls.					
	Provide 5" gypsum wallboard between dwelling and garage, on garage side.						
	Provide min. 1 3/8" solid wood door from		Provide design data	for	prefab wood truss.		
	garage to dwelling. (or equal)	-	Ceiling joists under				
	Submit fully dimensioned plot plan.		Roof rafters undersi	zed	in		
	Provide min. of 1-3'0" x 6'8" exit door.		PLUMBING A	ND M	ECHANICAL		
<	Provide min. 22" x 30" attic access opening.		Terminate all exhaus	t sy	stems to outside a		
	Provide min. 18" x 24" crawl space access		Insulate ducts in un	heat	ed areas.		
-	Provide approved sheathing or flacking		Provide backflow pre hose bibs.	vént	ion device on all		
<	behind masonry veneer.  Provide min. 15# underlayment on roof.		Terminate pressure a valve drain in an ap	nd t	emperature relief		
1	Provide adequate fireplace hearth.		Provide dishwasher d				
	Install factory built fireplaces/stoves	-	gap device.				
	according to manufacturers instructions.		METAL				
	Terminate chimney 2' above roof or 2' above highest point of building within		Contact City Utilitie conductors and/or me	es D	ept. to remove		
+	10' of chimney.  LIGHT AND VENTILATION		Provide approved system of grounding and bonding.				
1			ELECTRICAL				
1	Provide mechanical exhaust or window in bathroom		Show location of service entrance panel				
	Provide min. 163 Sq. In. net free		and service equipment panel.				
-	area attic ventilation.		G. F. C. I. req'd. on temporary electric.				
	Provide min. Sq. In. net free area crawl space ventilation.		Outdoor, bathroom and garage recepticles shall be protected by G. F. C. I.				
1	FOUNDATION		Maximum number of recepticles pormitted				
	Min. depth of foundationbelow finished grade is 32".		on a G. F. C. I. circuit shall be 10 for 20 A. circuits and 7 for 15A. circuits.				
	Min. size of footer " x".		Refrigerators, microwaves, washers, dispo- furnace and air conditioners shall be on				
	Provide anchor bolts &" @ 6' o c 1' from		separate circuits.	tion	ners shall be on		
, III	each corner. Embedded 7" in concrete and 15" in masonry.		INSPEC	יתד חי	VS		
	Show size of basement columns.		The following indicat	ed i	Depections and		
+			reduited. The owner o	r hi	s agant chall		
+	FRAMING Show size of wood girder in	İ	contact the City Buil 24 hrs prior to the t	dina	Dont of Inner		
			is to be made.	. IIIC	the Inspection		
	Provide design data for structural member	X	Footers and Setbacks.		Building sewer.		
T	Floor joists undersized in	X	Foundation.		HVAC rough-in.		
	Provide double joists under parallol		Plumbing rough-in.	X	Final Building		
1	bearing partitions.		Plumbing final.	/	other,		
	Provide 1" x 4" let in corner bracing,		Electrical service.	X	BUILDING ROUGH		
	approved sheathing, or equal.		Electrical rough-in.		FRAMING		
	Show size of headers for openings over	-	Electrical final				
	Additional Corrections.			1			

The approval of plans and specifications does not permit the violation of any section of the Building Code or other City Ordinance. This addendum is attached to Permit No. 2/202 and made a part there-of. DATE APPROVED OR DISAPPROVED 7-3-86 Checked by Plan Examiner.

DATE RECHECKED AND APPROVED\_

\_ Checked by\_





\* = 0

CITY OF NAPOLEON ENGINEERING DEPT. 255 W. RIVERVIEW NAPOLEON, OH 43545

308	
SHEET NO.	OF
CALCULATED BY	DATE
CHECKED BY	

NAPOLEON, OH 43545	CHECKED BY	DATE
(1000)	SCALE	
NOTEL: NO ELEC, NO HEATING.		
NO HEATING		
)2		
	14 5/80	PARTICAL ISD
	3 A	EATHING
	>< _ <u>\$</u>	#15 LB ROOFING
ZXL PHE7EPS		53-1 SHIUGLES
2×6 RAFTER) 2 = 0 +6"0.C.		3 37/09(1)
6"CEIL		
105UCA.		EDGING
ZX G LEIL (VOI)?)		2x6 21x8 FASI
( 16"0101	-2×4 PC.	7 1 8 PAD 1
YELLOW PIUR		GALON
		SOFEIT
Mz 11 OR	YWALL	
	131:4	
		1/21/ 7240000
		SHRATHING
		- DEYWOOD
		510100
EV 1C4		77×4 57005
EX 154, CON	5641	@1600.01
	/ /	
		PL TREATING
7.	CONC. BUIC	7 5 12 1 16 1 AVC
		BOLZI @6-0
120743 -31	N S	
NOTEZ-ZXIO HEHOPE	A N	
OUER 4-PATIO DOORS		
	*	
SECTION	H	1/34

	7.4.