## CITY OF NAPOLEON BUILDING CONSTRUCTION PERMIT

(1, 2 or 3 Family Dwelling)

O N Tohn & Wildian	By Addition To the State of the
Owner Name John A. M.1150	Building Inspector
Address 180 DeRome Drive Mapoleon, Ohio	Valuation 4450.00
Builder Name Self	Fees Base Plus Total
Address Same Tel. 592-9284	Construction 3.00 3.00
Lot Information:	Plumbing
Street No. 180 DaRome Dr. Hapoleon, Ohlo	Electrical
Lot 22 Subdivision Contherest Add'n.	Heating
Lot Dimensions Lot Area Sq. Ft.	Water Tap
Yard Set Back: Front 10/2 Rear 11/4	Sewer Tap
Side m/a Side m/a	Temporary Elec.
Side	TOTAL 83.00 83.00
Zoning Intended use of Buildi	ng: Install free standing firepla
Building Information:	
Single Double Multiple New Construction	ction
Size: Length Width No. of Sto	
Floor Area: 1st Floor2nd Floor	
Unfinished Attic	
Foundation: Piers Full Basement P	
Concrete Block	
Walls: Frame Block Brick	
Electrical: Wiring Electric Heating	
Plumbing: Fixtures or Traps Warm Air Heating	g
Additional Information: Installat ton to comply w	ith manufacturers recommendation
Date Applicant Signature	
2/3/17: INSPECTED AKEA WHERE FREE	STANDIOWner - Builder - Agent
2/3/77: INSPECTED AREA WHERE FREE FIRE-PLACE WILL BE LUCATED, N ON WALLS AND FLOOR, INFORM	MED DOWNER TO CONTACT
Inspection Record:	PLETED, ARLY
Work Started Z\3\77 Foundations	Plumbing, Heating
Set Back, Side Lines Plumbing (Rough In)	And Air Conditioning
Excavation Erecting Frame	
Footing Electrical Work	The last of a fair only of the last to a part of the
Comments: 2/4/77° FINAL INSPECTION APPR	OVED BY FWF
Certificate of Occupancy Issued	
Pink - Engineer	Inspector

Permit No.

Issued November 19, 1976

# CITY OF NAPOLEON BUILDING INSPECTION DEPARTMENT APPLICATION FOR CONSTRUCTION PERMIT (PLEASE PRINT OR TYPE)

The undersigned hereby makes application for the construction, installation, replacement or alteration as herein specified, agreeing to do all such work in strict accordance with the City of Napoleon's Building Code for 1, 2 and 3 Family Buildings. Owner's Name JOHN A. KLINE/M. J. KLINEAGGRESS 180 De Rome DRIDE Builder's Name John KLINE Address 180 De Rome Tel. 592-9284 LOT INFORMATION: (Not required for roofing or siding job.) I Location of Project Family Room Lot Area Sq. Ft. Subdivision Yard Set Back: Front Rear Left Side Right Side Zoning District BUILDING INFORMATION: Single X Double Multiple New Construction Addition Remodel X Attached Garage Brief Description of Work: INSTALL FREE Standing Furplace Size: Length Width No. of Stories / Floor Area: 1st Floor Sq. Ft. 2nd Floor Sq. Ft. 3rd Floor Sq. Ft. Basement Sq. Ft. Unfinished Attic Garage Garage Foundation: Piers Full Basement Part Basement Concrete Thickness Block Size Walls: Frame Block Brick Other Specific Type of Exterior Siding APPLICATION FOR PERMIT SHALL BE ACCOMPANIED BY TWO COMPLETE SETS OF PLANS INCLUDING: ELEVATIONS, FLOOR PLANS, CROSS SECTIONS AND PLOT PLAN. IF ADDITIONS OR REMODELING, SHOW ALL EXISTING STRUCTURES AND THEIR SIZE AND LOCATION. ALL PLANS SHALL BE DRAWN TO SCALE. ESTIMATED COST OF COMPLETED PROJECT: 450 000 DATE Nov. 19, 1976 APPLICANT'S SIGNATURE Mary One Kline

		4

Jupiter

INSTALLATION INST

INSTRUCTION

BUILDING DEPT.

Plan Approval


y Bog.


Date //- 19-76

by WESTER

An American-Standard Company

MODEL	JFW24	JFW30	JFW38
A	7"	7"	16"
8	24"	30"	38"
G	4374"	56"	77"
D	87	8"	1334"
8	1814"	24"	24"
F	12"	15"	1135"
G.	15"	17"	21"
Florin Calling Rangy	5 % to	2-9175 to	71715" to
Calling Barrer Using Majesare Davie	7'1' to	7721 ST 10	7"1 1 15.5" h: 8"1019"








#### CLEARANCES

Before starting your installation, consult your applicable local code clearance requirements. The minimum clearances listed are most widely accepted nationally. The Jupiter Fireplaces are listed by:

Inter, Conf., Bidg. Off. No. 1581 So. Bidg. Code Cong. No. 7177-73 Bidg. Off. Code Admin. No. 71-21 Protective Floor Covering area required for all combustible floors. Suggested material, Slate, Stone, Ceramic Tile, Asbestos Board or equivalent non-combustible material at least %" thick.



TO COMBUSTIBLE WALLS			NON-COMBUSTIALES MASONRY—STUME— BRICK—ETC.			
MODEL	HW24	JFW30	14M30	21 W24	JEWI20.	1EWQ1
Α	187	187	18"	611	40	22/4
H	30"	20"	30%	7"	7"	7"
C:	18"	18"	18"	18"	18"	18"
Ð	18"	18"	181	18"	18"	18"
E	201	331	32"	16"	19"	18"

CHEADWINES.

NOTE: Due to the wide variances of non-combustibles recognized by building officials, these clearances are recommendations only.

#### ASSEMBLY INSTRUCTIONS

tContents of shipping carron: pre-assembled fireplace, screen, universal adapter, and, one 1' and one 2' lengths of pipe for JFW30; or, one 1' pipe for JFW38, and bag of ready-mix hearth material.)

- 1. Unpack and remove parts carefully from carton. Perceloin finish is glass and should be treated as such. Any sharp blow or dropping perceloin parts on hard surface may drip the finish. The Matte Black painted finish is purous and will stain easily. Clean hand or protective paper should be
- 2. Place the Fireplace in the desired location, aligning with the chimney projecting through the ceiling. Do not fasten unit to the floor until installation is complete. Make sure floor protective material is in place because their
- Position one smoke pipe, crimped end up, on fireplace. (On percalain a fine tilm of light grease, cil, vasaline, etc...

- will allow the joints to slide together easily.)
- Place universal adapter on top section of second smoke pipe. Note! Large end of universal adapter fits over the public of the souther pipe.
- Slide universal adapter into chinney base.
- Position smoke pipe and universal adapter assembly on adjacent smoke pipe section.
- Check alignment of installation for appearance, double checking that all flue joints are seated properly.
- To complete installation, secure unit to floor using screws or lag screws.
- Mix hearth refractory according to instructions and trowel into place in the hearth. (Do not remove minoral fiber insulation block if present.) Allow to dry for at least 24-hours before building a fire. Your first fire should be quite small, and not attowed to per too hot to allow for the final curing of the hearth material.



10. Always replace screen after lighting

		0

### APPLICATION FOR PERMIT TO TAP SEWER

No. 551	ocation of	Date	6-21	, 19 7 2
				New No.
Addressqois dim	istance to	d		Crossover
	LOCATION O	F CONNECTI	ON	Remarks
Street and Number	180 L	De Roma	Drive	
Lot No. 22		Additi	n Norther	est
Date work will start				
Work will be done by				
.78				.TS
I certify that the sewe drainage will be connec	ted.		s indicated ar	
		COAL CO.	the females and the second	
Date				
Permit Fee 60.00	Addres	Rusert a	. Le huvey	ikasen
æ	Addres	Rusert a		ikasen
æ	Addres	Rusert a	. Le huvey	ikasen
Permit Fee \$60.00	Addres	Rusert a	. Le huvey	ikasen
Permit Fee 60.00  Work Inspected  Work Completed	Addres	Rusert a	. Le huvey	ikasen
Permit Fee 60.00	Addres	Rusert a	. Le huvey	ikasen
Permit Fee 60.00  Work Inspected  Work Completed	Addres	Rusert a	. Le huvey	ikasen
Permit Fee 60.00  Work Inspected  Work Completed	Addres	Rusert a	. Le huvey	ikasen

ame	The state of the s	
Street	Size	and Kind of Sewer
old No.		ion of Sewer
New No.		of Sewer
crossover	* * * * * * * * * * * * * * * * * * * *	nce to Curb Stop
lemarks		
CHCL RO		
		I roer and Meables
	and the last	
		Date over will store
		Forth of 11 he done by
ST.		ST.
years on his barenti	net many the boars will	Live reward out party telegraph of
	Sabalife	
	gminski	
		I
	and the STREAM	Promise Page 1
	Constituent land	and a knowle
	E-1	Work Engressed
		Moth Engocated  Sequelaged Vank
Pasto (dito)		Work Engocated
		Moth Engocated  Sequelaged Vank
		Work Engageded
ST.		Work Engaged