



Federal Emergency Management Agency

Washington, D.C. 20472

JUL 8 1994

The Honorable Robert Heft
Mayor of the City of Napoleon
255 West River View Street
Napoleon, Ohio 43535

IN REPLY REFER TO:
Case No.: 94-05-878A
Community: City of Napoleon, Ohio
Community No.: 390266
Map Panel No.: 0005 C

T-218-65-RS

Dear Mayor Heft:

This is in reference to a letter dated May 10, 1994, from Mr. Ronald D. Sonnenberg, Secretary of Napoleon Engineering & Surveying, Inc., requesting that the Federal Emergency Management Agency (FEMA) determine whether the property listed below is located within a Special Flood Hazard Area (SFHA), an area that would be inundated by the 100-year (one-percent annual chance) flood. This property has been elevated by the placement of fill.

Property Description: Lots 5 and 9, Pleasant Valley Addition as described in Slide 222 A and B and recorded in the Henry County Recorder's Office

Street Address: 1255 and 1239 Dodd Street

Community: City of Napoleon

State: Ohio

All fees necessary to process this Letter of Map Revision (LOMR) (a total of \$225) have been received.

On June 14, 1994, we received all of the information necessary to process Mr. Sonnenberg's request. After comparing this information with the National Flood Insurance Program (NFIP) map for the City of Napoleon, Ohio, we have determined that although portions of the property would be inundated by a 100-year flood, the existing structures on this property would not. Therefore, this letter revises the map for the City of Napoleon, Ohio (NFIP Map Number 390266, Panel 0005 C, dated March 4, 1985), to remove these structures from the SFHA. These structures are located in Zone C where flood insurance is available at low rates. Because portions of the property are located within the SFHA, any future construction or substantial improvement on this property remains subject to Federal, State, and local regulations for floodplain management.

You should note that this property could be inundated by a flood greater than the 100-year flood or by local flooding conditions not shown on the NFIP map. This determination is based on the flood data presently available. However, we are currently revising the NFIP maps for the City of Napoleon. New flood data could be generated that may affect this property. When the new NFIP maps are issued, they will supersede this letter. The Federal requirement for purchasing flood insurance will then be based on the newly-issued NFIP maps.

Please be advised that the NFIP offers a policy designed for one-to-four-family homes in areas which are not designated as SFHAs, but where flood exposure still presents a significant risk. This policy is the *Preferred Risk Policy*. It is a comprehensive policy that is available to property owners in B, C, and X zones only. Information about the *Preferred Risk Policy* and how one can qualify is enclosed.

A copy of this LOMR is being forwarded to your community's official NFIP map repository where, in accordance with regulations adopted by your community, it should be attached to the community's official record copy of the NFIP map, which is available for public inspection.

To ensure continued eligibility to participate in the NFIP, your community must enforce its floodplain management regulations using, at a minimum, the flood elevations and zone designations shown on your community's NFIP map, including the revision made effective by this letter. This response to the request is based on the minimum criteria established by the NFIP. State and community officials, based on knowledge of local conditions and in the interest of public safety, may set higher standards for construction in the floodplain. If the State of Ohio or your community has adopted more restrictive or comprehensive floodplain management criteria, these criteria take precedence over the minimum Federal criteria.

This revision has been made pursuant to Section 206 of the Flood Disaster Protection Act of 1973 (P.L. 93-234) and is in accordance with the National Flood Insurance Act of 1968, as amended (Title XIII of the Housing and Urban Development Act of 1968, P.L. 90-448) 42 U.S.C. 4001-4128, and 44 CFR Part 65.

This revision is effective as of the date of this letter. However, a request for reconsideration must be made within 30 days. Any requests for reconsideration must be based on scientific or technical data.

This LOMR will not be printed and distributed at this time to primary map users such as local insurance agents and mortgage lenders; therefore, the community will serve as a repository for these new data. We also encourage you to disseminate the information reflected by this LOMR throughout the community in order that interested persons such as property owners, insurance agents and mortgage lenders may benefit from this information. We also encourage you to consider preparing an article for publication in the community's local newspaper. This article should describe the changes that have been made and the assistance the community will provide in serving as a clearinghouse for these data and interpreting NFIP maps.

3

If you have any questions or if we can be of further assistance, please contact Helen Cohn at (202) 646-3457, or by facsimile at (202) 646-3445.

Sincerely,

A handwritten signature in black ink that reads "Matthew B. Miller for". The signature is written in a cursive style with a large, stylized "M" and "B".

Michael K. Buckley, P.E., Chief
Hazard Identification Branch
Mitigation Directorate

Enclosure

cc: State Coordinator
Mr. Ronald D. Sonnenberg
Community Map Repository

Revised

**FEDERAL EMERGENCY MANAGEMENT AGENCY
SUMMARY OF ELEVATIONS-INDIVIDUAL
LOT BREAKDOWN**

O.M.B. Burden No. 3067-0147
Expires September 30, 1994

FEMA USE ONLY

PUBLIC BURDEN DISCLOSURE NOTICE

Public reporting burden for this form is estimated to average .67 hour per response. The burden estimate includes the time for reviewing instructions, searching existing data sources, gathering and maintaining the needed data, and completing and reviewing the form. Send comments regarding the accuracy of the burden estimate and any suggestions for reducing this burden, to: Information Collections Management, Federal Emergency Management Agency, 500 C Street, S.W., Washington, DC 20472; and to the Office of Management and Budget, Paperwork Reduction Project (3067-0147), Washington, DC 20503.

City of Napoleon, Ohio, Henry County
Community Name

Pleasant Valley Subdivision/Dodd Street
Property Name or Address

LOT NUMBER	BLOCK NUMBER	LOWEST LOT ELEVATION ¹	LOWEST FLOOR ELEVATION ² (INCLUDING BASEMENT)	LOWEST ADJACENT GRADE TO STRUCTURE ³	100-YEAR FLOOD ELEVATION	SOURCE OF 100-YEAR FLOOD ELEVATION	FOR FEMA USE ONLY
1	1240	662.6			661.0	*	
2	1244	662.4			661.0	*	
3	1248	661.3			661.0	*	
4	1250	657.8			661.0	*	
5	1255	659.3			661.0	*	
6	1251	660.2			661.0	*	
7	1247	660.2			661.0	*	
8	1243	661.9			661.0	*	
9	1239	661.0			661.0	*	
* BFE used was established by engineers designing a new bridge at the Lagrange Street crossing of Oberhans Creek approximately 850' upstream of the project site. The bridge engineering study was funded and approved by the City of Napoleon and State of Ohio and is dated March, 1987 (copy attached).							

RECEIVED

¹For requests that an entire parcel of land be removed from the SFMA; if the request involves an area described by metes and bounds, provide the lowest elevation within that area

DEC 0 8 1993

²For requests that a structure that has been elevated by fill be removed from the SFMA

³For requests that a structure be removed from the SFMA.

Est. Perry & Galt



Federal Emergency Management Agency

Washington, D.C. 20472

JUL 30 1996

The Honorable Donald Stange
Mayor of the City of Napoleon
255 West Riverview Avenue
P.O. Box 151
Napoleon, Ohio 43545

IN REPLY REFER TO:
Case No.: 96-05-2716A
(follow-up to CLOMR: 94-05-252C)
Community: City of Napoleon, Henry
County, Ohio
Community No.: 390266
Map Panel No.: 0005D

T-218-65-RS (REI)

Dear Mayor Stange:

This is in reference to a letter dated May 7, 1996, from Mr. Gary L. Verhoff of First Federal Savings and Loan of Defiance, requesting that the Federal Emergency Management Agency reissue Letters of Map Revision (LOMR) dated July 8, 1994 and October 7, 1994, for the following property:

Property Description: Lots 5, 6, 7 and 9, Pleasant Valley Addition as described in Slide 222 A and B and recorded in the Henry County Recorder's Office.

Flooding Source: Oberhaus Creek

Street Address: 1255, 1251, 1247 and 1239 Dodd Street

Community: City of Napoleon, Henry County

State: Ohio

The July 8, 1994, and October 7, 1994, LOMRs that revised the March 4, 1985, National Flood Insurance Program (NFIP) map have since been superseded by a new NFIP map dated November 2, 1995, for the City of Napoleon, Henry County, Ohio. Therefore, this letter issues a new determination for the property based on the new November 2, 1995 NFIP map.

On May 16, 1996, we received all of the information necessary to process Mr. Verhoff's request. After comparing this information with the NFIP map for the City of Napoleon, Henry County, Ohio, we have determined that although portions of the property would be inundated by a 1% annual chance flood, the existing structures on this property would not. Therefore, this letter revises the map for the City of Napoleon, Henry County, Ohio (NFIP Map Number 390266, Panel 0005D, dated November 2, 1995), to remove these structures from the Special Flood Hazard Area. These structures are located in Zone X (unshaded), where flood insurance is available at low rates. Because portions of the property are located within the SFHA, any future construction or substantial improvement on this property remains subject to Federal, State, and local regulations for floodplain management.

It should be noted that this property could be inundated by a flood greater than the 1% annual chance flood or by local flooding conditions not shown on the NFIP map. Also, although we have based our determination on the information presently available, flood conditions may change or new information may be generated that would supersede this determination.

If a flood insurance policy has been issued under the NFIP covering any of the buildings on the aforementioned property and that policy was required by the mortgage company in conjunction with Federal flood insurance requirements, then flood insurance coverage is no longer required under those Federal requirements.

Accordingly, if a lender imposed the flood insurance requirement, that lender will have to determine whether or not to continue that requirement. The lender may determine, as a business decision, that it wishes to continue the flood insurance requirement in order to protect its collateral security on the loan.

Even though the structure is not located in an SFHA, as mentioned above, it could be flooded by a flooding event of greater magnitude than a 1% annual chance flood. In fact, more than twenty-five percent of all losses in the NFIP occur to buildings located outside the SFHA in Zone B, C, or X. More than one fourth of all policies purchased under the NFIP protect buildings located in these zones. That risk is just not as great as the flood risk to buildings located in SFHAs. In order to offer flood insurance protection to owners of such buildings, the NFIP offers two types of flood insurance policies: the Standard Policy and a policy for flood insurance at low rates. The low-rate policy is available for buildings located outside the SFHA with little or no loss history. The Standard Policy is available for all other buildings. Individual flood risk situations and insurance needs should be discussed with an insurance agent or company before making a final decision regarding flood insurance coverage.

A copy of this LOMR is being forwarded to your community's official NFIP map repository where, in accordance with regulations adopted by your community, it should be attached to the community's official record copy of the NFIP map, which is available for public inspection.

To ensure continued eligibility to participate in the NFIP, your community must enforce its floodplain management regulations using, at a minimum, the flood elevations and zone designations shown on your community's NFIP map, including the revision made effective by this letter. This response to the request is based on the minimum criteria established by the NFIP. State and community officials, based on knowledge of local conditions and in the interest of public safety, may set higher standards for construction in the floodplain. If the State of Ohio or your community has adopted more restrictive or comprehensive floodplain management criteria, these criteria take precedence over the minimum Federal criteria.

This revision has been made pursuant to Section 206 of the Flood Disaster Protection Act of 1973 (P.L. 93-234) and is in accordance with the National Flood Insurance Act of 1968, as amended (Title XIII of the Housing and Urban Development Act of 1968, P.L. 90-448) 42 U.S.C. 4001-4128, and 44 CFR Part 65.

This revision is effective as of the date of this letter. However, a request for reconsideration must be made within 30 days. Any requests for reconsideration must be based on scientific or technical data.

This LOMR will not be printed and distributed at this time to primary map users such as local insurance agents and mortgage lenders; therefore, the community will serve as a repository for these new data. We also encourage you to disseminate the information reflected by this LOMR throughout the community in order that interested persons such as property owners, insurance agents and mortgage lenders may benefit from this information. We also encourage you to consider preparing an article for publication in the community's local newspaper. This article should describe the changes that have been made and the assistance the community will provide in serving as a clearinghouse for these data and interpreting NFIP maps.

If you have any questions or if we can be of further assistance, please contact Helen Cohn at (202) 646-3457, or by facsimile at (202) 646-4596.

Sincerely,



Michael K. Buckley, P.E., Chief
Hazard Identification Branch
Mitigation Directorate

cc: State Coordinator
Mr. Gary L. Verhoff
Community Map Repository

