

# METER YOKE RELEASE

This document is for the release of one (1) Water Meter Yoke for Residential water service lines.

RELEASE NO. 202

PERMIT NO. 3899 ISSUED 5-13-96

JOB LOCATION 1244 Dodd

- Inside City Limits      ( ) - Outside City Limits

ISSUED BY RJD

OWNER Beck's Construction

ADDRESS 11-622 Co. Rd. W. Nap

CONTRACTOR Sam R. Myers

ADDRESS 829 N. Perry

CONTRACTOR'S PHONE NO. 592-8307

WATER TAP SIZE:  = 1"      ( ) = 1-1/2"      ( ) = 2"

WATER METER s# \_\_\_\_\_

- New Dwelling      ( ) - Existing Dwelling

( ) - Lawn Meter 5/8" Meter

Water Service Line to be Type (K) Copper or (CTS) Polyethelene Tubing of one inch (1") minimum.

Watts No. ~~7~~ Dual check required ( ) = Yes       = No

Water Meter Yoke installation is subject to the following conditions:

- 1.) Must be located in an accessible area.
- 2.) Must be in an area not subject to freezing temperatures.
- 3.) Must be eighteen inches (18") above floor level, **not in crawl spaces.**
- 4.) Must comply with the mounting criteria and clearances as set forth in **DRAWING #04403901.**