

P E R M I T

CITY OF NAPOLEON
255 W. RIVERVIEW AVE
NAPOLEON, OHIO 43545

DIVISION OF BUILDING & ZONING
PH (419) 592-4010
FAX (419) 599-8393

PERMIT NO: 98089

DATE ISSUED: 04-07-98

ISSUED BY: BND

JOB LOCATION: 1250 DODD ST

EST. COST: 103000.00

LOT #: 4

SUBDIVISION NAME: PLEASANT VALLEY

OWNER: RICHARD, TIM
ADDRESS: 117 E CLINTON ST
CSZ: NAPOLEON, OH 43545
PHONE: 419-592-0304

AGENT: BECKS CONSTRUCTION C
ADDRESS: 11-622 CO RD M
CSZ: NAPOLEON, OH 43545
PHONE: 419-592-8307

USE TYPE - RESIDENTIAL: X

OTHER:

ZONING INFORMATION

DIST: R-4 LOT DIM: IRR AREA: 22656 FYRD: 25 SYRD: 7 RYRD: 15
MAX HT: 45' # PKG SPACES: 2 # LOADING SP: MAX LOT COV: 45%

BOARD OF ZONING APPEALS:

WORK TYPE - NEW: X REPLMNT: ADD'N: ALTER: REMODEL:


WORK INFORMATION

SIZE - LGTH: 62 WIDTH: 49 STORIES: 1 LIVING AREA SF: 1500
GARAGE AREA SF: 709 HEIGHT: 16 BLDG VOL DEMO PERMIT:

WORK DESCRIPTION
NEW HOME

FEE DESCRIPTION

BUILDING PERMIT
ELECTRICAL PERMIT
PLUMBING PERMIT
MECHANICAL PERMIT
WATER TAP PERMIT
SEWER PERMIT



FEE AMOUNT DUE

239.00
81.00
39.00
18.00
655.00
229.00

TOTAL FEES DUE 1261.00

4-15-98

DATE

Cheryl A. Beck

APPLICANT SIGNATURE

CITY OF NAPOLEON

ELECTRIC METER BASE RELEASE FORM

THIS DOCUMENT ENTITLES THE HOLDER TO "ONE" ELECTRIC METER BASE
(Please pickup at the City operations garage 1775 Industrial Drive).

PERMIT #: 98089

ISSUED:04-07-98

JOB LOCATION: 1250 DODD ST

WORK DESCRIPTION: NEW HOME

OWNER: RICHARD, TIM

ADDRESS: 117 E CLINTON ST NAPOLEON, OH 43545

OWNER PHONE: 419-592-0304

CONTRACTOR: BECKS CONSTRUCTION CO

ADDRESS: 11-622 CO RD M NAPOLEON, OH 43545

CONTRACTOR PHONE: 419-592-8307

ELECTRIC SERVICE UPGRADE _____ NEW SERVICE INSTALLATION X

INDUSTRIAL _____ COMMERCIAL _____ RESIDENTIAL X 1PHASE X 3PHASE _____

SIZE OF SERVICE 100AMP _____ 150AMP _____ 200AMP X 400AMP _____ OTHER _____

HUB SIZE - 1 1/4" _____ 1 1/2" _____ 2" _____

DESIRED VOLTAGE 120/240 X OTHER _____

UNDERGROUND SERVICE X OVERHEAD SERVICE _____

=====

DATE COMPLETED: _____ APPROVED BY: _____

OLD METER NUMBER: _____ NEW METER NUMBER: _____

COMMENTS:

CITY OF NAPOLEON

WATER METER YOKE RELEASE FORM

THIS DOCUMENT ENTITLES THE HOLDER TO "ONE" WATER METER YOKE ASSEMBLY
(Please pickup at City Operations Department 1775 Industrial Drive).

PERMIT #: 98089

ISSUED: 04-07-98

JOB LOCATION: 1250 DODD ST

OWNER: RICHARD, TIM

PHONE: 419-592-0304

ADDRESS: 117 E CLINTON ST NAPOLEON, OH 43545

CONTRACTOR: BECKS CONSTRUCTION CO

ADDRESS: 11-622 CO RD M NAPOLEON, OH 43545

PHONE: 419-592-8307

WATER TAP SIZE 1" 1.5" _____ 2" _____ OTHER _____

WATER METER YOKE SIZE 5/8" 3/4" _____ 1" _____ OTHER _____

NEW STRUCTURE EXISTING STRUCTURE _____ LAWN METER _____

WATER SERVICE LINE TO BE TYPE "K" COPPER OR "CTS" POLYETHELENE TUBING OF 1" MINIMUM SIZE.

BACKFLOW DEVICE REQUIRED YES NO _____

TYPE OF BACKFLOW DEVICE REQUIRED Double Check Valve assembly

WATER METER YOKE INSTALLATION IS SUBJECT TO THE FOLLOWING CONDITIONS

- 1.) MUST BE LOCATED IN AN ACCESSIBLE AREA.
- 2.) MUST BE IN AN AREA WHICH IS NOT SUBJECT TO FREEZING TEMPERATURES.
- 3.) MUST BE AT LEAST 18" ABOVE FLOOR LEVEL (NO CRAWL SPACE INSTALLATIONS).
- 4.) MUST COMPLY WITH MINIMUM MOUNTING REQUIREMENTS (DRAWING AVAILABLE)

ISSUED BY _____ RECEIVED BY _____

1-Copy to: Building Dept, Water Dept, and Utilities Dept

CITY OF NAPOLEON INSPECTION FORM

PERMIT #: 98089

DATE ISSUED: 04-07-98

JOB LOCATION: 1250 DODD ST

OWNER: RICHARD, TIM

OWNER PHONE: 419-592-0304

CONTRACTOR: BECKS CONSTRUCTION CO

CONTRACTOR PHONE: 419-592-8307

WORK DESCRIPTION: NEW HOME

PLUMBING: UNDGR _____ RGHIN _____ FINAL _____

SEWER INSP _____

MECHANICAL: UNDGR _____ RGHIN _____ FINAL _____

FURNACE REPLC _____ AIR COND _____

ELECTRICAL: UNDGR _____ RGHIN _____ FINAL _____

SERV UPGR _____

BUILDING: SITE _____ FTG 4-6-98 FNDDT _____

STRUC _____ ROOF _____ EXT _____

VENT _____ ACCES _____ EGRS _____

SMKDT _____ FINAL _____

ISSUE TEMP OCCUP _____ ISSUE OCCUP 8-28-98

STRG SHED: SITE _____ FINAL _____

SIGN: FTG _____ FINAL _____

FENCE: SITE _____ FINAL _____

MISC INSP: _____

NOTES: Had footer poured before inspection, poured on 4-4-98 (depth?)

INSPECTOR INITIALS: _____

CITY OF NAPOLEON WATER TAPPING PERMIT FORM

PERMIT #: 98089

ISSUED: 04-07-98

JOB LOCATION: 1250 DODD ST

SUBDIVISION NAME: Pleasant Valley LOT #: 4

OWNER: RICHARD, TIM

ADDRESS: 117 E CLINTON ST NAPOLEON, OH 43545

CONTRACTOR: BECKS CONSTRUCTION CO PHONE: 419-592-8307

TAP SIZE: 1" X 1.5" _____ 2" _____ OTHER _____

AMOUNT PAID: 650.00 YOKE SIZE: 5/8"


PLUMBING CONTRACTOR: _____ PH: _____

DATE OF TAP: 5-22-98 OLD TAP #: _____ NEW TAP #: 9829

SIZE AND KIND OF MAIN: 8" C-900

LOCATION OF MAIN: 8' EAST OF EAST CURB DEPTH OF MAIN: 5'

DIST FROM HYDRANT VALVE: 50' South of Hydrant #172 DIST TO CURB STOP FROM CORP: 9'



DATE APPROVED: Aug 27, 1998 BY: Wayne E. Montague

CITY OF NAPOLEON WATER TAPPING PERMIT FORM

PERMIT #: 98089

ISSUED: 04-07-98

JOB LOCATION: 1250 DODD ST

SUBDIVISION NAME: Pleasant Valley LOT #: 4

OWNER: RICHARD, TIM

ADDRESS: 117 E CLINTON ST NAPOLEON, OH 43545

CONTRACTOR: BECKS CONSTRUCTION CO PHONE: 419-592-8307

TAP SIZE: 1" X 1.5" _____ 2" _____ OTHER _____

AMOUNT PAID: 650.00 YOKE SIZE: 5/8"


PLUMBING CONTRACTOR: _____ PH: _____

DATE OF TAP: 5-22-98 OLD TAP #: _____ NEW TAP #: 9829

SIZE AND KIND OF MAIN: 8" C-900

LOCATION OF MAIN: 8' EAST OF EAST CURB DEPTH OF MAIN: 5'

DIST FROM HYDRANT ~~TO~~ 50' South of Hyd. 172 DIST TO CURB STOP FROM CORP: 9'



DATE APPROVED: Aug 27, 1998 BY: Jeffrey E. Mantel

CITY OF NAPOLEON WATER TAPPING PERMIT FORM

PERMIT #: 98089

ISSUED: 04-07-98

JOB LOCATION: 1250 DODD ST

SUBDIVISION NAME: Pleasant Valley LOT #: 4

OWNER: RICHARD, TIM

ADDRESS: 117 E CLINTON ST NAPOLEON, OH 43545

CONTRACTOR: BECKS CONSTRUCTION CO PHONE: 419-592-8307

TAP SIZE: 1" X 1.5" _____ 2" _____ OTHER _____

AMOUNT PAID: 650.00 YOKE SIZE: 5/8"


PLUMBING CONTRACTOR: _____ PH: _____

DATE OF TAP: 5-22-98 OLD TAP #: _____ NEW TAP #: 9829

SIZE AND KIND OF MAIN: 8" C-900

LOCATION OF MAIN: 8' EAST OF EAST CORN DEPTH OF MAIN: 5'

DIST FROM HYDRANT ~~TO~~ 50' South of Hyd¹⁷² DIST TO CURB STOP FROM CORP: 9'



DATE APPROVED: Aug 27, 1998 BY: Jeffrey E. Mantel

