PERMIT

CITY OF NAPOLEON - BUILDING DEPARTMENT 255 West Riverview Avenue, Napoleon, Ohio 43545 - 419-592-4010

	ed_9/6/78	_	FEES	BASE	PLUS	TOTAL
Job Location 70 Duquesne Dr		ZX.	BUILDING	\$69.00	-0-	\$69.00
Lot 58 Riviera Height:	address s 1st Add'n legal discript	. 24	ELECTRIC	AL	\$20.00	25.00
Issued By building official	ASI.	_ 🗷	PLUMBING	3.00	10.00	13.00
Owner Beck's Const. Co. name Address Rt. 3 Box 126 Nap	tel.		MECHANI	CAL 0	0	0
	, OHIO	- 4	DEMOLITI	ON	CHE LINES	
Agent Sel f builder-engetc. Address	tel.	- 23	ZONING	project of the control of the contro	0	0
Description of Use Single fami	ilv dwellin	-	SIGN			
The sum of			78-19 WATER TAP	225.00	0	225.00
Residential 1 one no. dwelling units	Page Page		S78-16 SEWER TAP	60.00	0	60.00
CommercialIndustria			378-16 TEMP. ELEC	T. 10.00	0,	10.00
New_XXX_Add'nAlter	Remodel	8 3 13	ADDITION		hrs	With the state of
Mixed Occupancy	All veloc		PLAN REVIEW	Elect.	hrs	eneg m
Change of Occupancy	-Total		TOTAL F	EES	\$	402.00
Estimated Cost \$ 40,000.00	(My HE HOTE	_	LESS MI	N. FEES PAID	Va	0
ZONING INFORMAT	ION	NOV	BALANCE	DUE	date	402.00
district lot dimensions "A" 83' x 120'	area	423	front yd		yds	rear yd
max hgt no pkg spaces 25 ° OK 2 OK	9,960sq' no ldg spaces n/a	max	25' OK	10.5&9.8 etition or appeal req		OK date appr
	11/ a	35%	OK		T 20 Divi	
paleguo I						SOUND DE
WORK INFORMATION:						700/31 Bar21
	41'8"		1	Commin & Managara		detail detail attention
Size: Length 6218" Width:		stories_				
Size: Length 6218" Width: Height Buildi	ing Volume (for	demo. p		Commin & Managara		
Size: Length 6218" Width: Height Buildi	ing Volume (for o	demo.p		Ground Floor Ar		PANEL PANEL PANEL
Size: Length 62'8" Width: Height Buildi Electrical: 200 amp service 8	ing Volume (for one of the contraction of the contr	demo.p		Ground Floor Ar		PANEL PANEL PANEL
Size: Length 62'8" Width Height Buildi Electrical: 200 amp service & Plumbing: Water & DWV Lines	S brief description	ts.	ermit)	Ground Floor Ar		PANEL PANEL PANEL
Electrical: 200 amp service & Plumbing: Water & DWV Line: Mechanical: Baseboard electrical: Dimens	\$ 20 circui brief description brief description brief description tric heat brief description	ts.	ermit)	Ground Floor Ar		PANEL PANEL PANEL
Size: Length 62'8" Width: Height Buildi Electrical: 200 amp service & Plumbing: Water & DWV Lines Mechanical: Baseboard electrical: Dimens	S 20 circui brief description brief description brief description brief description	ts. on 10 zo	ermit)ne.	Ground Floor Ar	2213sq	cu. ft.
Size: Length 62'8" Width: Height Buildi Electrical: 200 amp service & Plumbing: Water & DWV Lines Mechanical: Baseboard electrical: Dimens type Additional Information: CALL FOR	S 20 circui brief descriptions brief descriptions tric heat brief descriptions INSPECTION	ts. on 10 zoi	ne.	Ground Floor Ar SEP Sign Area TTACHED SHE	2213sq	cu. ft.
Size: Length 62'8" Width: Height Buildi Electrical: 200 amp service & Plumbing: Water & DWV Lines Mechanical: Baseboard electrical: Dimens	20 circui brief descriptions brief descriptions tric heat brief descriptions INSPECTION	demo. p	ne. RKED ON A	Sign Area TTACHED SHE	2213sq	cu. ft.

Green-Clerk-Treasurer

Gold-County Auditor

White-Building Department Yellow-Applicant Pink-Electrical Inspector

INSPECTION RECORD

	UNDERGR	OUND	11			ROUG				FINAL		
	Туре	Date	Ву	Туре	Date	Ву	Туре	Date	Ву	Туре	Date	Ву
	Building Drains			Drainage, Waste & Vent Piping	16/18	BJ.	Indirect Waste			Drainage, Waste & Vent Piping Backflow		
5	Water Piping						ī			Prevention		
	Building Sewer			Water Piping	11	//	Condensate Lines			Water Heater		
	Sewer Connection							,		FINAL APPROVAL	19/19	ROS
	Refrigerant Piping			Refrigerant Piping			Chimney(s)			Grease Exhaust System		
CAL				Duct Furnace(s)			Fire Dampers			Air Cond. Unit(s)		
MECHANICAL	Ducts/ Plenums			Ducts/ Plenums			☐ Radiant Htr(s)☐ Unit Htr(s)			Refrigeration Equipment		
AEC;				Duct Insulation			Pool Heater			Furnace(s)		
Σ				Combustion Products Vents			Ventilation ☐ Supply ☐ Exhst.			FINAL APPROVAL		
	Conduits & or Cable			Conduits/ Cable	-		□ Range □ Dryer			Temp Service Temp Lighting		
ELECTRICAL	Grounding & or Bonding			Rough Wiring	11-9	178	□ Generator(s) □ Motors			Fixtures Lampholders		
	Floor Ducts Raceways			Service Panel Switchboard	11-9	-78	□ Water Htr□ Welder			Signs		
	Service Conduit			Busways Ducts			□ Heaters □ Heat Cable			Electric Mtr. Clearance		
	Temporary Power Pole			Subpanels			□ Duct Htr(s)□ Furnace(s)			FINAL NEW SEE	4-1	3-
3311 1	Location, Set- backs, Esmt(s)	9/1/4	ROI	Exterior Wall Construction			Roof Covering Roof Drainage			Smoke Detector		
	Excavation	11	11	ı	1		Exterior Lath			Demolition (sewer cap)		
45	Footings & Reinforcing	r	10				□ Interior Lath □ Wallboard				t	
DING	Floor Slab			Interior Wall Construction			Fire Wall(s)			Building or Structure		
BUILDING	Foundation Walls			Columns & Supports			Fireplace Chimney					
	Sub-soil Drain			Crawl Space □ Vent □ Access			Attic □ Vent □ Access					
	Piles			Floor System(s)						FINAL APPROVAL BLDG. DEPT.	13/19	B
				Roof System			Special Insp Reports Rec'd			Certificate of Occupancy Issued		
		INSPE	CTIC	NS, CORRECTIO	NS, E	TC.	INSP	ECTI	ONS	, CORRECTIONS,	ETC.	
AL												
ADDITIONAL												1
רוסם			Ŧ									
4												

RESIDENTIAL PLAN CORRECTION SHEET

CITY OF NAPOLEON, Building Dept. 255 West Riverview Avenue Napoleon, Ohio 43545 (419) 592-4010

Permit No. 152-78
Owner BECK
Location Lt 58 RIVER NOTS
TA DUAUTEUR DP

Please note the Items checked below and incorporate them into your plans as indicated:

Permit not yet issued Permit issued incorporate the Items during construction. **Correct Plans and Re-Submit.**

	GENERAL		Show size of members supporting porch roof.
\times	Provide 1 approved smoke detector.		Provide double top plate.
X	Provide 1 hour fire wall and/or ceiling between garage and dwelling.		Provide design data for pre-fab. wood truss/members.
X	Provide (Class B) 1 hour fire rated door from garage to dwelling.	X	Ceiling joists undersized in GARAGE
	Submit fully dimensioned plot plan.		Roof rafters undersized in
	Provide 1-3'0" x 6'8" exit door.		
	Provide min. 22" x 30" attic access.		PLUMBING AND MECHANICAL:
	Provide min. 18" x 24" crawl space access opening.	×	Terminate all exhaust systems to outside air.
	LIGHT AND VENTILATION:		Insulate ducts in unheated areas.
1	Provide mechanical exhaust or window in		Provide back flow device on all hose bibs.
X	bathroom. Z. BATH		ELECTRICAL:
X	Provide Min. 1015 sq. in. net free area attic ventilation.	X	Show location of service entrance and service equipment panel.
	Provide min. /206 sq. in. net free	X	G.F.C.I. req'd. on Temp. Electric.
X	area crawl space ventilation.		Outdoor and bathroom receptacles shall be protected by G.F.C.I. & GACAGE
	FOUNDATION:		METAL VENEERS:
	Min. depth of foundation below finished grade 30".		Contact City Utilities Dept to remove
X	Min. size of footer \mathscr{E} " x $/\mathscr{E}$ ".	ļ	conductors and/or meter.
X	Provide anchor bolts ½" @ 8' o.c. 1' from each corner. Embedded 8" concrete and 15" in	1	Provide 18" x 18" x ¾" wood backer for meter base.
	masonry.	1	Provide approved system of grounding and bonding.
-	Show size of basement columns.		MISCELLANEOUS:
-	FRAMING:		Provide backwater valve in sub-soil drain tile.
X	Show size of wood girder in . ELAWL	X	Provide approved sheathing and flashing behind masonry veneer.
	Provide design data for structural member in	\rightarrow	Provide 15# felt underlayment on roof.
\rightarrow	Floor joists under sized in		Provide adequate fireplace hearth exten-
	·····	X	sions
X	Provide double joists under parallel partitions.		Install factory built fireplaces/stoves according to manufacturers recommendations.
X	Provide 1" x 4" let in corner bracing or approved sheathing.	V	Terminate chimney 3' above roof or 2' above highest point of building within 10' of chimney.
	Show size of headers for openings over 4' wide.	/\	Cilifinery.
	Po DE TO	m. 240. 1 . 1	1 05.51

ADDITIONAL CORRECTIONS: PROVIDE	JU FORMATION	ON	PEIRS	IN	GARAGE
The approval of plans and specifications does n City Ordiance or State Law. This addendum i	not permit the violation is attached to Permit N	of any s	ection of the	Buildin d made	g Code, or other
Date Approved or Disapproved 9-6-78	Checked E	y sta	Plan Ex		——————————————————————————————————————
Date Rechecked and Approved White-Buildi	Checked E	-			

*

CUTY OF NAPOLEON FOR CONSTRUCTION PERMIT LUTLE THOM FOR CONSTRUCTION PERMIT LUTLE THOM FOR CONSTRUCTION PERMIT

The undersigned hereby makes application for the construction, installation, replacement or albanicimo as herein sescified, agreeing to do all such work Beck's Const RR3 Box 126 Bulles & Marin Beck's Const 11 88 RP3 BUX 196 592-8307 Locution of Project Duguesne Drive 10 58

Internal Priviera Heights In acces 83× 120 Sq. Fe. WILL SPAO Left Side Single X Double well Bereit well wow Brick Ranch home Linking Ed. 62 4/ No. of Syories Floor Area: 1s: Floor /6/3 sq Fe Pud Floor Garage 502 A/2 Piers 30x 30 1011 usaemant No Part Basement No Concrete Q' Williamson Black 8X8X 16 Walls: Frame Plack Write X Other specific type of Entries suring Brick Voever APPLICATION FOR PERMIT SEAL DE ACTIONNEMED BY TWO COMPLETE SETS OF PLANS INCLUMINES ELEVATIONS. FLOTT BLUST, CROSS SECTIONS IND PLOT PLAN. IF ADDITIONS ON REMODILING SHOW ALL LABOUR STRUCTORS AND THEIR SIZE AND LOCATION. ALL PLANS SHALE IN DRIVE TO SCALE

\$ 40,000 00

é

17, ...

CITY OF NAPOLEON BUILDING INSPECTION DEPARTMENT APPLICATION FOR ELECTRICAL PERMIT (PLEASE PRINT OR TYPE)

The undersigned hereby makes application for the installation, replacement, or alteration of electrical equipment as herein specified, agreeing to do all such work in strict accordance with the City of Napoleon's adopted Electrical Code for 1, 2 and 3 Family Buildings.

255
rel.
and the state of t
Zoning District
questinatificament et grave de Republicado de del como como como como como como como com
Multiple Family
Addition
ervice Change
o. of Stories
er of New Circuits Appliance Circuits Tyer Dishwasher Dishwas
best 1 Best

			, #

CITY OF NAPOLEON BUILDING INSPECTION DEPARTMENT APPLICATION FOR PLUMBING PERMIT (PLEASE PRINT OR TYPE)

The undersigned hereby makes application for the installation, replacement or alteration of plumbing system or device as herein specified, agreeing to do all such work in strict accordance with the City of Napoleon's adopted Plumbing Code for 1, 2 and 3 Family Buildings.

and the second s	zamzzy Duridings.
Owner's Name	Address
Contractor's Name	
BUILDING INFORMATION:	Common Co
Single Family Double Family	Multiple Family New Construction
Addition Remodel Replacemen	
DESCRIPTION	
Drainage Pipe Of: Cast IronCor	oper other Plastic
Size of Main Building Drain: 4"	
Size of Main Vent Stack: 3" 4"	
Require Water Tap: YPS (Yes or No)	
Size and Type of Water Tap 3 pla	stic
Size and Type of Sewer Tap 4 Cla	Type of Joints Sealed
No. of Water Closets	
No. of Bathtubs	
No. of Kitchen Sinks	
No. of Disposals	No. of Hot Water Heaters
No. of Dishwashers	No. of Shower Receptors
No. of Floor Drains	Other (Specify)
Storm Drainage Outlet to: Storm Sewer	ves Other
APPLICATION FOR PERMIT SHALL BE ACCOMP DRAINAGE ISOMETRIC, WITH ALL PIPES AND DATE TOTAL DRAINAGE FIXTURE UNIT VALUE	PANIED BY TWO COMPLETE SETS OF A
ESTIMATED COST OF COMPLETED PROJECT:	
DATE 8/29/75 APPLICANT'S SIGN.	ATURE OWNER-CONTRACTOR-AGENT


				, .
				·

The later turned and the second secon

to do all such work in serick accordance with the tity of Napoleon's Tal Simple Papily bookie only potenth Res Construction Addition Remodel Replicament No. of Stories Heating System - House of Fot water Steam Electric Unit Heaters 10 Louis Cas Carrey Other Type - Gravity Final Radiant X Money Whommastachini sanga live // Electric Seat - No reader at 3 other Total Heat Leas of Eric to ha sered 16, 150 No. of Not Water Radissors _____ Type of west Elect Heating Units Located: Craw kpms Floor Lavel X Suspended INCLUDING: LOCATION OF FUNDING OF THE DISTRIBUTE OF THE CONTERS AND STREET AND LOCATION OF Robert & Beck DATE BEPLICANT E SEGMANURE

		ō.	

22 Bath



PLUMBING

AIR CONDITIONING

HEATING

Residential

Meyers Heating & Plumbing, Inc.

Commercial

2611 N. SCOTT ST.

419-592-6771


NAPOLEON, OHIO 43545


APPLICATION FOR PERMIT TO TAP SEWER

(Print or Type)

Owner Beck Const. Co.	No. 578-16
Address Rt. 3 Box 126 Napoleon, Ohio 43545	BLDG. PERMIT_152-78
Contractor_Self	PERMIT FEE \$ 60.00
AddressTel592-8307	DATE PAID <u>4-8-78</u>
LOCATION OF CONNECTION	for office use only
Street and No. 70 Duquesne Drive Sanitary	XX Storm_
Lot No. 58 Subdivision Riviera Heights 1st Add'n.	Size of Tap_4"
Size and Type of Sewer 4" Pre Joint ALL WOI	RK MUST BE INSPECTED
I certify that the sewer will be used only as indicated and no other I	Prainage will be connected.
DateSignature	
do not write below this line	ilder-agent
INSPECTION RECORD	
Date Inspected 9-15-78 Size and Type of Sewer 4 V	T CLAY
Location FRANT OF HOUSE Depth 2.6" @ TAP Type of Test 10	HEAD
Inspected and Approved By: Konald D. Sonner Los	9-15-78
Additional Information Inspector	Date


SKETCH OF INSTALLATION





SCALE: 1" = 40 4 田田の大 DUQUEENE 41-8" HUB CONSTRUCTION CO. PLOT PLAN FOR 00 E8 83,00 U1 (3) C 0 1 U 0 a HEIGHTS SUBDIVISION क्र 53'A 4/-9" アプロノイノロス M/W O 9 120:00 8 25 B.L. 57 W RONALD WENTLING

				,	
		1			
			Α.		
			· ·		



ı		
••		
nties		
ī		