

PERMIT

CITY OF NAPOLEON - BUILDING DEPARTMENT
 255 West Riverview Avenue, Napoleon, Ohio 43545 - 419-592-4010

Permit No. 01312 Issued 2-17-87
date

Job Location 543 Euclid St.
address

Lot _____
sub-div or legal discript

Issued By Eldon Huber
building official

Owner Dorothy V. Deiringer
name tel.

Address 543 Euclid St.

Agent Edward C. Williams 592-0337
builder-eng.-etc. tel.

Address 317 Short St. - Napoleon, OH 43545

Description of Use Residence

Residential 1
no. dwelling units

Commercial _____ Industrial _____

New _____ Add'n. _____ Alter _____ Remodel X

Mixed Occupancy _____

Change of Occupancy _____

Estimated Cost \$ 400.00

ZONING INFORMATION N.A.

district	lot dimensions		area	front yd	side yds	rear yd
G.B.						
max hgt	no pkg spaces	no ldg spaces	max cover	petition or appeal req'd	date appr	

WORK INFORMATION: N.A.

Size: Length _____ Width _____ Stories _____ Ground Floor Area _____

Height _____ Building Volume (for demo. permit) _____ cu. ft.

Electrical: 60 amp overhead service and 7-circuits
brief description

Plumbing: N.A.
brief description

Mechanical: N.A.
brief description

Sign: N.A. Dimensions _____ Sign Area _____
type

Additional Information: _____

Date 2-17-87 Applicant Signature Edward C. Williams
owner-agent

FEE	BASE	PLUS	TOTAL
BUILDING			
<input checked="" type="checkbox"/> ELECTRICAL	5.00	7.00	12.00
PLUMBING			
MECHANICAL			
DEMOLITION			
ZONING			
SIGN			
WATER TAP			
SEWER TAP			
TEMP. ELECT.			
ADDITIONAL PLAN REVIEW	Struct. _____ hrs		
	Elect. _____ hrs		
TOTAL FEES.....			\$12.00
LESS MIN. FEES PAID _____			
			<small>date</small>
BALANCE DUE.....			

PAID
FEB 17 1987
 CITY OF NAPOLEON

PERMIT

CITY OF NAPOLEON - BUILDING DEPARTMENT

255 West Riverview Avenue, Napoleon, Ohio 43545 - 419-592-4010

01312

Permit No. [REDACTED] Issued 2-16-87
date

Job Location 543 EUELID ST.
address

Lot _____
sub-div or legal discript

Issued By E
building official

Owner DOROTHY V. DEIRINER
name tel.

Address 543 EUELID ST.

Agent EDWARD C. WILLIAMS 592-0337
builder-eng.-etc. tel.

Address 317 SHORT ST. NAP, OH. 43545

Description of Use RESIDENCE

Residential 1
no. dwelling units

Commercial _____ Industrial _____

New _____ Add'n. _____ Alter _____ Remodel X

Mixed Occupancy _____

Change of Occupancy _____

Estimated Cost \$ 900.00

FEES	BASE	PLUS	TOTAL
BUILDING			
ELECTRICAL	5.00	7.00	12.00
PLUMBING			
MECHANICAL			
DEMOLITION			
ZONING			
SIGN			
WATER TAP			
SEWER TAP			
TEMP. ELECT.			
ADDITIONAL PLAN REVIEW	Struct. _____ hrs _____	Elect. _____ hrs _____	
TOTAL FEES.....			12.00
LESS MIN. FEES PAID _____			
BALANCE DUE.....			

ZONING INFORMATION DIA

district <u>G2B1</u>	lot dimensions	area	front yd	side yds	rear yd
max hgt	no pkg spaces	no ldg spaces	max cover	petition or appeal req'd	date appr

WORK INFORMATION: DIA

Size: Length _____ Width _____ Stories _____ Ground Floor Area _____

Height _____ Building Volume (for demo. permit) _____ cu. ft.

Electrical: 60 AMP SERVICE OVERHEAD AND 7-CIRCUITS
brief description

Plumbing: DIA
brief description

Mechanical: DIA
brief description

Sign: DIA Dimensions _____ Sign Area _____
type

Additional Information: _____

Date _____ Applicant Signature _____
owner-agent

CITY OF NAPOLEON
BUILDING INSPECTION DEPARTMENT
APPLICATION FOR ELECTRICAL PERMIT
(Please print or type)

The undersigned hereby makes application for installation or replacement of electrical equipment as herein specified, agreeing to do all such work in strict accordance with the City of Napoleon's adopted Electrical Codes.

Owner's Name Dorothy V. Deisinger Address 543 Euclid St. Napoleon

Electrical Contractor Edward C. Williams Jr Telephone No. 592-0337

Address 317 Short St., Napoleon, OH 43545

General Contractor _____ Telephone No. _____

Address _____

Location of Project 543 Euclid Napoleon Cost of Project \$ 400.00

Work Information:

Residential ONE Commercial _____ Industrial _____
No. Units

New _____ Service Change Rewiring _____ Additional Wiring _____

Brief Description of Work: Replace 60 AMP service with
125 AMP service. Replace old wire.

Size of proposed service entrance 125 Number of new circuits 7

Type of proposed service entrance _____ Underground _____ Overhead

Require Temporary Electric _____ (Yes or No)

Total Floor Area - Commercial and Industrial only _____ sq. ft.

Additional Information: _____

PERMIT NO. _____
PERMIT FEE \$ _____

*Ground fault circuit interrupter protection is required on all 120-volt single phase, 15 and 20 amp. Circuits which are part of a temporary electric service; and also on bathroom, outdoor, and garage receptacles in all dwelling units. Art. 210-8 N.E.C.

Application for permit shall be accompanied by two complete sets of plans including: Electrical layout and riser diagram. (For commercial and industrial work only).

ate 2-12-87 Applicant's Signature Edward C. Williams Jr

