

**PERMIT**

**CITY OF NAPOLEON - BUILDING DEPARTMENT**  
 255 West Riverview Avenue, Napoleon, Ohio 43545 - 419-592-4010

Permit No. 01434 Issued 8-19-87  
date

Job Location 307 E. Front  
W. Part address

Lot 9 Original Plat  
sub-div or legal discript

Issued By Eldon Huber  
building official

Owner Paul Verhoff  
name tel.

Address 233 E. Fron

Agent Westrick Electric 264-2861  
builder-eng.-etc. tel.

Address 304 Railway St. - Holgate, OH

Description of Use Residence

---

Residential 1  
no. dwelling units

Commercial \_\_\_\_\_ Industrial \_\_\_\_\_

New \_\_\_\_\_ Add'n. \_\_\_\_\_ Alter \_\_\_\_\_ Remodel X

Mixed Occupancy \_\_\_\_\_

Change of Occupancy \_\_\_\_\_

Estimated Cost \$ 400.00

FEES	BASE	PLUS	TOTAL
BUILDING			
<input checked="" type="checkbox"/> ELECTRICAL	10.00	16.00	26.00
<input type="checkbox"/> PLUMBING			
<input type="checkbox"/> MECHANICAL			
<input type="checkbox"/> DEMOLITION			
<input type="checkbox"/> ZONING			
<input type="checkbox"/> SIGN			
WATER TAP			
SEWER TAP			
TEMP. ELECT.			
ADDITIONAL PLAN REVIEW	Struct. _____ hrs		
	Elect. _____ hrs		
TOTAL FEES.....			26.00
LESS MIN. FEES PAID _____			
			<small>date</small>
BALANCE DUE.....			

**ZONING INFORMATION N.A.**

district FP	lot dimensions	area	front yd	side yds	rear yd
max hgt	no pkg spaces	no ldg spaces	max cover	petition or appeal req'd	date appr

**WORK INFORMATION: N.A.**

Size: Length \_\_\_\_\_ Width \_\_\_\_\_ Stories \_\_\_\_\_ Ground Floor Area \_\_\_\_\_

Height \_\_\_\_\_ Building Volume (for demo. permit) \_\_\_\_\_ cu. ft.

Electrical: Replace existing with new 150 amp overhead service & 8 - circuits.  
brief description

Plumbing: N.A.  
brief description

Mechanical: N.A.  
brief description

Sign: N.A. Dimensions \_\_\_\_\_ Sign Area \_\_\_\_\_  
type

Additional Information:

Date 8-19-87 Applicant Signature \_\_\_\_\_

*Paul E. Verhoff*  
 owner-agent

**PAID**  
 AUG 19 1987  
 CITY OF NAPOLEON



# PERMIT

CITY OF NAPOLEON - BUILDING DEPARTMENT

255 West Riverview Avenue, Napoleon, Ohio 43545 - 419-592-4010

01934

Permit No. [REDACTED] Issued 8-19-87 date

Job Location 307 E. FRONT address  
NO. PART

Lot 9 ORIGINAL PLATT sub-div or legal discript

Issued By 54 building official

Owner PAUL VERHOFF name tel.

Address 233 E. FRONT

Agent WESTRICK ELECTRIC 264-2861 builder-eng.-etc. tel.

Address 309 RAILWAY ST. HULGATE OH.

Description of Use RESIDENCE

Residential 1 no. dwelling units

Commercial \_\_\_\_\_ Industrial \_\_\_\_\_

New \_\_\_\_\_ Add'n. \_\_\_\_\_ Alter \_\_\_\_\_ Remodel X

Mixed Occupancy \_\_\_\_\_

Change of Occupancy \_\_\_\_\_

Estimated Cost \$ 400.00

### ZONING INFORMATION NA

district <u>FP</u>	lot dimensions	area	front yd	side yds	rear yd
max hgt	no pkg spaces	no ldg spaces	max cover	petition or appeal req'd	date appr

### WORK INFORMATION: NA

Size: Length \_\_\_\_\_ Width \_\_\_\_\_ Stories \_\_\_\_\_ Ground Floor Area \_\_\_\_\_

Height \_\_\_\_\_ Building Volume (for demo. permit) \_\_\_\_\_ cu. ft.

Electrical: REPLACE EXISTING WITH NEW 150 AMP OVERHEAD SERVICE & B-CIRCUITS brief description

Plumbing: N.A. brief description

Mechanical: N.A. brief description

Sign: N.A. Dimensions \_\_\_\_\_ Sign Area \_\_\_\_\_

Additional Information: \_\_\_\_\_

Date \_\_\_\_\_ Applicant Signature \_\_\_\_\_  
owner-agent

FEES	BASE	PLUS	TOTAL
BUILDING			
ELECTRICAL	<u>10.00</u>	<u>16.00</u>	<u>26.00</u>
PLUMBING			
MECHANICAL			
DEMOLITION			
ZONING			
SIGN			
WATER TAP			
SEWER TAP			
TEMP. ELECT.			
ADDITIONAL PLAN REVIEW	Struct. _____ hrs	Elect. _____ hrs	
TOTAL FEES.....			
LESS MIN. FEES PAID _____ date <u>1</u>			<u>26.00</u>
BALANCE DUE.....			



CITY OF NAPOLEON  
BUILDING INSPECTION DEPARTMENT  
APPLICATION FOR ELECTRICAL PERMIT  
(Please print or type)

The undersigned hereby makes application for installation or replacement of electrical equipment as herein specified, agreeing to do all such work in strict accordance with the City of Napoleon's adopted Electrical Codes.

Owner's Name Paul, Kathy Verhoff Address 233 E. Front St  
Electrical Contractor Westcott Electric Telephone No. 264-2861  
Address \_\_\_\_\_

General Contractor \_\_\_\_\_ Telephone No. \_\_\_\_\_  
Address \_\_\_\_\_

Location of Project 307 E. FRONT Cost of Project 400.<sup>00</sup>

Work Information:

Residential 307 E. Front Commercial \_\_\_\_\_ Industrial \_\_\_\_\_  
No. Units \_\_\_\_\_  
New \_\_\_\_\_ Service Change  Rewiring \_\_\_\_\_ Additional Wiring \_\_\_\_\_

Brief Description of Work: replace old fuse box & Service

Size of proposed service entrance 150AMP Number of new circuits 8

Type of proposed service entrance \_\_\_\_\_ Underground \_\_\_\_\_ Overhead

Require Temporary Electric No (Yes or No)

Total Floor Area - Commercial and Industrial only \_\_\_\_\_ sq. ft.

Additional Information: \_\_\_\_\_

PERMIT NO. B1434  
PERMIT FEE \$ 26.<sup>00</sup>

\*Ground fault circuit interrupter protection is required on all 120-volt single phase, 15 and 20 amp. Circuits which are part of a temporary electric service; and also on bathroom, outdoor, and garage receptacles in all dwelling units. Art. 220-8 N.E.C.

Application for permit shall be accompanied by two complete sets of plans including: Electrical layout and riser diagram. (For commercial and industrial work only).

Date 8-19-87 Applicant's Signature Paul E. Verhoff



- GENERAL NOTES:**
- All plates shown are 20 gauge U.S. plates, unless otherwise noted. Plates to be applied on both faces of each joint and centered, unless plate position is dimensioned.
  - Provide continuous lateral bracing to bottom chord at maximum intervals of 10'-0".
  - Design is based substantially on current applicable standards of T.P.L. and N.D.S. at the date of drawing.
  - Dimensions continuous lateral bracing in addition to that described in General Notes 2.
  - Denotes continuous lateral support of top chord by means of plywood sheathing or properly spaced purlins.

DESCRIPTION:		VERHOFF		DATE: 9/24/87	
SPAN: 20-4-8		DRAWING NO: 36677		SHT. 1 OF 1	
PITCH/DEPTH: 4/12		DRAWN BY: DM		ENG. BY: JWW	
CHECKED BY: J.O.					

**ATTENTION:** Erection, Handling, Safety Precautions, Temporary or Permanent Bracing of Trusses are not the responsibility of the Truss Designer, Metal Connector Plate Manufacturer, or the Truss Manufacturer and therefore are not a part of these engineering drawings. Trusses are designed as individual components. All lateral bracing specified on these truss drawings are intended to provide lateral restraint for individual truss members only. The design, amount and proper installation of temporary or permanent bracing for whatever reason, is the sole responsibility of the designer or builder of the complete structure. Adequate Bracing is Always Required. Competent professional advice should always be obtained relative to truss bracing and erection requirements.

**Uniform Loading**

Top Live:	25.0	1) 3.0 x 5.0	4)	
Top Dead:	10.0	2) 3.0 x 2.0	5)	3.0 x 2.0
Bot Live:	10.0	3) 5.0 x 4.0	6)	3.0 x 5.0
Bot Dead:	10.0			
Spacing (% O.C.):	24.0	LEFT HEEL HT. 3 -15		
Duration Factor:	1.15	RIGHT HEEL HT. 3 -15		
Number of Plates:	1			

Reaction At 1: 1121  
Reaction At 6: 1121

**IMPORTANT: READ ALL NOTES ON THIS DRAWING**

# Plates	#	# Dimensions	# Splice Plates	#
a) 20-4-8				
b) 3-8-11				

CHORDS	A	2x4 So. Pine KD 15	No. 2
CHORDS	B	2x4 So. Pine KD 15	No. 1 Dange
WEBS		2x4 So. Pine KD 15	No. 3



