

PERMIT

CITY OF NAPOLEON, OHIO — DEPT. OF BUILDING & ZONING
255 W. Riverview Avenue, Napoleon, Ohio 43545 (419) 592-4010

Permit No. 475
Job Location Glenwood Park Address Valuation \$ 12,885.00 Date July 26, 1982
Owner City of Napoleon Address 255 W. Riverview Ave.
Contractor Cornerstone Construction, Inc. Name Telephone No. 782-1607
Address 418 Auglaize St., P. O. Box 431, Defiance, Ohio 43533
Electric Contractor _____
Plumbing Contractor _____
Mechanical Contractor _____

This permit is issued for work described in the plans, specifications, and/or application submitted, as approved by the Building Commissioner of the City of Napoleon, Ohio. Work shall conform to all pertinent construction and land use Codes and Ordinances.

Work Information:

Residential No. dwelling units Commercial Industrial
New Construction Addition Remodel
Brief Description of Work restroom addition

ISSUED BY [Signature] Building Official DEPT. OF BUILDING & ZONING

It is the owners or contractors responsibility to call the Building Department for the following (x) inspections:

- Footing excavation prior to placing concrete.
- Footing drains and foundation prior to backfill.
- Prepared sub-grade prior to placing concrete floor slab.
- Sanitary sewer
- Rough-in electrical, plumbing and service framing prior to installing wall board.
- Final electrical, plumbing and heating.
- Final building inspection, prior to occupancy.

PERMIT & FEES

Building Permit	\$ _____
Electrical Permit	\$ _____
Plumbing Permit	\$ _____
Mechanical Permit	\$ _____
Demolition Permit	\$ _____
Zoning Permit	\$ _____
Sign Permit	\$ _____
Water Tap	\$ _____
Sewer Tap	\$ _____
Temp. Elec.	\$ _____
Other _____	\$ _____
TOTAL FEES	\$ <u>No Fee</u>
LESS FEES PAID	\$ _____
BALANCE DUE	\$ _____

Permit is not valid until all fees are paid in full, and shall be void if work is not started within six months of date above.

8/2/82 Subwall bounded on north side
 8/19/82 Started digging storm drainage
 9/1/82 finishing up storm drainage around
 roof

INSPECTION RECORD

UNDERGROUND		ROUGH-IN &				FINAL
Type	Date	By	Type	Date	By	Date
PLUMBING	Sewer Connection		Drainage, W. & Vent			Drainage, W. & Vent
	Building Sewer		Water Piping			Water Heater
	Water Piping		Condensate Lines			Backflow Prevention
			Indirect Waste			
						FINAL APPROVAL
ELECTRICAL	Floor Ducts Raceways		Rough Wiring	8/2/82	PK	Electric Mtr. Clearance
	Conduits & Cable		Conduits/Cable			Signs
	Grounding & Bonding		Service Panel			
			Subpanels			
			Range Dryer			FINAL APPROVAL
MECHANICAL	Refrigerant Piping		Refrigerant Piping			Duct Insulation
	Ducts/Plenums		Ducts/Plenums			Chimney(s)
			Ventilation Supply			Furnace(s)
			Exhst.			FINAL APPROVAL
			Wall Construction			Fireplace Chimney
BUILDING	Excavation		Crawl Space			Attic Vent <input type="checkbox"/> Access
	Footings & Reinforcing	8/2/82	Floor System(s)			Special Insp Reports Rec'd
	Sub-soil Drain		Roof System	8/14/82	PK	Smoke Detector
	Foundation Walls	8/14/82	Fire Wall(s)			Demolition (sewer cap)
	Floor Slab		Roof Cover Roof Drain			Building or Structure
FINAL APPROVAL		8/2/82	Certificate of Occupancy Issued		#	

RECEIVED

JUN 17 1982

ADDENDUM #1GLENWOOD PARK RESTROOMSMEL LANZER CO.

1. Attached is a copy of revisions to the Prevailing Wage Rates for the above referenced project.
2. Water lines will originate from the 1½" stub provided on the new water service on the outside of the existing bathhouse by means of a valve for draining the new lines, with all new lines pitched to drain to that valve.
3. Minimum size of water lines to fixtures shall be as follows:
Water closets - 1"
Urinal - ¾"
Lavatories - ½"
4. D.W.V. piping may be P.V.C. or A.B.S. as long as it is accepted for use by the Ohio Plumbing Code.
5. Faucets for lavatories shall be KOHLER #K-7500 self closing ball bearing faucet (or equal).
6. Water closet model specified has been discontinued, however, a model equal to it with Amer. Std. Seat #5320 130 will be accepted. The following water closet and seat (or equal) will also be accepted.

AMER STD. #2221.018, elongated bowl water closet with
OLSONITE #10 white elongated open front seat, less cover.

ADDENDUM #1

GLENWOOD PARK RESTROOMS

1. Attached is a copy of revisions to the Prevailing Wage Rates for the above referenced project.
2. Water lines will originate from the 1½" stub provided on the new water service on the outside of the existing bathhouse by means of a valve for draining the new lines, with all new lines pitched to drain to that valve.
3. Minimum size of water lines to fixtures shall be as follows:
Water closets - 1"
Urinal - 3/4"
Lavatories - 1/2"
4. D.W.V. piping may be P.V.C. or A.B.S. as long as it is accepted for use by the Ohio Plumbing Code.
5. Faucets for lavatories shall be KOHLER #K-7500 self closing ball bearing faucet (or equal).
6. Water closet model specified has been discontinued, however, a model equal to it with Amer. Std. Seat #5320 130 will be accepted. The following water closet and seat (or equal) will also be accepted.

AMER STD. #2221.018, elongated bowl water closet with
OLSONITE #10 white elongated open front seat, less cover.

ADDENDUM #1

GLENWOOD PARK RESTROOMS

1. Attached is a copy of revisions to the Prevailing Wage Rates for the above referenced project.
2. Water lines will originate from the 1½" stub provided on the new water service on the outside of the existing bathhouse by means of a valve for draining the new lines, with all new lines pitched to drain to that valve.
3. Minimum size of water lines to fixtures shall be as follows:
Water closets - 1"
Urinal - ¾"
Lavatories - ½"
4. D.W.V. piping may be P.V.C. or A.B.S. as long as it is accepted for use by the Ohio Plumbing Code.
5. Faucets for lavatories shall be KOHLER #K-7500 self closing ball bearing faucet (or equal).
6. Water closet model specified has been discontinued, however, a model equal to it with Amer. Std. Seat #5320 130 will be accepted. The following water closet and seat (or equal) will also be accepted.

AMER STD. #2221.018, elongated bowl water closet with
OLSONITE #10 white elongated open front seat, less cover.

Permit
475

CITY OF NAPOLEON
DEPARTMENT OF BUILDING & ZONING
APPLICATION FOR
CERTIFICATE OF OCCUPANCY

Address Glenwood Park Date 7-22-82

Zoning District A Residential

I, City of Napoleon, Ohio ^{owner} hereby request that a Certificate of Occupancy be issued for the above address, more particularly described as follows: New men + women restrooms

Building Area _____ Occupancy Area _____

Prop. Parking Spaces _____ Exist. Parking Spaces _____

Reason for Request

_____ New Residence
_____ Change in use or type of business from _____ to _____

R.W. Detrick

Signed Cornerstone Construction, Inc.

Date July 22, 1982

Inspection Report: all work completed 12/17/82

Approved RGS/12/17/82 CO# _____ Not Approved _____

Reasons for not being approved _____

Signed Richard R. Gagnon

Date 12/17/82

