

P E R M I T

CITY OF NAPOLEON  
255 W. RIVERVIEW AVE  
NAPOLEON, OHIO 43545

DIVISION OF BUILDING & ZONING  
PH (419) 592-4010  
FAX (419) 599-8393

PERMIT NO: 98142                      DATE ISSUED: 05-21-98                      ISSUED BY: MBS

JOB LOCATION: 975 N HARMONY DR                      EST. COST: 1500.00

LOT #:    SUBDIVISION NAME:

OWNER: ADAMS CHRIS    AGENT: SELF  
ADDRESS: 975 N HARMONY DR    ADDRESS:  
CSZ: NAPOLEON, OH 43545    CSZ:  
PHONE: 419-599-4305    PHONE:

USE TYPE - RESIDENTIAL:    OTHER:

ZONING INFORMATION

DIST:                      LOT DIM:                      AREA:                      FYRD:                      SYRD:                      RYRD:  
MAX HT:                      # PKG SPACES:                      # LOADING SP:                      MAX LOT COV:

BOARD OF ZONING APPEALS:

WORK TYPE - NEW: X                      REPLMNT:                      ADD'N:                      ALTER:                      REMODEL:

WORK INFORMATION


SIZE - LGTH:                      WIDTH:                      STORIES:                      LIVING AREA SF:  
GARAGE AREA SF:                      HEIGHT:                      BLDG VOL DEMO PERMIT:

WORK DESCRIPTION  
FENCE (6' VINYL )


FEE DESCRIPTION	PAID DATE	FEE AMOUNT DUE
BUILDING PERMIT		27.00

5/21/98  
DATE

TOTAL FEES DUE 27.00  
APPLICANT SIGNATURE







2" X 4" STUDS @ 16" O/C

DOUBLE 2" X 4" WALL TOP PLATE  
NO JOINTS IN CENTER 1/3 OF  
HEADER SPAN.

2-2" X 1/2" CONTINUOUS  
w/ 1/2" PLYWOOD  
STUDS. NO PLYWOOD  
JOINTS IN CENTER  
1/2 OF SPAN.

PLAN VIEW  
1/2" = 1'-0"

2-2" X 4" TOP PLATE 2-16 d  
#16 d @ 24" O/C TOP  
PLATE TO BOTTOM.

1/2" PLYWOOD FACE,  
GLUE & NAIL w/ 16 d  
OR EQUAL @ 6" O/C @  
EDGES & 12" O/C @ STUDS.

JOIST & RAFTER BEARING.

2" X 4" STUDS 2-16 d @ BOTTOM,  
TOE NAIL

2-2" X 1/2" w/ 1/2" PLYWOOD  
BTWN. GLUE & NAIL w/  
3-16 d @ 12" O/C EA. SIDE.

SECTION A-1  
1/2" = 1'-0"

ASSUMED LOADS: 30# / FT<sup>2</sup> ROOF, LINE & DEAD  
30# / " CEILING, "  
60# / " TOTAL w/ 11'-0"  
TRIBUTARY LOAD

LUMBER DESIGN VALUES:

FIBER STRESS, 1400 PSI, MIN.  
MODULUS "E", 1,400,000 PSI, MIN.

Richard F. Berke  
RICHARD F. BERKE, P.E.

THIS DRAWING IS THE PROPERTY OF  
HARVEY ENGINEERING & SURVEYING, INC. AND SHALL NOT  
BE USED WITHOUT THEIR PERMISSION.

