

THE CITY OF NAPOLEON

BUILDING & ZONING DEPARTMENT

255 W. RIVERVIEW

(419)592-4010

Plumbing Permit

Permit Number: PL2006-1

Page 1 of 1

Printed: 1/3/2006

Property Address: 526 High St.

Applicant

Address: Jason Westhoven
526 High St
Napoleon, OH 43545

Approval Date: 1/3/2006

Phone: 419-966-2094

Owners

Name: Mr. Jason Westhoven
526 High St
Napoleon, OH 43545

Phone: 419-966-2094


Contractors

Fees and Receipts:

Number	Description	Amount
FEE2006-9	Plumbing inside	\$10.00
Total Fees:		\$10.00

Description of work to be done:

Water line replacement (inside)



SCANNED
To code page

Applicant signature: _____

Date: _____

1-3-06



CITY OF NAPOLEON

WATER METER YOKE RELEASE FORM

THIS DOCUMENT ENTITLES THE HOLDER TO "ONE" WATER METER YOKE ASSEMBLY
(Please pickup at City Operations Department 1775 Industrial Drive.)

Permit Number: pl2006-01

Date Issued: 1/03/06

Job Location: 526 High St

Owner: Jason Westhoven
Address: 526 High St.
Phone: 419-966-2094

Contractor:
Phone: 419-

Water Tap Size: 1" 1 1/2" 2" Other: _____
Water Meter Yoke Size: 5/8" 3/4" 1" Other _____
New Structure: Existing Structure: Lawn Meter:

**WATER SERVICE LINE TO BE TYPE "K" COPPER OR "CTS"
POLYETHELENE TUBING OF 1" MINIMUM SIZE.**

Backflow Device Required? Yes No
Type of Backflow Required: _____

Water Meter Yoke Installation is subject to the following conditions:

1. Must be located in an accessible area.
2. Must be in an area which is not subject to freezing temperatures.
3. Must be at least 18" above floor level (no crawl space installations.)
4. Must comply with minimum mounting requirements (drawings available).

Issued By: _____ Received By: _____

1 Copy to: Building Dept, Water Dept, and Utilities Dept.