### PERMI

### CITY OF NAPOLEON - BUILDING DEPARTMENT 255 West Riverview Avenue, Napoleon, Ohio 43545 - 419-592-4010

| Permit No. 01548 Iss  | ued 5-17-88  | 15   | 34                      | FEES   | BASE                                    | PLUS           | TOTAL                          |
|---|--|--|-------------------------|--|---|----------------|--------------------------------|
| Job Location 620 Huddle   | Road   | _  | BUIL                    | DING   | 9.00                                    | 88.00          | 97.0                           |
| Lot 2 Countryside   | address Estates or legal discript  | - *  | ELEC                    | TRICAL   | 15.00                                   | 45.00          | 60.00                          |
| Issued By Eldon Huber building official   |  | - xx   | PLUM                    | IBING  | 9.00                                    | 15.00          | 24.00                          |
| Owner Beck's Construct  | tel.   | ×X.  | MECH                    | HANICAL  | 18.00                                   | 193            | 18.00                          |
| Address 11-622 Co. Rd.  Agent Beck's construct  | Test Manual Control  | -  | DEMO                    | DLITION  | utila H                                 | Maria Personal | mornage                        |
| builder-engetc.   | tel.   | xZx  | ZONII                   | NG   | 5.00                                    |                | 5.00                           |
| Address 11-622 Co. Rd.  Description of Use Resider  | The state of the s |  | SIGN                    |  | humid .                                 |                | indire i                       |
| 300011p.iio11 01 000  | y And  | - ××   | WATER                   |  | 300.00                                  |                | 300.00                         |
| Residential 1   | hdxa o stooms  | 4  |                         |  | 60.00                                   |                |                                |
| no. dwelling units  |  | ×х   | SEWER                   | TAP  | 60.00                                   | 1 3            | 60.00                          |
| Commercial Industrial Industrial  | FIRST PROPERTY OF  |  | темр. Е                 | LECT.  | 10.00                                   | - F            | 10.00                          |
| NewX_Add'nAlter   | Remodel Remodel  |  |                         | IONAL AN                                       | Struct                                  | hr             |                                |
| mixed Occupancy   |  |  | DEV                     | /IEW   | Elect.                                  | hr             | e WHORK H                      |
| Change of Occupancy   |  |  | тот                     | AL FEES  | ES PAID                                 |                | \$574.0                        |
| Change of Occupancy   | on feathful a  |  | TOT<br>LESS<br>BALA     | AL FEES S MIN. FE                              | ES PAID                                 | date           | \$574.0                        |
| Change of Occupancy   | Out third of our other out of the |  | TOT<br>LESS             | AL FEES S MIN. FE                              | ES PAID                                 | date           | \$574.0                        |
| Estimated Cost \$ 30,000.0  ZONING INFORMA  district lot dimensions   | TION area  |  | TOT LESS BALA front 30' | AL FEES S MIN. FE ANCE DU                      | ES PAID                                 | yds<br>-27.77  | <u>\$574.0</u>                 |
| ZONING INFORMA  district   lot dimensions   72' x 206.57'   max hgt   35'   no pkg spaces   2 - min.  | area 14,873  | max c 355  | TOT LESS BALA front 30' | AL FEES S MIN. FE ANCE DU yd petition          | ES PAIDside L-8.2 'R-n or appeal req'   | yds<br>-27.77  | *574.0<br>rear yd<br>134.5'    |
| ZONING INFORMA  district  | area 14,873 no ldg spaces  | max c 35   | TOT LESS BALA front 30' | AL FEES S MIN. FE ANCE DU yd petition          | ES PAID  side L-8.2'R- n or appeal req' | yds<br>-27.77  | rear yd<br>134.5'<br>date appr |
| ZONING INFORMA  district  | area 14,873 no ldg spaces  | max of 35s   | Front 30' cover         | AL FEES S MIN. FE ANCE DU yd petition GG       | ES PAID  side L-8.2'R n or appeal req'  | yds<br>-27.77  | rear yd<br>134.5'<br>date appr |
| Change of Occupancy  ZONING INFORMA  district   | area 14,873 no ldg spaces  12' h 24' St ding Volume (for d   | max of 35s   | Front 30' cover         | AL FEES S MIN. FE ANCE DU yd petition GG       | ES PAID  side L-8.2'R- n or appeal req' | yds<br>-27.77  | rear yd<br>134.5'<br>date appr |
| Change of Occupancy  Stimated Cost \$ 30,000.0  ZONING INFORMA  district   fot dimensions   72' x 206.57'   max hgt   no pkg spaces   2 - min.  VORK INFORMATION: 24'  Size: Length   42'   Widt   Height   14'   Buil   Bui | area 14,873 no ldg spaces  12' h 24' St  ding Volume (for dead service & brief description chen & Laundr   | max of 35s emo. per 15 of 15 o | Front 30' cover         | AL FEES S MIN. FE ANCE DU yd petition GG       | ES PAID  side L-8.2'R- n or appeal req' | yds<br>-27.77  | rear yd<br>134.5'<br>date appr |
| ZONING INFORMA  district  | area 14,873 no ldg spaces  12' h 24' St  ding Volume (for dead service & brief description chen & Laundr brief description U. Nat. gas f   | max of 35s emo. po   | front 30' cover %       | AL FEES S MIN. FE ANCE DU yd petition Grou     | ES PAID side L-8.2'R- n or appeal req'  | yds<br>-27.77  | rear yd<br>134.5'<br>date appr |
| ZONING INFORMA  district  | area 14,873 no ldg spaces  12' h 24' St ding Volume (for dead service & brief description chen & Laundr brief description  | max of 35s emo. po   | front 30' cover %       | AL FEES S MIN. FE ANCE DU yd petition Grounts. | ES PAID side L-8.2'R- n or appeal req'  | yds<br>-27.77  | rear yd<br>134.5'<br>date appr |
| ZONING INFORMA  district  | area 14,873 no ldg spaces  12' h 24' St  ding Volume (for dead service & brief description chen & Laundr brief description U. Nat. gas for brief description   | max of 35s ories_emo. po   | front 30' cover %       | AL FEES S MIN. FE ANCE DU yd petition Grounts. | side L-8.2'R- n or appeal req'          | yds<br>-27.77  | rear yd 134.5' date appr       |
| ZONING INFORMA  district  | area 14,873 no ldg spaces  12' h 24' St  ding Volume (for dead service & brief description chen & Laundr brief description brief description spief description assions   | max of 35s ories_emo. po   | front 30' cover %       | AL FEES S MIN. FE ANCE DU yd petition Grounts. | side L-8.2'R- n or appeal req'          | yds -27.77 td  | rear yd 134.5' date appr       |

| on, On           | 110 43545 - | 419-592-401                 | 0                  |  |
|------------------|-------------|-----------------------------|--------------------|--|
| -74              | FEES        | BASE                        | PLUS               | TOTAL  |
| BUII             | LDING       | 9.00                        | 88.00              | 97.00  |
| ELE              | CTRICAL     | 15.00                       | 45.00              | 60.00  |
| PLU              | MBING       | 9.00                        | 15.00              | 24.00  |
| MEC              | CHANICAL    | 18.00                       | Ball               | 18.00  |
| DEM              | NOLITION    | gitta#<br>gr <del>ant</del> | Inc                | montan -   |
| ·ZON             | NING .      | 5.00                        |                    | 5.00   |
| SIGN             | N .         | world .                     |                    | andres &   |
| WATER            | R TAP       | 300.00                      |                    | 300.00   |
| SEWER            | R TAP       | 60.00                       |                    | 60.00  |
| TEMP.            | ELECT.      | 10.00                       | 3.6                | 10.00  |
| TO<br>LES        | petition    | Vanivā II. a. I             | 27.77              |  |
| 1<br>ermit)      | Grou        | and Floor Are               | ea10               | 80   |
| ermit)_<br>circu |             | PK-Q                        |                    | _cu. ft.   |
| ra "eu           | OIT LERBO   | S SHOULD                    | IdsAll<br>Comments | STATE OF THE STATE |
| e &              | 6 hot ai    | ir runs.                    | 1777 F             | RH<br>S CS   |
| 2/4              | s           | ign Area                    | PAID               | 20 - 1<br>F/C - 2  |
| eet.             | N 2 M       |                             | N 3 1 19           | -  |
| int.             | 1/          | Dec !                       | N OF NATOLE        | 1  |
| ootor            |             | vner-agent                  |                    |  |
| ector            | Green-Cleri | k-ireasurer                 | Gold-County /      | Auditor  |

### INSPECTION RECORD

|            | UNDERGR                          | )    | rend file | ROUGH-IN                      |        |    |                                |      | FINAL |                                 |      |       |
|------------|----------------------------------|------|-----------|-------------------------------|--------|----|--------------------------------|------|-------|---------------------------------|------|-------|
|            | Туре                             | Date | Ву        | Туре                          | Date   | Ву | Туре                           | Date | Ву    | Туре                            | Date | Ву    |
| PLUMBING   | Building<br>Drains               |      |           | Drainage, Waste & Vent Piping | 7/5    | 54 | Indirect<br>Waste              |      | į.    | Drainage, Waste & Vent Piping   | 3/4  |       |
|            | Water<br>Piping                  | 本    | 5         | 1                             |        |    |                                |      |       | Backflow<br>Prevention          |      |       |
|            | Building<br>Sewer                |      |           | Water<br>Piping               | 7/5-   | 牙  | Condensate<br>Lines            |      |       | Water<br>Heater                 |      |       |
| 4          | Sewer<br>Connection              |      |           |                               | 15     |    |                                |      |       | FINAL<br>APPROVAL               |      | pini. |
|            | Refrigerant<br>Piping            |      |           | Refrigerant<br>Piping         |        |    | Chimney(s)                     |      |       | Grease Exhaust<br>System        | 1    |       |
| X Y        | Tiping                           |      |           | Duct<br>Furnace(s)            |        |    | Fire<br>Dampers                |      |       | Air Cond.<br>Unit(s)            |      |       |
| MECHANICAL | Ducts/<br>Pienums                |      |           | Ducts/<br>Plenums             |        |    | ☐ Radiant Htr(s)☐ Unit Htr(s)  |      |       | Refrigeration<br>Equipment      |      |       |
| ECH        | 1 Johname                        |      |           | Duct<br>Insulation            |        |    | Pool<br>Heater                 |      |       | Furnace(s)                      |      |       |
| 2          |                                  |      |           | Combustion<br>Products Vents  |        |    | Ventilation ☐ Supply ☐ Exhst.  |      |       | FINAL<br>APPROVAL               |      |       |
|            | Conduits & or Cable              |      |           | Conduits/<br>Cable            |        |    | □ Range<br>□ Dryer             |      |       | Temp Service<br>Temp Lighting   |      |       |
| AL         | Grounding & or Bonding           |      |           | Rough<br>Wiring               |        |    | □ Generator(s) □ Motors        |      |       | Fixtures<br>Lampholders         |      |       |
| ELECTRICAL | Floor Ducts<br>Raceways          |      |           | Service Panel<br>Switchboard  |        |    | □ Water Htr<br>□ Welder        |      |       | Signs                           |      |       |
| LEC        | Service<br>Conduit               |      |           | Busways<br>Ducts              |        |    | □ Heaters □ Heat Cable         |      |       | Electric Mtr.<br>Clearance      | 10   |       |
| ш          | Temporary<br>Power Pole          |      |           | Subpanels                     |        |    | ☐ Duct Htr(s)☐ Furnace(s)☐     |      |       | FINAL<br>APPROVAL               |      |       |
|            | Location, Set-<br>backs, Esmt(s) |      | 牙         | Exterior Wall<br>Construction |        | 5, | Roof Covering<br>Roof Drainage |      | 5,    | Smoke<br>Detector               | 9/13 | 5     |
|            | Excavation                       |      | 3/4       |                               |        |    | Exterior<br>Lath               |      |       | Demolition<br>(sewer cap)       |      |       |
|            | Footings & Reinforcing           |      | 54        |                               |        |    | □ Interior Lath □ Wallboard    |      |       |                                 |      |       |
| DING       | Floor<br>Slab                    |      |           | Interior Wall<br>Construction |        | 5  | Fire<br>Wall(s)                |      |       | Building or<br>Structure        | %    | 5     |
| BUILDING   | Foundation<br>Walls              |      |           | Columns &<br>Supports         |        |    | Fireplace<br>Chimney           |      |       |                                 |      |       |
| _          | Sub-soil<br>Drain                |      |           | Crawl Space                   |        | 57 | Attic<br>Vent PAccess          |      |       |                                 | 4.   |       |
|            | Piles                            |      |           | Floor<br>System(s)            |        | 54 |                                |      |       | FINAL APPROVAL<br>BLDG. DEPT.   | 1/20 | 5     |
|            |                                  |      |           | Roof<br>System                |        | 57 | Special Insp<br>Reports Rec'd  |      |       | Certificate of Occupancy Issued | 110  | 5,    |
|            |                                  |      |           | NS, CORRECTIO                 | NS, ET | C. | INSP                           | ECTI | ONS,  | CORRECTIONS,                    | ETC. |       |
| Ļ          | RATAD                            |      | 400       | AZCHES                        |        |    |                                |      |       |                                 |      |       |
| ONA        | 3/44 96                          | 4000 | 03        | ouns .                        | 9/13   | 54 |                                |      |       |                                 | , 14 |       |
| ADDITIONAL | ZND                              | PA,  | PKI       | ry spack                      | 1,1    | 17 |                                |      |       |                                 |      |       |
| AD         | BEEL )                           | E KA | Ų.        | ( ) N                         | 1      |    |                                |      | 716   | 2                               |      |       |
|            | p                                | 1    |           | 1112                          | 170    |    |                                |      | 7     | K 2 / 12 11 35                  |      |       |

### PERMIT

### CITY OF NAPOLEON - BUILDING DEPARTMENT

| 015 48 255 West Riverview Avenue, Na   | 70.00.11  |  | -                      |                                |  |
|--|---|--|------------------------|--------------------------------|--|
| Permit No  | FEES  | BASE   | PLUS                   | TOTAL                          |  |
| Job Location 620 HUDDLE RDI  | BUILDING  | 9,00   | 8,00                   | 97.00                          |  |
| Lot 2 Country SIDE FITATES  Sub-div or legal discript  | ELECTRICAL  | 15,00  | 45,00                  | 60.00                          |  |
| Issued By Duilding official  | PLUMBING  | 7.00   | 15,00                  | 24,00                          |  |
| Owner BECK'S CONSTRUCTION tel.   | MECHANICAL  | 18.00  | ,00                    | 18,00                          |  |
| Agent BECKS CONSTRUCTION 592-8307  | DEMOLITION  |  |                        |                                |  |
| builder-eng-etc. tel.  Address // 62 2 RO M  | ZONING  | 5,00   | ,00                    | 5,00                           |  |
| Description of Use RESIDENCE   | SIGN  |  |                        |                                |  |
|  | XWATER TAP  | 300,00   | 100                    | 300,00                         |  |
| Residentialno. dwelling units  | SEWER TAP   | 60,00  | 100                    | 60,00                          |  |
| CommercialIndustrial   | ≪TEMP. ELECT.   | 10,00  | 00                     | 10,00                          |  |
| NewAdd'nAlterRemodel Mixed Occupancy   | ADDITIONAL PLAN   | Struct.  | hrs _                  |                                |  |
| Change of Occupancy  | REVIEW  | Electhrs   |                        |                                |  |
| Estimated Cost \$ 30,000,00  | TOTAL FEES  |  |                        |                                |  |
| Estimated Cost \$ 30,000   | 1   |  | • • • • • • • • • • •  |                                |  |
| Estimated Cost \$ 50,000   | LESS MIN. FE  | date   |                        |                                |  |
| ZONING INFORMATION   |   | ES PAID  |                        |                                |  |
| ZONING INFORMATION  district for dimensions area  72' × 206,57' 14,873   |   | date<br>E  |                        | rear yd                        |  |
| ZONING INFORMATION  district for dimensions area 72/ X 206.57/ 14.877 max hgt no pkg spaces no ldg spaces  | BALANCE DU  | Gate<br>E  |                        |                                |  |
| ZONING INFORMATION  district for dimensions area 72/ × 206.57/ 14.877 max hgt no pkg spaces no ldg spaces 35/ 2-MIN 3  | front yd  | ### date  ###################################                                |                        | rear yd                        |  |
| ZONING INFORMATION  district for dimensions area  72/ × 206,57/ 14,877  max hgt no pkg spaces no idg spaces  35/ 2-MIN 3   | front yd 30' max cover petition   | ### date  ###################################                                |                        | rear yd<br>14,5<br>date appr   |  |
| ZONING INFORMATION  district for dimensions area 72/ 206,57/ 14,877  max hgt no pkg spaces no ldg spaces 35' 2-MIN 37  WORK INFORMATION; 24' [2]  Size: Length 47/ Width 24/ Store   | front yd 30' max cover petition   | side yd L-8,21 R,2 or appeal reg'd   | 7,77 /3                | rear yd<br>14,5 /<br>date appr |  |
| ZONING INFORMATION  district fot dimensions area 72/ 206.57/ 14.877  max hgt no pkg spaces no ldg spaces 35/ 2-MIN 3   | front yd 30' max cover petition Fies  | aide yd L-8,21 R,2 or appeal req'd   | 7.77 /3<br>288<br>/008 | rear yd<br>14,5 /<br>date appr |  |
| ZONING INFORMATION  district for dimensions area 72/x 206,57/ 14,873  max hgt no pkg spaces no ldg spaces 2-MIN 3  WORK INFORMATION: 724/ 12/ Size: Length 42/ Width 24/ Stor Height 14/ Building Volume (for der Electrical: 100 AMP QUERHEAD SER   | front yd  front yd  go'  max cover petition  ries                                       | aide yd L-8,21 R,2 or appeal req'd   | 7.77 /3<br>288<br>/008 | rear yd 4,5-1 date appr        |  |
| ZONING INFORMATION  district   Sot dimensions   area   | front yd 30' max cover petition ries  | side yd  L-8,21 R,2 or appeal req'd  ARAGE und Floor Area                    | 7.77 /3<br>288<br>/008 | rear yd (4,5-) date appr       |  |
| ZONING INFORMATION  district for dimensions area  72' X 206,57' 14,873  max hgt no pkg spaces no ldg spaces  35' Z-MIN   WORK INFORMATION:  24' (2' Size: Length +2' Width 24' Stor  Height 14' Building Volume (for der  Electrical: 100 AMP OUFRHEAD SER  brief description  Plumbing: 1- BATH KITCHEN +  brief description  | front yd 30' max cover petition ries  | aide yd L-8,21 R,2 or appeal req'd   | 7,77 /3                | rear yd  4,5-/ date appr       |  |
| ZONING INFORMATION  district for dimensions area   | front yd 30' max cover petition ries  | side yd  L-8,21 R,2 or appeal req'd  ARAGE und Floor Area                    | 7,77 /3                | rear yd  4,5-/ date appr       |  |
| ZONING INFORMATION  district for dimensions area   | front yd  front yd  SO'  max cover petition  ries Grouno.  permit)  CAUNDRY  FURNACE 46 | aide yd L-8,21 R,2 or appeal req'd   | 7,77 /3                | rear yd  4,5-/ date appr       |  |
| ### ZONING INFORMATION    district   | front yd  front yd  SO'  max cover petition  ries Grouno.  permit)  CAUNDRY  FURNACE 46 | side yd  L-8,21 R,2  or appeal req'd  ARAGE  und Floor Area  IRCUITS         | 7,77 /3                | rear yd  4,5-/ date appr       |  |
| ### ZONING INFORMATION    district   | front yd 30' max cover petition ries  | aide yd  L-8,21 R,2 or appeal req'd  MRAGE und Floor Area  IRCUITS  HO 7 RIE | 7,77 /3                | rear yd  4,5-/ date appr       |  |
| ZONING INFORMATION  district   Sot dimensions   Area   Part   Par | front yd 30' max cover petition ries  | aide yd  L-8,21 R,2 or appeal req'd  MRAGE und Floor Area  IRCUITS  HO 7 RIE | 7,77 /3                | rear yd  4,5-/ date appr       |  |

|  | - |
|--|---|
|  |   |
|  |   |
|  |   |
|  |   |
|  |   |
|  |   |
|  |   |
|  |   |
|  |   |
|  |   |
|  |   |

### RESIDENTIAL PLAN CORRECTION SHEET

CITY OF NAPOLEON 255 West Riverview Avc. Napoleon, Ohio 43545 419 72-4010

ADDENDUM TO Permit No. 01548

Owner RECKIS CONSTRUCTION

Contractor RECKIS CONSTRUCTION

Location 620 HUDGLE RD,

Please note the items checked below and incorporate them into your plans as indicated: 

PERMIT NOT YET ISSUED, CORRECT PLANS AND RE-SUBMIT. 

PERMIT ISSUED, INCORPORATE ITEMS DURING CONSTRUCTION.

| -              | GENERAL  |                | Show size of members supporting porch roof.   |
|----------------|--|----------------|---|
| 4              | Provide approved smoke detector(s)as req'd.                                      |                | Provide double top plate for all bearing  |
| V              | Provide h gypsum wallboard between   | _              | partitions and exterior walls.  |
| 7              | dwelling and garage, on garage side.  Provide min. 1 3/8" solid wood door from   | _              | Provide design data for prefab wood truss.  |
|                | garage to dwelling. (or equal)   | -              | Ceiling joists undersized in  |
| - `†           | Submit fully dimensioned plot plan.  | _              | Roof rafters undersized in  |
|                | Provide min. of 1-3'0" x 6'8" exit door.   |                | PLUMBING AND MECHANICAL   |
| 1              | Provide min. 22" x 30" attic access opening.                                     | <b>⊌</b> ≃     | Terminate all exhaust systems to outside air  |
|                | Provide min. 18" x 24" crawl space access  | " ⋉            | Insulate ducts in unheated areas.   |
| - <del>j</del> | opening. Provide approved sheathing or flashing                                  | ×              | Provide backflow prevention device on all hose bibs.                                  |
| 4              | behind masonry veneer.   | X              | Terminate pressure and temperature relief valve drain in an approved manner.          |
| -              | Provide min. 15# underlayment on roof.   |                | Provide dishwasher drain with approved air  |
| -              | Provide adequate fixeplace hearth.   |                | gap device.   |
|                | Install factory built fireplaces/stoves according to manufacturers instructions. |                | METAL VENEERS   |
|                | Terminate chimney 2' above roof or 2' above highest point of building within     |                | Contact City Utilities Dept. to remove conductors and/or meter.                       |
|                | 10' of chimney.  |                | Provide approved system of grounding and bonding.                                     |
| -              | LIGHT AND VENTILATION  |                | ELECTRICAL  |
| 4              | Provide mechanical exhaust or window in athroom                                  |                | Show location of service entrance panel   |
| 1              | provide min. 623 sq. In. net free  | ~              | and service equipment panel.  |
|                | area attic ventilation. 1/2 @ E104E  |                | G. F. C. I. req'd. on temporary electric.   |
| X              | Provide min. 97 Sq. In. net free area crawl space ventilation. 1-3-0" FROM EA    |                | Outdoor, bathroom and garage recepticles shall be protected by G. F. C. I.            |
|                | FOUNDATION CORNER  | 1              | Maximum number of recepticles permitted on a G. F. C. I. circuit shall be 10 for      |
|                | Min. depth of foundationbelow finished grade is 32".                             |                | 20 A. circuits and 7 for 15A. circuits.   |
|                | Min. size of footer "x".   | V              | Refrigerators, microwaves, washers, disposal furnace and air conditioners shall be on |
| 1              | Provide anchor bolts 4" # 6' o.c. 1' from  |                | separate circuits.  |
| Χ              | each corner, Embedded 7" in concrete and   |                | INSPECTIONS   |
| -              | 15" in masonry.  |                | The following indicated inspections are   |
| -              | Show size of basement columns.   |                | required. The owner or his agent shall  |
| -              | Show size of wood girder in  | Standard & Sec | contact the City Building Dept. at least 24 hrs prior to the time the inspection      |
|                | Provide design data for structural member  |                | is to be made.  |
|                | in   | X              | Footers and Setbacks. Building sewer.   |
|                | Floor joists undersized in   | X              | Foundation. HVAC rough-in.  |
|                | Provide double joists under parallel   | X              | Plumbing rough-in. Final Building   |
|                | bearing partitions.  | X              | Plumbing final. other,  |
| X              | Provide 1" x 4" let in corner bracing, approved sheathing, or equal.             | X              | Electrical service.    Donony   Frank   |
|                | Show size of headers for openings over 4' wide                                   |                | Electrical final  |
|                |  |                |   |

HE GARAGE PROVIDE SOLID BLK + BRIDGIUG AS REQ. FOR ALL JOIST, MIN GIRDER SIZE 4-ZX85 PROVIDE EA DEPROOM WITH EXIT WINDOWS WITH CLIOPIS OF ZEMH, MIN ZOUW, MIN, 5 S.F. AREA MIN, The approval of plans and specifications does not permit the violation of any section of the Building Code or other City Ordinance. This addendum is attached to Permit No. 01548 and made a part there-of. DATE APPROVED OR DISAPPROVED 5-16-88 Checked by ECOOL HUBER Plan Examiner. DATE RECHECKED AND APPROVED\_\_\_\_\_ \_\_\_ Checked by\_

| W   |  |  |  |
|-----|--|--|--|
|     |  |  |  |
|     |  |  |  |
|     |  |  |  |
|     |  |  |  |
|     |  |  |  |
|     |  |  |  |
|     |  |  |  |
| es. |  |  |  |
|     |  |  |  |

|  | 0 |
|--|---|
|  |   |
|  |   |
|  |   |

### TAPPING PERMIT

Office of Water Works Napoleon, Ohio

| No. W -5-17-88  | Date           |
|---|----------------|
| Received of   |                |
| THEIL HUNDRED,  | Dollars        |
| Charge for tapping permit to supply water services    | to Lot No.     |
| Addition reasons 1 oct                                | E DIVI         |
| Street No. 120 HUDDLE RD                              | ,              |
| Tap Size Inch Cost_                                   | 160 -          |
| Plumber   |                |
|   |                |
|   |                |
| Clerk-Treasu  | rer            |
| Date completed 6-22-88 Lewise # 2                     | 214            |
| Bill Sefuites Open Lyst Water Distribution Department |                |
| Water not tur   | ned on 6-22-18 |
|   |                |

| Name Becks Construction  Street 620 Huddle  Old No.  New No. 8814  | _Size of Tap_<br> | Da            | te 6-22-88      | ( |
|--|-------------------|---------------|-----------------|---|
|  | W. Maume<br>St.   | 4             | St.             |   |
| Size and Kind of Main 8"A.C.  Location of Main 7 North of ph  Depth of Main 42  Distance from Hydrant/ 42 91  Distance to Curb Stop from Corp. 8 |                   | 7.16_1<br>St. | 1 Hydrigo 18    |   |
| Note:<br>Water not turned<br>on 6-22.88  | St.               | Huddle        | St.<br>Graceway | - |

Name Bocks Construction Size of Tap /" Street 620 Huddle Old No. New No. 8814 W. Maumer St. St. 1 442,50 Size and Kind of Main 8" A.C. Location of Main 7 North of pavement Depth of Main 4 2 Distance from Hydrant/Vaive Distance to Curb Stop from Corp.  ${\mathcal S}$ St. Graceway St.

| e · |
|-----|

# CERTIFICATE OF OCCUPANCY THE CITY OF NAPOLEON

| DEPARTMENT  | OF TASPECTION |
|-------------|---------------|
| ENGINEERING | DIVISION OF   |

| INSPECTION | the Building or Land as herein described complies with all the building dinances and with the provisions of the Zoning Ordinance. |                                       | E.H.A. Address 11-622 CO. Rd. M                                       | Construction Address 11-622 Co. Rd. M | Bldg. Permit No. 01548 |   | This certificate is issued by the City Building Inspector, as provided by law, and is to certify nat construction is completed substantially in conformity with the approved plans and ermission is hereby granted to occupy such building in compliance wth such legal use and exupancy as authorized under the provisions of the ordinances of the City of Napoleon. | 1989                                | Signed Ill Signed Eldon City Building Inspector                           | Huber |  |
|------------|---|---------------------------------------|---|---------------------------------------|------------------------|---|--|-------------------------------------|---|-------|--|
|            | and health laws and ordinances and with the provisions of the Zoning Ordinance.   | Location of Occupancy 620 Huddle Road | Owner of Property Beck's Construction F.H.A. Address 11-622 Co. Rd. M | Issued to Beck's Construction         | Zoning "A"             | Substantial qualifications of occupancyNone | This certificate is issued by the City Building that construction is completed substantially in permission is hereby granted to occupy such occupancy as authorized under the provisions of  | Issued this 10 day of January 19.89 | This is a valuable record for owner or lessee and should be so preserved. |       |  |

## CITY OF NAPOLEON BUILDING INSPECTION DEPARTMENT APPLICATION FOR BUILDING PERMIT (Please print or type)

The undersigned hereby makes application for construction, installation, or alteration work as herein specified, agreeing to do all such work in strict accordance with the City of Napoleon's adopted Building Codes.

| Location of project Huddle Rol  | Cost of project 30 000   |
|---|--|
| Owner's Name Becke Const Co   | Address //622 R/M  |
| Contractor Bock's Coast Co  | Telephone No. 592 - 8307   |
| Address 11622 Rd M.   |  |
| Lot Information: (Not required for sid  | ing job)   |
| Lot No Subdivision (  | antryside Estates  |
|   |  |
| Zoning District Lot Size of Setbacks: Front Right Side  | Left Side Rear   |
| Work Information:   | 142  |
| Residential Commercia   | lIndustrial  |
| New Construction Addition   | 1  |
| Accessory Building  | 12   |
| Brief Description of Work:Afew  | (Specific Type)  |
| 47 24   | Kanch  |
| Size: Length 36 Width 42 N  |  |
| Area: 1st Floor 1008 sq. ft.  |  |
| 2nd Floor sq. ft.   | Accessory Bldgsq. ft.  |
| 3rd Floor sq. ft.   | Othersq. ft.   |
| Additional Information: New   | Ranch  |
|   |  |
| APPLICATION FOR PERMIT SHALL BE ACCOMPAINCLUDING: ELEVATIONS, FLOOR PLANS, CRADDITION OR REMODELING, SHOW ALL EXISTIL LOCATION. ALL PLANS SHALL BE DRAWN TO  Date | ROSS SECTIONS AND PLOT PLAN. IF<br>ING STRUCTURES AND THEIR SIZE AND<br>SCALE. |

# CITY OF NAPOLEON BUILDING INSPECTION DEFARTMENT APPLICATION FOR ELECTRICAL PERMIT (Please print or type)

| The undersigned hereby makes application for installation or replacement of electrical equipment as herein specified, agreeing to do all such work in strict accordance with the City of Napoleon's adopted Electrical Codes.  |      |
|--|------|
| Owner's Name Address   |      |
| Electrical Contractor Telephone No   |      |
| Address  | PERM |
| General Contractor Telephone No  | IIM  |
| Address  | NO.  |
| Location of Project Cost of Project  |      |
| Work Information:  |      |
| Residential Commercial Industrial No. Units  |      |
| New Service Change Rewiring Additional Wiring  | 1    |
| Brief Description of Work: New Ranch   | -    |
|  | ERMI |
| Size of proposed service entrance 100 Pm Number of new circuits 15   | 17 F |
| Type of proposed service entrance Underground Overhead   | FEE  |
| Require Temporary Electric (Yes or No)   | 45   |
| Total Floor Area - Commercial and Industrial only sq. ft   |      |
| Additional Information:  |      |
|  |      |
| *Ground fault circuit interrupter protection is required on all 120-volt single phase, \$25 and \$20 amp. Circuits which are part of a temporary electric service: and also on bathroom, outdoor, and garage receptacles in all dwelling units. Art. \$20-8 N.E.C.  Application for permit shall be accompanied by two complete sets of plans including: Electrical layout and riser diagram. (For commercial and industrial work only). | 1    |

## CITY OF NAPOLEON BUILDING INSPECTION DEPARTMENT APPLICATION FOR PLUMBING PERMIT (Please print or type)

The undersigned hereby makes application for the installation or replacement of plumbing work as herein specified, agreeing to do all such work in strict accordance with the City of Napoleon's adopted Plumbing Codes. (1, 2 and 3 family dwelling units only).

| Owner's Name  | Address                |
|---|------------------------|
| Plumbing Contractor   |                        |
| Address   |                        |
|   | Telephone No           |
| Address   |                        |
| Location of Project   | Cost of Project        |
| Work Information:   | ק. ק.                  |
| No. of dwelling units New Replacement                                     | Addition MI H          |
| Brief description of work: New Ranch                                      | T P NO                 |
|   |                        |
| Is water tap required VPS Size Type of                                    | Pipe Dlastic           |
| Is sewer tap required \( \frac{105}{05} \) Size \( \frac{4}{1} \) Type of | Pipe Alastic           |
| Type of Water Distribution pipe 3   | 0/astic                |
| Type of Drainage, Waste and Vent Pipe                                     | Plastic                |
| Size of main building drain Size of m                                     | 1 /                    |
| Water closets / Bathtubs / 2 s  | Shower O               |
| No. Trap Size   | No. Trap Size          |
| Lavatories  | Disposal No. Trap Size |
| Dishwasher Clothes Washer   | Other                  |
| No. Trap Size No. Trap  | No. Trap Size          |
| All installations are subject to plumbing tests and/or inspe              | ections.               |
|   | 2/1/1/                 |
| Date_5///88 Applicant's Signature   | word of Word           |
|   |                        |

|   | ." |
|---|----|
|   |    |
|   |    |
|   |    |
|   |    |
|   |    |
|   |    |
|   |    |
|   |    |
|   |    |
|   |    |
|   |    |
| • |    |
|   |    |
|   |    |
|   |    |
|   |    |
|   |    |
|   |    |
|   |    |
|   |    |
|   |    |

2 100 run 7-28-76

# CITY OF NAPOLEON BUILDING INSPECTION DEPARTMENT APPLICATION FOR HEATING PERMIT (PLEASE PRINT OR TYPE)

The undersigned hereby makes application for the installation, repla or alteration of a heating system or device as herein specified, agr to do all such work in strict accordance with the City of Napoleon's adopted Mechanical Code for 1, 2 and 3 Family Buildings. Owner's Name Contractor's Name Address BUILDING INFORMATION: Single Family Double Family Multiple New Construction Addition Remodel Replacement No, of Stories DESCRIPTION OF WORK Heating System - Warm Air Hot Water Unit Heaters Unit Gas Heaters Type - Gravity Forced Radiant No. of Thermostatical Heating Zone Hot Water - One Pipe Two Pipe Series Loop Electric Heat - No. of Circuits Other Total Heat Loss of Area to be Heated Rated Capacity of Furnace/Boiler 65.000 No. of Furnaces No. of Hot Air Runs No. of Hot Water Radiators Type of Fuel Heating Units Located: Crawl Space Floor Level Suspended Roof or Exposed to Outside Air Attic APPLICATION FOR PERMIT SHALL BE ACCOMPANIED BY TWO COMPLETE SETS OF F INCLUDING: LOCATION OF FURNACE OR UNIT HEATERS AND SIZE AND LOCATION FEEDER DUCTS AND RETURN AIR DUCTS. ALL PLANS SHALL BE DRAWN TO SCALE ESTIMATED COST OF COMPLETED PROJECT: APPLICANT'S SIGNATURE

620 HUDDLR RD

CRICHY VOISTI OIC

RAFTED OK

FLOOR VOISTS OK

GIRDER DESIGN

LOADS FLOOR LL 40

06 10

CEIC CC 10


TOTAL 80 # P.S.F.

CONT. LOAD ARKA 11-4" × 80 # = 907 # P.L.FW

 $M = \frac{\omega c}{e} = \frac{907 \times 5.34 \times 534 \times 12}{8} = 38,949$ 

DEAM = 7-2×81 5= led = 4.5×7.252 = 29,566=1317 SPACERPY.


BIAN = 4-2×8 5 = ed? = 6×7,752 = 39,42 = 938 = f
BEAM OR



| LOCATION 620 FIELD CORRECTION NOTICE  ISSUED TO HUDDER AND/OR ALL RESPONSIBILE PARTIES.  Upon inspection, violations of the NAPOLE.  The following.  |                   |
|--|-------------------|
| ISSUED CORRECTION  |                   |
| HUDDE TO DECK!   |                   |
| ISSUED TO HUDDER AND/OR ALL RESPONSIBILE PARTIES.  Upon inspection, violations of COXIZA   |                   |
| Upon insper  | 28 x              |
| Timspection, violations of the Court   | 0125              |
| NOTICE DELIVERED TO  Upon inspection, violations of the NAPOCEON TONNY CORR Sec. 151, 13  PERMIT HOLDER AND/OR ALL RESPONSIBILE PARTIES.  Upon inspection, violations of the NAPOCEON TONNY CORR Sec. 151, 13  |                   |
| V D A "ICTON":   |                   |
| 6 AR   | N/A               |
| Upon inspection, violations of the <u>NAPOCEOU</u> Tonus (OPR Sec. 15), 33  The following orders are hereby issued for their correction:  PROVIDE TONED PARKING SPACES  ALL RESPONSIBILE PARTIES.  (ONIT OF SEC. 15), 33   | were in evidence. |
| MIN. SHOWN BESIDE  |                   |
| STONED PARKING SPACES RESIDE   | THR               |
| 31 X 201 THE 517E  | DIAM              |
| Norr   |                   |
| DINK KING  | 7.4R              |
| SPLASH BLOCKED   | SPACEP            |
| DIAC DIAC  |                   |
|  |                   |
| AND APPROVAL FOR INSPECTION ACCESS   | SWIOK             |
| PLEASE CALL FOR INSPECTION WHEN CORRECTIONS HAVE BEEN COMPLETED. ACCOMPLETED. ACCOM | ,                 |
| DATE 7- 13   |                   |
| DATE 9-13-88   | CEPTAL            |
| Plate.   | RRECTED           |
| INK - ORIGINAL COPY  |                   |
| PINK - ORIGINAL COPY WHITE - FIELD COPY YELLOW - FILE COPY   |                   |
| YELLOW - FILE COPY   |                   |
|  |                   |



### LOCATION 620 X 630 HUDDER ED PERMIT NO. OK 48 X 01521 ISSUED TO PERMIT HOLDER AND/OR ALL RESPONSIBILE PARTIES. NOTICE DELIVERED TO BECKY COUSTEDETON Upon inspection, violations of the DATACLES ROOMS CORR Sec. 151, 33 were in evidence. The following orders are hereby issued for their correction: PARKING SPACE P Elocato 111/13: 0467 7 00 8 WIDE 48×100 PLEASE CALL FOR INSPECTION WHEN CORRECTIONS HAVE BEEN COMPLETED. ACCEPTANCE AND APPROVAL BY AN INSPECTOR OF THIS DEPARTMENT IS REQUIRED AND MUST BE CORRECTED DATE 7-13-88 PINK - ORIGINAL COPY WHITE - FIELD COPY YELLOW - FILE COPY INSPECTOR



# NAPOLEON ENGINEERING & SURVEYING, INC.

Marc S. Gerken, P. E.
President

925 1/2 N. Scott St., P.O. Box 671 Napoleon, Ohio 43545 (419) 592-9661

May 26, 1988

City of Napoleon 255 W. Riverview Avenue Napoleon, Ohio 43545

Attention: Mr. Eldon H. Huber, Inspector

RE: Residence to be built @ 620 Huddle Road Lot 2 Countryside Estates Subdivision

Dear Sir:

I have inspected the site referenced above by having Mr. Beck excavate an area to the approximate elevation of the bottom of the proposed footings. Based on this inspection I feel the soil will support those loads to be imposed upon it in accordance with the attached sketches.

Please note that Section R-303 of C.A.B.O. and more particularly Figure No. R-303 does not require soils to support 2000 pounds per square foot (p.s.f.) it only notes that the illustrated minimum sizes are based on that allowable soil pressure. Based on those code requirements minimum sizes of footings for the proposed house if erected on 2000 p.s.f. soils would 12" wide for strip footings and 2'x2' for piers. Mr. Beck has consistently constructed footers 33% to 56% larger than those required by code.

I feel that the footings as proposed on the enclosed sketches, which will impose loads of approximately 1,000 p.s.f. on the soil, will be sufficient if reinforced as noted.

Regarding the window sizes for the bedroom windows I would acknowledge that the height of the opening is 2 inches less than the required minimum. It is also true that the opening is 14 inches wider than required and that the net area of opening is 5 square feet as required by code. I feel that the use of this window to comply with Sec R-211 could be approved by the building

THE MIN OPG HEIGHT IS ZIU AS PER SECTION R-ZIIIZ ALC MIN, DIM, Y AREAS MOST BR MET! IF MR BECK CAN SHOW THAT REMOVING THE STOPS WILL MEET THR ZIU HT, I WILL ACCEPT THR SIU WINDOWS, SUBDIVISIONS WATER WASTEWATER STORM DRAINAGE STRUCTURAL

FEASIBILITY STUDIES

PLAN DESIGN

CONSTRUCTION MANAGEMENT

|  | a a |
|--|-----|
|  |     |
|  |     |
|  |     |
|  |     |
|  |     |
|  |     |
|  |     |
|  |     |
|  |     |
|  |     |
|  |     |
|  |     |
|  |     |

City of Napoleon Page 2 May 26, 1988

official according to Section R-108 of C.A.B.O. Also the vinyl stops at the top of the inside track can be removed without a special tool to allow for some added height to the opening.

If you have any questions please call our office.

Sincerely,


NAPOLEON ENGINEERING & SURVEYING, INC.

Marc S. Gerken, P.E.

MSG:acc

Enclosure

| <sub>γ</sub> = ₹.₩. | i. 8 |
|---------------------|------|
|                     |      |
|                     |      |
|                     |      |
|                     |      |
|                     | •    |
|                     |      |
|                     |      |
|                     |      |
|                     |      |
|                     |      |
|                     |      |



|   |                      | Apply to Fig. 1. See Apply to the second sec | - T. A. A.   |  |
|---|----------------------|--|--|--|
| PAGE 1 LO                                   | T Z COUNTRYSIDE      | ESTATES  | PREPARED BY  | D.5.   |
|   | UNDATION DETAILS & L |  | Editor and the second  | -68  |
| 1 WALL                                      | FOOTINGS (BEARING    | )  | 4 Mg   |  |
| 2 NATHE 5                                   |                      |  |  | gels.<br>State   |
| 3 BACKF                                     |                      |  |  |  |
| 4   | 7.5                  |  |  |  |
| 5   |                      |  |  |  |
| 6   |                      | VAPOR BAPPIE   |  |  |
| 7   | 2000                 | STONE BACKFILL -   | 20.7   |  |
| .8 STOPE -                                  | 2000000              |  |  |  |
| 9 714                                       | 1 30 A 2 10 6        |  |  |  |
| 10 DRAID                                    | 8 ,00                | UNDISTURBED EA   |  |  |
| TILE  | 11 311 311 311 311   | 1-4" × 8" THICK<br>2- 12" REBAR C  | CONC. FOOTE  | السع   |
| 12  |                      | The same of the same of the same states and the same same same same same same same sam   | a zan la distribut gilaga en de de partico per en per a stagoli, selve en en estado printe   | No.  |
| 13  | LOADS.               | 8"xIL" COME. FTR. W/   | PAP (Material resigned to uninquist of Armanista establish or miletaring   | 2 6  |
| Foundat                                     | •                    |  | <u> </u>   |  |
| FLEOR<br>15                                 | 60 "                 | @ 10 50.FF   |  | and the same day and the same days in  |
| LIG WALL                                    | 160 "                | The second of the second secon | er og for till gjelde grendelse er og for er forskrivense kommelse og sjøre og for be  |  |
| 1.7   |                      | @10" " "   | Adrinatively community is recognished to recommend and re-   |  |
| Poof<br>18                                  | 120 "                | C 10 " "   | and the first of the second  |  |
| ්° ≤ රු <b>5</b> ර ලිල්                     | total dead load:     | = 713 pull   | the Marian de Contraction of the | to the same years and the same same same same same same same sam   |
| Partition grant and partition of the second |                      | and the state of t | The light world their relation of the section of the paper to a depart of papers.  | nagrin, ženiuro nudurbnjuga je   |
|   | LOADS.               | a e e e e e e e e e e e e e e e e e e e  | and the supplementary of the s | a language and the contract of |
| 21 FLOOR                                    | 227 0                | f. 6 40 + sq. FT.  | The Market of Charles of the Control of the American Common range areas  |  |
| 22 CEILING                                  | 100                  | . @ 20 * 1. 1.   | agan saidh a chiligean ag an air an air an an air an an air an an air an   |  |
| 23 <b>Poo</b> F                             |                      | « € Z5 * " "   | a hagailtaga quantum anno martino martino martino martino de marti |  |
| 24 SUB                                      | TOTAL DEAD LOAD      | = 657 ph   | and the second s |  |
| or ii                                       |                      | = 1365 p. 14 FOUND   | ATION LOAD   | Lagrania de la companya de la compan |
| 26  |                      |  |  | 4  |
| 27  | 1365 + 1.33 (14") =  | 1026 \$ SOFT SOIL BE   | ARING LON  | D  |
| 28  | = "                  |  |  |  |
| executive"                                  |                      |  | TYPE TO SEE  |  |

| 0.20   |  |  |  |
|--|--|--|--|
| TERMINET ME  |  |  |  |
| F  |  |  |  |
| 205.<br>5-88   |  |  |  |
| 5-88   |  |  |  |
|  |  |  |  |
| # 35 0 4-1   |  |  |  |
|  |  |  |  |
| 4.   |  |  |  |
|  |  |  |  |
|  |  |  |  |
|  |  |  |  |
|  |  |  |  |
|  |  |  |  |
|  |  |  |  |
|  |  |  |  |
|  |  |  |  |
|  |  |  |  |
|  |  |  |  |
|  |  |  |  |
| A STATE OF THE STA |  |  |  |
|  |  |  |  |
|  |  |  |  |
| TER w/   |  |  |  |
| 5.   |  |  |  |
| managental and a company of the managental and a company of the co |  |  |  |
|  |  |  |  |
| myttelegia patteria decempio milio ambalapado es   |  |  |  |
| 31   |  |  |  |
| Andrew Control of the |  |  |  |
| and the state of t |  |  |  |
|  |  |  |  |
| man de principal de servicion de la companya del companya del companya de la comp |  |  |  |
|  |  |  |  |
|  |  |  |  |
|  |  |  |  |
|  |  |  |  |
|  |  |  |  |
|  |  |  |  |
| rhát-agrifolónagotu, ita riumna - suathuriturjungganggi yés e  |  |  |  |
|  |  |  |  |
| Parlanding ladiformum interestable and partial or w  |  |  |  |
| 3  |  |  |  |
| nanga numu-managanda aga distrato yadidh sayaligan ya  |  |  |  |
|  |  |  |  |
|  |  |  |  |
| the second secon |  |  |  |
|  |  |  |  |
| over transferencementalistic eryla virusiya property per disepenya.  |  |  |  |
| <b>b</b>   |  |  |  |
| *  |  |  |  |
| 4.   |  |  |  |
| intertelectual fra agram organismi agram, som men samplingsto<br>vid   |  |  |  |
| DA   |  |  |  |
| 4 4  |  |  |  |
| estro. As a surestantement the development   |  |  |  |
| 2/2  |  |  |  |
| A VEGE   |  |  |  |

| · · · · · | * Bar a_ |
|-----------|----------|
|           |          |
|           |          |
|           |          |
|           |          |
|           |          |
|           |          |
|           |          |
|           |          |
|           |          |

| T | 10  |
|---|-----|
| 2 | ,   |
|   | ž 2 |

LOT Z COUNTRYSIDE ESTATES
FOUNDATION DETAILS & LOADINGS.

PREPARED BY R.D.S.

DATE 5-88

| 1  |  |
|--|--|
| 2  | PIER FOOTINGS  |
| 3  |  |
| 4  | The second secon |
| 5  | The state of the s |
| 5  |  |
| 7  | STONE FILL - VAPOR BAPRIER   |
| 8  | The officer of the state of the |
| 9  | 3-0'x 3-0"x 8" THICK I IA COUNTINGED CARTA   |
| . 10   | CONC. FOOT ER W  |
| and the second second  | 1/2" REBAR @ 12" o/c. 10 10 10 10 10 10 10 10 10 10 10 10 10   |
| the state of the second st |  |
| 12   | DEAD LOADS (3x3x8" CONC. FIR. W/4 CRS.   |
| 13   | FOUNDATION & HEADER 1402 165, 28" XIL" KIL" CONC. BLOCK & HEADER!  |
| 14   | FLOOR 810 " @ 10# 50. FT.  |
| 15   | WALL 1080 11 10 20 1 11  |
| 16   | CEILING 810 " @ 10 " "   |
| 17   | SUBTOTAL DEAD LOADS = 4102 165   |
| 18   | And the state of t |
| 19   | LIVE LOADS   |
| 20   | FLOOR 3240 165 @ 40# 50.FT.  |
| 21   | CEILING 1670 1 @ 20 11 11  |
| 22<br>(magazaran (mar (magazaran)  | SUBTOTAL LIVE LOADS = 4860 Ibs.  |
| 23   | TOTAL LIVE & DEAD = 8962 Ibs. LOAD.  |
| 24   |  |
| 25   | 8962 + 9 (3'x3') = 995.8 #/50.PT SOIL BEARING LOLD.  |
| 26   |  |
| 27   |  |
| 28   |  |
| executive*   |  |

|  | 1 1 1 |
|--|-------|
|  |       |
|  |       |
|  |       |
|  |       |
|  |       |
|  |       |
|  |       |
|  |       |

| APPLICATION FOR PERMIT T  | O TAP SEWER  |
|---|--|
| APPLICATION FOR PERMIT TO CONTRACTOR Becks TEL. 592-9  LOCATION OF CONNEC   | NO. SA 6056-88  BLDG. PERMIT 0/548  PERMIT FEE \$ 60,000  STREET BOND  DATE PAID 5-/6-88  For office use only  |
| Street and No. Huddle Sani  | The second secon |
| Lot No Subdivision Country  | Side Size of Tap 4   |
| Size and Type of Sewer 4''  | ALL WORK MUST BE INSPECTED   |
| Street to be opened-YesNoNo Opening bon   | d fee set by Engineer \$   |
| Street opening agreement approval date  | A  |
| certify that the sewer will be used only as i vill be connected.  Date Signature O  DO NOT WRITE BELOW T  INSPECTION RECO | wner-Builder-Agent  HIS LINE   |
| *   | Type of Sewer  |
| cocation Depth  |  |
| Inspected and Approved by:  | Type of Test   |
| Inspector   | Date Date  |
| additional information  |  |
|   | 7.17   |
| Send copy to:   | N 7  |
| SKETCH'OF INSTALLATION -ON BACK   |  |
|   |  |

| 9 |
|---|
|   |
|   |
|   |

