378 Independence CRT

CITY OF NAPOLEON - BUILDING DEPARTMENT

255 West Riverview Avenue, Napoleon, Ohio 43545 - 419-592-4010

	01725 Issued	4-17-89 date	- 1	1 26/3	FEES	BASE	PLUS	TOTAL		
Job Location	b Location 392 Independence Court		- *	BUILDING		9.00	231.20	240.20		
Lot_10				ELEC	CTRICAL	15.00	30.00	45.00		
Issued By Eldon Huber building official				PLUI	MBING	9.00	60.00	69.00		
	-K Development	tel.	- XX	MEC	HANICAL	18.00	6.00	24.00		
	Rt. 3 Co. Rd. O - Rupp Rosebrock	7.047	П	DEM	OLITIOŅ	pelplag				
b	puilder-engetc. 1684 Woodlands Di	- Д	ZON	ING ·						
72000	of Use Multi-fami	THE RESIDENCE OF		SIGN		Lypy .		Month E		
Build	ding No. 6	- Indiana		WATER	TAP * S	ee Note		1 10		
Residential	2 no. dwelling units	TOP TO VIDEO		SEWER	TAP * S	ee Note				
	lIndustrial				. Water	play.	4	5.00 10.00		
NewX	Add'nAlter	_Remodel		XTEMP.		Ohm ah	1 6 grift	Le deux-ronn. F		
Mixed Occu		110-140-1481			TIONAL	Struct.	hrs _	hrs		
	Occupancy	100	-	11111 10000		Elect.	hrs _	hrs		
						<u> </u>				
district	ZONING INFORMATION	think.	L			E	5016	Jane 1		
PB	lot dimensions 388.71'x280.92'	area 109,196	SF	front	yd st.	side Exist.	yds E	Judy")		
PB max hgt	lot dimensions 388.71'x280.92' no pkg spaces	area	max	front Exi cover	yd st. petition	side Exist.	yds E	rear yd xist.		
PB	lot dimensions 388.71'x280.92'	area 109,196		front Exi cover	yd st. petition PC #18	side Exist. or appeal req'd -79 - Pla	yds E	rear yd xist.		
PB max hgt 35 '	lot dimensions 388.71'x280.92' no pkg spaces	area 109,196	max	front Exi cover	yd st. petition PC #18 Apartm	side Exist. or appeal req'd -79 - Pla ent Devel	nned opment	rear yd xist.		
PB max hgt 35 '	lot dimensions 388.71'x280.92' no pkg spaces 4-min.	area 109,196 no idg spaces	max	front Exi cover	yd st. petition PC #18 Apartm Ga Se	side Exist. or appeal req'd -79 - Pla ent Devel	nned opment 624 r 932	rear yd		
PB max hgt 35 '	lot dimensions 388.71'x280.92' no pkg spaces 4-min. CRMATION:	area 109,196 no idg spaces	max 30	front Exi cover	yd st. petition PC #18 Apartm Ga Se	side Exist. or appeal req'd -79 - Pla ent Devel rage Floo	nned opment 624 r 932 a 1032	rear yd xist.		
PB max hgt 35 ' WORK INFO	lot dimensions 388.71'x280.92' no pkg spaces 4-min. CRMATION:	area 109,196 no idg spaces 29 Sing Volume (for diderground single-singl	max 30 tories_temo.r	front Exi cover	yd st. PC #18 Apartm Ga Se Grou	side Exist. or appeal req'd -79 - Pla ent Devel rage Floo cond Floo und Floor Are	nned opment 624 r 932 a 1032	rear yd Xist. date appr		
PB max hgt 35 ' WORK INFO Size: Lengt Heigh Electrical:	no pkg spaces 4-min. DRMATION: th 58 Width at 21 Buildin 2 - 100 amp un 4 baths - 2 ki	area 109,196 no ldg spaces 29 St g Volume (for d derground s brief description tchens - & brief description	max 30 tories_ demo. p servi	front Exi cover	yd st. petition PC #18 Apartm Ga Se Grou	side Exist. or appeal req'd -79 - Pla ent Devel rage Floo cond Floo und Floor Are	nned opment 624 r 932 a 1032	rear yd Xist. date appr		
PB max hgt 35 ' WORK INFO Size: Lengt Heigh Electrical: Plumbing:	lot dimensions 388.71'x280.92' no pkg spaces 4-min. DRMATION: th 58 Width at 21 Buildin 2 - 100 amp un 4 baths - 2 ki	area 109,196 no ldg spaces 29 St g Volume (for d derground s brief description tchens - & brief description	max 30 tories_ temo. p servi n 2 la n air r	front Exi cover	yd st. petition PC #18 Apartm Ga Se Grou	side Exist. or appeal req'd -79 - Pla ent Devel rage Floo cond Floo und Floor Are	nned opment 624 r 932 a 1032	rear yd Xist. date appr		
PB max hgt 35 ' WORK INFO Size: Lengt Heigh Electrical: Plumbing: Mechanical:	lot dimensions 388.71'x280.92' no pkg spaces 4-min. DRMATION: th 58 Width 2 - 100 amp un 4 baths - 2 ki Fired furnaces Dimensions	area 109,196 no ldg spaces 29 St g Volume (for d derground s brief description & 12 hot a brief description brief description	max 30 tories_ temo. p servi n 2 la n air r	front Exi cover)% 2 ces & undry	yd st. petition PC #18 Apartm Ga. Se. Grou	side Exist. or appeal req'd -79 - Pla ent Devel rage Floo cond Floo and Floor Area	nned opment r 624 r 932 a 1032	rear yd xist. date appr		
max hgt 35 ' WORK INFO Size: Lengt Heigh Electrical: Plumbing: Mechanical: Sign: type	lot dimensions 388.71'x280.92' no pkg spaces 4-min. DRMATION: th 58 Width 2 - 100 amp un 4 baths - 2 ki Fired furnaces Dimensions	area 109,196 no ldg spaces 29 St g Volume (for d derground s brief description tchens - & brief description & 12 hot a brief description	max 30 tories_ temo. p servi n 2 la n air r	front Exi cover)% 2 ces & undry	yd st. petition PC #18 Apartm Ga. Se. Grou	side Exist. or appeal req'd -79 - Pla ent Devel rage Floo cond Floo and Floor Area	nned opment r 624 r 932 a 1032	rear yd xist. date appr		
max hgt 35 ' WORK INFO Size: Lengt Heigh Electrical: Plumbing: Mechanical: Sign: type Additional in	lot dimensions 388.71'x280.92' no pkg spaces 4-min. DRMATION: th 58 Width 2 - 100 amp un 4 baths - 2 ki Fired furnaces Dimension	area 109,196 no ldg spaces 29 st g Volume (for d derground s brief description tchens - & brief description & 12 hot a brief description brief description - 2 story w	max 30 dories_ demo. p servi n 2 la n air r	front Exi cover)% 2 ces & undry runs.	yd st. petition PC #18 Apartm Ga. Se. Grou 20 circ	side Exist. or appeal req'd -79 - Pla ent Devel rage Floo cond Floo und Floor Are	nned opment r 624 r 932 a 1032	rear yd ixist. date appr		
PB max hgt 35 ' WORK INFO Size: Lengt Heigh Electrical: Plumbing: Mechanical: Sign: type Additional in * Not	lot dimensions 388.71'x280.92' no pkg spaces 4-min. DRMATION: th 58 Width 2 - 100 amp un 4 baths - 2 ki Fired furnaces Dimension onformation: 2 unit	area 109,196 no ldg spaces 29 st g Volume (for d derground s brief description tchens - & brief description & 12 hot a brief description brief description - 2 story w	max 30 dories_ demo. p servi n 2 la n air r	front Exi cover 2 permit) ces & undry runs.	yd st. petition PC #18 Apartm Ga. Se. Grou 20 circ	side Exist. or appeal req'd -79 - Pla ent Devel rage Floo cond Floo und Floor Are	nned opment r 624 r 932 a 1032	rear yd ixist. date appr		

INSPECTION RECORD

UNDERGROUND					H-IN			FINAL						
	Туре	Date	Ву	Туре	Date	Ву	Туре	Date	Ву	Туре	Date	Ву		
	Building Drains				54	Drainage, Waste & Vent Piping	5/30	Ex	Indirect Waste			& Vent Piping	3/21	1
S	Water Piping			nun.						Backflow Prevention	3/21	ř.		
PLUMBING	Building Sewer			Water Piping	5/10	到	Condensate Lines			Water Heater	3/21			
	Sewer Connection							ACL LONG S		FINAL APPROVAL	1/21	玉		
MECHANICAL	Refrigerant Piping			Refrigerant Piping		4	Chimney(s)			Grease Exhaust System				
	1 15.11.5			Duct Furnace(s)			Fire Dampers			Air Cond. Unit(s)				
	Ducts/ Plenums			Ducts/ Plenums			☐ Radiant Htr(s)☐ Unit Htr(s)			Refrigeration Equipment				
	1,0,10,11			Duct Insulation			Pool Heater			Furnace(s)				
	-			Combustion Products Vents			Ventilation ☐ Supply ☐ Exhst.			FINAL APPROVAL				
	Conduits & or Cable			Conduits/ Cable			□ Range □ Dryer			Temp Service Temp Lighting				
ELECTRICAL	Grounding & or Bonding			Rough Wiring	-		☐ Generator(s) ☐ Motors			Fixtures Lampholders				
	Floor Ducts Raceways			Service Panel Switchboard			□ Water Htr □ Welder			Signs				
LECI	Service Conduit			Busways Ducts			□ Heaters □ Heat Cable			Electric Mtr. Clearance				
Ш	Temporary Power Pole			Subpanels			□ Duct Htr(s) □ Furnace(s)			FINAL APPROVAL				
	Location, Set- backs, Esmt(s)			Exterior Wall Construction		5	Roof Covering Roof Drainage		5H	Smoke Detector		3		
	Excavation					1	Exterior Lath			Demolition (sewer cap)				
	Footings & Reinforcing						☐ Interior Lath ☐ Wallboard							
BUILDING	Floor Slab			Interior Wall Construction		5,	Fire Wall(s)			Building or Structure		51		
SUIL	Foundation Walls			Columns & Supports			Fireplace Chimney			5				
ш	Sub-soil Drain			Crawl Space □ Vent □ Access			Attic Access		54					
	Piles			Floor System(s)	12-2-	51				FINAL APPROVAL BLDG. DEPT.	9/11	5		
				Roof System		5,	Special Insp Reports Rec'd			Certificate of Occupancy Issued	9/11	5		
		INSPE	СТІС	ONS, CORRECTIO	NS, E	rc.	INSP	ECTIO	ONS,	CORRECTIONS, I	TC.			
ADDITIONAL														
ADDI	0.13.0					-						1		
	4.75					-						-		

APPLICATION

for

RESIDENTIAL BUILDING, ELECTRICAL, PLUMBING, MECHANICAL, PERMITS and DEMOLITION PERMIT

from the

CITY OF NAPOLEON - BUILDING DEPARTMENT

Entry No 255 West Rivervio	ew Ave. Napoleon,	Obio 43545 Pn. 419-592	-4010		
Permit No. 01725 Issued 4-17.09				Fees Plus	Total
Job Location Independence C	ourt	Ruilding	900	22,30	240.2
Lot 10 TLR Third Addi	tion		15:00	30	45,00
Issued Ry 🗇			- 62		
Owner P-K Develope went	Pn 592 -	0050 × Mechanica	18.00	100	7100
Address Rt.3 (o. Rd. O Napa	loun U	Cia Demolition	1		*********
Agent Rapp Rose brock	Рп 893-	7999 % Zoning			
Address 1689 Woodlands Dr.	Manne	Ohio Sign			******
Description of Use Quart Buck	*6	Hatne ton			
DUILDING NOUTH FAMILY RE	ES10EUCK	Sewer Tap	* SEE NOTE		
Residential		Tone Hall			
Residential no. dwelling units		YEMP. WATE	57.00		
Things: 181		Temp. Elec	10,00		10,00
NewXAdd'nAlter	_Remodel	Additional	struc	hrs	
Mixed Occupancy		plan			
			Elect.		
Change of Occupancy Estimated Cost \$ 104,000,000		Total Fees.			
		Less Min. A	ees Pd	 ate	
-ZONING INFORMATION district lat dispersion		Balance Due	***********	··	
P.R. 788 7.14 D.S. 1	area	front yd	side yds.		rear yd
max hgt no pkg spaces no ldg	7,196 S1F1 Spaces gas	cover petition	EXIIT,	<u> </u>	X157,
no pkg spaces no ldg	30 €	/ 6	P.C. 200 18	3-79	ate appr
		PLANTO A.	PARTHIERT	DECKL,	
WORK INFORMATION: BUILDING: Sarage Fl. Area 600	Racoment F1 /	ens 🐃	0 10	91	>
Size: Length 58 Width 29 Stories	2 Converse	rea	Second Floor A	rea <u>10</u>	\$
Height 2/ Building Values (for	ot name t	loor Area	- 1032	/ 	
Height 21 Building Volume (for Description of Work: 2 and 25	Geno. permit/	1 4	RESIDENC	K	cu. ft.
on concrete stab *	LOTE I	ond June	h with the	\$	
1:43-	79 FOR	KFAK (O) P	179 PE	RM 17 10)
, 6)	, , , , ,	sor, interpolation	EW 1016	CAD 16	FO,

ELECTRICAL: Electrical Contractor Bartels	Pn. 3 99-2992
Address 13-414 - Rd. S. P.O. Box 110 Wag of ear Oh.	② Estimated Cost \$ □ □ □ □ □
Type of work: New X Service change Rewiring Additional Wiring	
Size of service 100 A Underground X Overhead	No. of new circuits 20
Description of work: Resident 1 Wiring 100 A	IMP UNDERGROUND STERVICES
PLUMBING: Plumbing Contractor	Pn. <u>598-2921</u>
Address St. Rt. 108 W. Nopoleon Disio	Estimated Cost \$ 7300
Water Tan Pen Y Size Type of Pige 10/9/1/2	Water Dist. Pipe CURRER
San. Sewer Tap Req	Dr. Waste Vt. Pipe plassic
St. Sewer Tap Req. Y Size Type of Pipe	Street to be Opened
yes no 6. Main Went Pipe Size 2"	yes no <u>List Number of Plumbing Fixtures Below</u>
Water Closets 4 Bathtubs 2 Showers — Lavatories 4 Kitchen Sinks 2 D	Dishwasher 2 Clothes Washer &
Floor Drains 2 Other Fixtures: Type None	No
Description of Work: BUSIC Walter Stands & CAUNDA 4 - BATHS 2 - KITCHEWS + 2 CAUNDA	n hing
MECHANICAL: Mechanical Contractor <u>Earl Elling</u>	Pn. 598-8991
Address St. Rt. 108 W. Nandesn Chio	Estimated Cost POCAO
Heating System: Forced Air Y Gravity Hot Water Steam Uni	·
Type of Fuel: Electric Natural Gas Y Propane Wood Coal Solar	Geothermal Other
No. of Heat.Zones Hot Water:(One Pipe Two Pipe Series Loop) Electric	
No. of Hot Air Runs No. of Hot Water Radiators Total Heat Loss_50,472	Rated Capacity of Furnace/Boiler 40/98/
Location of Heating Units: Crawl Space Floor Level Attic Suspended Roof	Outside_ Other <u>42122</u>
Description of Work FIRED FURNACES 4 12 HO7 FIRE	TWO \$0,000 B.7.O. NATENS
DRAWINGS REQUIRED: All Applications must be Accompanied by Two Complete sets of Drawi FLOOR PLANS, STRUCTURAL FRAMING PLANS, EXTERIOR ELEVATIONS, SECTIONS and DETAILS, STA HEATING LAYOUT ETC. All plans shall be <u>DRAWN TO SCALE</u> . Show all existing structures Furnace Locations.	IK DEIRILS, ELELIKILAL LATODI, FLUMBING ISOMEIKILI
READ AND SIGN BELOW; The undersigned hereby makes application for a permit for all wo work in strict accordance with all applicable provisions of the current edition of the and Zoning Codes, the Napoleon Engineering Dept. Rules and Regulations, Standard Spec Napoleon Code of Ordinances.	e C.A.B.V. Building Lode, the Wapoleon Building ifications and other Pertinent Sections of the
0 +	Action not valid without signature

CITY OF NAPOLEON 255 West Riverview Avc. Napoleon, Chio 43545 419/592-4010

ADDENDUM TO PETELL NO. DITES Y 01724

OWNER P.K. DEUELOPMENT

CONTRACTOR PUPP ROSERPACIE

LOCATION 393 4391 INDEPENDENCE

P. We note the items checked below and incorporate them into your plans as indicated: PERMIT NOT YET ISSUED, CORRECT PLANS AND RE-SUBMIT. PERMIT ISSUED, INCORPORATE ITEMS DURING CONSTRUCTION.

1	GENERAL	1	_	les-					
X	Provide approved smoke detector(s) as req'd.	-	-	Show size of members	sup	porting perch roof.			
	Provide 5" gypsum wallboard between			Provide double top popartitions and exterm	late ior	for all bearing , walls.			
\dashv	dwelling and garage, on garage side.		X	Provide design data i	or	prefab wood truss.			
	Provide min. 1 3/8" solid wood door from garage to dwelling. (or equal)			Ceiling joists unders	size	d in			
	Submit fully dimensioned plot plan.			Roof rafters undersize	zed	in			
	Provide min. of 1-3'0" x 6'8" exit door.			PLUMBING AN	M C	ECHANICAL			
	Provide min. 22" x 30" attic access opening.		X	Terminate all exhaust	. sy	stems to outside ai			
7	Provide min. 18" x 24" crawl space access		4	Insulate ducts in unb	eat	ed areas.			
1	Provide approved sheathing or floating	5	<	Provide backflow prev hose bibs.	ent	ion device on all			
	Provide min. 15# underlayment on roof.		1	Terminate pressure an valve drain in an app	d t	emperature relief			
	Provide adequate fireplace hearth.			Provide dishwasher dr gap device.					
	Install factory built fireplaces/stoves according to manufacturers instructions.	-		METAL	VEN	EERS			
1	Terminate chimney 2' above roof or 2' above highest point of building within			Contact City Utilities Dept. to remove conductors and/or meter.					
4	io of chimney.			Provide approved system of grounding and bonding.					
7	LIGHT AND VENTILATION	-		Show location of service entrance panel and service equipment panel. G. F. C. I. req'd. on temporary electric.					
	Provide mechanical exhaust or window in bathroom								
	Provide min. 1976 Sq. In. net free area attic ventilation. 1/20 R106E	-							
	Provide min. Sq. In. net free area crawl space ventilation.	5	X	Outdoor, bathroom and shall be protected by	CA	TACE TECEPTICIAL			
T	FOUNDATION			Maximum number of rec	ent:	icles permissed			
	Min. depth of foundationbelow finished grade is 32".	_	\mathbf{v}	on a G. F. C. I. circ 20 A. circuits and 7	Bit	shall be to for			
-	Min. size of footer " x ".			Refrigerators, microw	aves	, washers, disposa			
T	Provide anchor holts b" a 6' a a		$\langle $	furnace and air condi separate circuits.	tion	oners shall be on			
9 1	TOUR COINEY, Embedded 7" is conserved and	Ϋ́	-						
4	15 in masonry.	-	-	INSPECTIONS					
+	Show size of basement columns.			The following indicated inspections are required. The owner or his agent shall contact the City Building Dept. at least					
+	FRAMING	57.954	!						
	Show size of wood girder in		- 1	<pre>24 hrs prior to the t: is to be made.</pre>	ine	the inspection			
	Provide design data for structural member in			Focters and Setbacks.	Т	Building sewer.			
1	Floor joists undersized in			Foundation.	X				
-	Provide double joists under parallel		X	Plumbing rough-in.	-	Final Building			
1	bearing partitions.			Plumbing final.		other,			
1	Provide 1" x 4" let in corner bracing, approved sheathing, or equal.		\neg	Electrical service.	X	BUILDING FRAMI			
	Show size of headers for openings over			Electrical rough-in. Electrical final					
	4' wide		1	Fiferized Ilbel	1				

PROVIDE 1-HR FIREWALL FLOOR TO ROOF BYON UNITS

BEDEOON FXIT WINDOWS MIN OPEN AIRER STOSIF, MIN CHERIC

OPEN HT 74" WIOTH 70"

The approval of plans and specifications does not permit the violation of any section of the Building Code or other City Ordinance. This addendum is attached to Permit No. $\frac{01724}{01724}$ and made a part there-of. DATE APPROVED OR DISAPPROVED $\frac{4-19-89}{4}$ Checked by $\frac{FLDON}{Plan}$ Examiner.

		1
		¥. =

ADDENDUM NO. 2

PERMIT #01725 & 01726

Item No. 1 - STAIRWAYS:

Minimum clear width inside finish 3'.

Item No. 2 - RAILINGS:

Height 30" to 34" above nosing.

Maximum opening in railings 6".

ITEM NO. 3 - STRINGERS

PROVIDE 3- STRINGERS IN LIEW OF 2 SHOWN ON PLANS

	¥ 8

