

PERMIT
 CITY OF NAPOLEON, OHIO - BUILDING DEPARTMENT
 255 West Riverview Avenue, Napoleon, Ohio 43545 - (419) 592-4010

Permit No. <u>3682</u> Issued <u>09/19/95</u> Job Location ^z <u>75 Lafayette</u> Lot _____ Issued by <u>Brent N. Damman</u> Owner <u>George Gubernath</u> <u>599-2648</u> Address XXXXXXX <u>75 Lafayette</u> Agent <u>Mock/Buehrer</u> <u>592-0825</u> Address <u>1227 Dodd St. Napoleon, OH</u> Use Type - Residential <u>X</u> Other - Describe _____ No. Dwelling Units _____ New _____ Replacement _____ Add'n. <u>X</u> Alter _____ Remodel _____ Fixed Occupancy _____ Change of Occupancy _____ Estimated Cost \$ <u>600.00</u>	FEES	BASE	PLUS	TOTAL
[<input checked="" type="checkbox"/>] Building	\$	9.00	\$ 40.00	\$ 49.00
[<input checked="" type="checkbox"/>] Electrical	\$		\$ 9.00	\$ 9.00
[<input type="checkbox"/>] Plumbing	\$			
[<input type="checkbox"/>] Mechanical	\$			
[<input type="checkbox"/>] Demolition	\$			
[<input type="checkbox"/>] Zoning	\$			
[<input type="checkbox"/>] Sign	\$			
[<input type="checkbox"/>] Water Tap	\$			
[<input type="checkbox"/>] Sew. Insp.	\$			
[<input type="checkbox"/>] Sewer Tap	\$			
[<input type="checkbox"/>] Temp. Water	\$			
[<input type="checkbox"/>] Temp. Elec.	\$			
				TOTAL FEES.....\$ 58.00
				LESS FEES PAID.....\$
				BALANCE DUE.....\$

ZONING INFORMATION

district	lot dimensions	area	front yd	side yd	rear yd
max hgt	no pkg spaces	no ldg spaces	max cover	petition or appeal req'd	date appr

WORK INFORMATION

Size: Length _____ Width _____ Stories _____ Ground Floor Area _____
 Height _____ Building Volume (for Demo. Permit) _____
 Electrical: _____
 Plumbing: _____
 Mechanical: _____

PAID
 SEP 22 1995
 CITY OF NAPOLEON

Additional Information: Closet addition

Date 9-19-95 Applicant Signature *[Signature]*




PEACHTREE

DOORS AND WINDOWS

GEORGE GUBERNATH
75 LAFAYETTE DR.
NAPOLEON, OH 43545
599-2648

EXISTING HOUSE



ELECTRIC - / BASE HEATER
/ LIGHT

4280 EAST ROAD
LIMA, OHIO 45807
(419) 331-4015
WATS 1-800-783-5005
FAX (419) 331-2202




RN BUILDING MATERIALS

711 HADLEY DR.
COLUMBUS, OHIO 43228
(614) 272-5577
WATS 1-800-370-9470
FAX (614) 272-6815

NAPOLEON BUILDING DEPARTMENT (SAMPLE DRAWING)

VENTS

- ROOFING ASPHALT
- UNDERLAYMENT 15# FELT
- SHEATHING 7/16 OSB



- 2x 6 RAFTERS @ 16" O.C.
- 2x 6 CEILING JOISTS @ 16" O.C.

Blown Cellulose
CEILING INSULATION
1/2 DRYWALL
FINISH CEILING

TYPE OF FRAMING LUMBER

DBL 2x10
SIZE OF HEADERS

3/4 OSB T/C
SUB FLOOR

2x 10 FLOOR JOISTS @ 16" O.C.

2x 10 50C10 BLK

N/A
2x 2x GIRDER

1 1/2" x 10" ANCHOR BOLTS

FOOTING WITH REBAR @ 8" O.C.

DATE

WALL SECTION - ~~BRICK~~ VINYL VENEER

DWG N° OF

