

PERMIT

CITY OF NAPOLEON, OHIO — DEPT. OF BUILDING & ZONING
255 W. Riverview Avenue, Napoleon, Ohio 43545 (419) 592-4010

Permit No. 004 Date Jan. 3, 1980
 Job Location 616 Leonard Valuation \$ 250.00
 Owner Harold Jennings Address 616 Leonard
 Contractor Sherm Smith Name Telephone No. 592-7791
 Address Route 2, Napoleon, Ohio
 Electric Contractor _____
 Plumbing Contractor _____
 Mechanical Contractor _____

This permit is issued for work described in the plans, specifications, and/or application submitted, as approved by the Building Commissioner of the City of Napoleon, Ohio. Work shall conform to all pertinent construction and land use Codes and Ordinances.

Work Information:

Residential No. dwelling units Commercial _____ Industrial _____
 New Construction _____ Addition _____ Remodel
 Brief Description of Work Service change and 4 new circuits

ISSUED BY R.E. Johnson Building Official DEPT. OF BUILDING & ZONING

It is the owners or contractors responsibility to call the Building Department for the following (X) inspections:

- Footing excavation prior to placing concrete.
- Footing drains and foundation prior to backfill.
- Prepared sub-grade prior to placing concrete floor slab.
- Sanitary sewer
- Rough-in electrical, plumbing and service framing prior to installing wall board.
- Final electrical, plumbing and heating.
- Final building inspection, prior to occupancy.

PERMIT & FEES

Building Permit	\$ _____
Electrical Permit	\$ <u>9.00</u>
Plumbing Permit	\$ _____
Mechanical Permit	\$ _____
Demolition Permit	\$ _____
Zoning Permit	\$ _____
Sign Permit	\$ _____
Water Tap	\$ _____
Sewer Tap	\$ _____
Temp. Elec.	\$ _____
Other _____	\$ _____
TOTAL FEES	\$ <u>9.00</u>
LESS FEES PAID	\$ <u>-0-</u>
BALANCE DUE	\$ <u>9.00</u>

Permit is not valid until all fees are paid in full, and shall be void if work is not started within six months of date above.

JUL 25 1980
CITY OF NAPOLEON

PERMIT

CITY OF NAPOLEON, OHIO — DEPT. OF BUILDING & ZONING

255 W. Riverview Avenue, Napoleon, Ohio 43545 (419) 592-4010

004

Permit No. _____ Date Jan. 3, 1980

Job Location 616 Leonard Valuation \$ 250.00

Owner Harold Jennings Address 616 Leonard

Contractor Shera Smith Name Telephone No. 592-7791

Address Route 2, Napoleon, Ohio

Electric Contractor _____

Plumbing Contractor _____

Mechanical Contractor _____

This permit is issued for work described in the plans, specifications, and/or application submitted, as approved by the Building Commissioner of the City of Napoleon, Ohio. Work shall conform to all pertinent construction and land use Codes and Ordinances.

Work Information:

Residential Commercial _____ Industrial _____

New Construction _____ Addition _____ Remodel

Brief Description of Work Service change and 4 new circuits

ISSUED BY P. S. Johnson Building Official DEPT. OF BUILDING & ZONING

It is the owners or contractors responsibility to call the Building Department for the following (x) inspections:

- _____ Footing excavation prior to placing concrete.
- _____ Footing drains and foundation prior to backfill.
- _____ Prepared sub-grade prior to placing concrete floor slab.
- Sanitary sewer
- Rough-in electrical, plumbing and service framing prior to installing wall board.
- Final electrical, plumbing and heating.
- _____ Final building inspection, prior to occupancy.

PERMIT & FEES

Building Permit	\$ <u>9.00</u>
Electrical Permit	\$ _____
Plumbing Permit	\$ _____
Mechanical Permit	\$ _____
Demolition Permit	\$ _____
Zoning Permit	\$ _____
Sign Permit	\$ _____
Water Tap	\$ _____
Sewer Tap	\$ _____
Temp. Elec.	\$ _____
Other _____	\$ _____
TOTAL FEES	\$ <u>9.00</u>
LESS FEES PAID	\$ <u>0.00</u>
BALANCE DUE	\$ <u>9.00</u>

Permit is not valid until all fees are paid in full, and shall be void if work is not started within six months of date above.

PAID
JUL 25 1980
CITY OF NAPOLEON

*Work has not been
done as of 12/14/61. Mr. Smith
still plans to do it.*

INSPECTION RECORD

UNDERGROUND		ROUGH-IN				FINA'		
Type	Date	By	Type	Date	By	Type	Date	By
PLUMBING	Sewer Connection		Drainage, W. & Vent			Drainage, W. & Vent		
	Building Sewer		Water Piping			Water Heater		
	Water Piping		Condensate Lines			Backflow Prevention		
			Indirect Waste					
ELECTRICAL	Floor Ducts Raceways		Rough Wiring			FINAL APPROVAL		
	Conduits & or Cable		Conduits/ Cable			Electric Mtr. Clearance		
	Grounding & or Bonding		Service Panel			Signs		
			Subpanels					
MECHANICAL	Refrigerant Piping		<input type="checkbox"/> Range <input type="checkbox"/> Dryer			FINAL APPROVAL		
	Ducts/ Plenums		Refrigerant Piping			Duct Insulation		
			Ducts/ Plenums			Chimney(s)		
			Ventilation <input type="checkbox"/> Supply <input type="checkbox"/> Exhst.			Furnace(s)		
BUILDING	Location, Set-backs, Esmt(s)		Wall Construction			FINAL APPROVAL		
	Excavation		Crawl Space <input type="checkbox"/> Vent <input type="checkbox"/> Access			Fireplace Chimney		
	Footings & Reinforcing		Floor System(s)			Attic <input type="checkbox"/> Vent <input type="checkbox"/> Access		
	Sub-soil Drain		Roof System			Special Insp Reports Rec'd		
	Foundation Walls		Fire Wall(s)			Smoke Detector		
	Floor Slab		Roof Cover/ Roof Drain			Demolition (sewer cap)		
						Building or Structure		
FINAL APPROVAL		Certificate of				#		
BLDG. DEPT.		Occupancy Issued						

CITY OF NAPOLEON
BUILDING INSPECTION DEPARTMENT
APPLICATION FOR ELECTRICAL PERMIT
(please print or type)

004

\$9.00

The undersigned hereby makes application for installation or replacement of electrical equipment as herein specified, agreeing to do all such work in strict accordance with the City of Napoleon's adopted Electrical Codes.

Owner's Name HAROLD JENNINGS Address 616 LEONARD

Electrical Contractor SHERM SMITH Telephone No. 592 7791

Address RT. 2 NAP.

General Contractor _____ Telephone No. _____

Address _____

Location of Project _____ Cost of Project 250

Work Information:

Residential Commercial _____ Industrial _____

No. Units _____
New _____ Service Change Rewiring _____ Additional Wiring _____

Brief Description of Work: SERVICE CHANGE & 4 NEW CIRCUITS

Size of proposed Service Entrance 100A Number of new Circuits 4

Type of proposed Service Entrance _____ Underground _____ Overhead

Require Temporary Electric _____ (Yes or NO)

Total Floor Area - Commercial and Industrial only _____ sq. ft.

Additional Information: _____

*GROUND-FAULT CIRCUIT INTERRUPTER PROTECTION IS REQUIRED ON ALL 120-VOLT SINGLE PHASE, 15 AND 20 AMP. CIRCUITS WHICH ARE PART OF A TEMPORARY ELECTRIC SERVICE; AND ALSO ON BATHROOM, OUTDOOR, AND GARAGE RECEPTACLES IN ALL DWELLING UNITS. Art. 210-8 N.E.C.

*APPLICATION FOR PERMIT SHALL BE ACCOMPANIED BY TWO COMPLETE SETS OF PLANS INCLUDING: ELECTRICAL LAYOUT AND RISER DIAGRAM. (FOR COMMERCIAL AND INDUSTRIAL WORK ONLY).

Date 12-28-79 Applicant's Signature Sherman Smith

MARK
REMODEL

