

PERMIT

CITY OF NAPOLEON, OHIO — DEPT. OF BUILDING & ZONING
255 W. Riverview Avenue, Napoleon, Ohio 43545 (419) 592-4010

Permit No. 460 Date June 22, 1982
Job Location 225 East Main St. Valuation \$ 1,500.00
Owner Mrs. Thomas Werner Address 915 Lombard St.
Contractor Sherman Smith Telephone No. 592-7791
Address Rt. 2 Napoleon, OH
Electric Contractor _____
Plumbing Contractor _____
Mechanical Contractor _____

This permit is issued for work described in the plans, specifications, and/or application submitted, as approved by the Building Commissioner of the City of Napoleon, Ohio. Work shall conform to all pertinent construction and land use Codes and Ordinances.

Work Information:

Residential 1X Commercial _____ Industrial _____
No. dwelling units
New Construction _____ Addition _____ Remodel X
Brief Description of Work Upgrade service with new 100 amp panel. Rewire with 8 new circuits

ISSUED BY Richard J. Heyman DEPT. OF BUILDING & ZONING
Building Official

It is the owners or contractors responsibility to call the Building Department for the following (X) inspections:

- Footing excavation prior to placing concrete.
- Footing drains and foundation prior to backfill.
- Prepared sub-grade prior to placing concrete floor slab.
- Sanitary sewer
- Rough-in electrical, plumbing and service framing prior to installing wall board.
- Final electrical, plumbing and heating.
- Final building inspection, prior to occupancy.

PERMIT & FEES

Building Permit	\$ _____
Electrical Permit	\$ <u>13.00</u>
Plumbing Permit	\$ _____
Mechanical Permit	\$ _____
Demolition Permit	\$ _____
Zoning Permit	\$ _____
Sign Permit	\$ _____
Water Tap	\$ _____
Sewer Tap	\$ _____
Temp. Elec.	\$ _____
Other	\$ _____

TOTAL FEES \$ 13.00
LESS FEES PAID \$ _____
BALANCE DUE \$ _____

JUN 28 1982
CITY OF NAPOLEON

Permit is not valid until all fees are paid in full, and shall be void if work is not started within six months of date above.

PERMIT

CITY OF NAPOLEON, OHIO — DEPT. OF BUILDING & ZONING
255 W. Riverview Avenue, Napoleon, Ohio 43545 (419) 592-4010

Permit No. 460 Date June 22, 1982
Job Location 225 East Main St. Valuation \$ 1,500.00
Owner Mrs. Thomas Werner Address Lombard St.
Contractor Sherman Smith Name Address Rt. 2 Napoleon, OH Telephone No. 592-7791
Address _____
Electric Contractor _____
Plumbing Contractor _____
Mechanical Contractor _____

This permit is issued for work described in the plans, specifications, and/or application submitted, as approved by the Building Commissioner of the City of Napoleon, Ohio. Work shall conform to all pertinent construction and land use Codes and Ordinances.

Work Information:

Residential 1X Commercial _____ Industrial _____
No. dwelling units
New Construction _____ Addition _____ Remodel X
Brief Description of Work Upgrade service with new 100 amp panel. Rewire with 8 new circuits

ISSUED BY _____ Building Official DEPT. OF BUILDING & ZONING

It is the owners or contractors responsibility to call the Building Department for the following (x) inspections:

- Footing excavation prior to placing concrete.
- Footing drains and foundation prior to backfill.
- Prepared sub-grade prior to placing concrete floor slab.
- Sanitary sewer
- Rough-in electrical, plumbing and service framing prior to installing wall board.
- Final electrical, plumbing and heating.
- Final building inspection, prior to occupancy.

PERMIT & FEES

Building Permit	\$ <u>13.00</u>
Electrical Permit	\$ _____
Plumbing Permit	\$ _____
Mechanical Permit	\$ _____
Demolition Permit	\$ _____
Zoning Permit	\$ _____
Sign Permit	\$ _____
Water Tap	\$ _____
Sewer Tap	\$ _____
Temp. Elec.	\$ _____
Other	\$ _____

TOTAL FEES \$ 13.00

LESS FEES PAID \$ _____

BALANCE DUE \$ _____

Permit is not valid until all fees are paid in full, and shall be void if work is not started within six months of date above.

PAID
JUN 28 1982
CITY OF NAPOLEON



City of NAPOLEON, OHIO

255 RIVERVIEW AVENUE — (419) 592-4010

October 13, 1981

Mrs. Warner
915 Lombard
Napoleon, OH 43545

Mayor
Robert G. Heft

Re: Electrical inspection
225 E. Main

Clerk-Treasurer
Rupert W. Schweinhagen

Dear Mrs. Warner:

Members of Council
Lawrence Haase, President
James Jackson
William Young
Darel Austermilller
Darrell Fox
James Zumfelde

An electrical inspection was done at the request of John Fruchey, Fire Inspector, on October 12, 1981 at a rental property owned by you at 225 E. Main.

The following is a list of items found needing immediate repair:

City Manager
Alan E. Tandy

Law Director
Keith P. Muehlfeld

1. The electric meter at the rear of the house is only 60 amp service and should be raised to 100 amp service.
2. The electric meter is not fastened to the building.
3. The main disconnect box below the meter is loose and locked. A new hundred amp box shall be installed and fastened to the wall and box shall not be locked.
4. Main disconnect has no ground and no second ground to cold water pipe ahead of the water meter.
5. There are numerous open splices in the basement and the wiring is old and shall be replaced. Splices shall be made in boxes.
6. Basement lights have open connections. Lights shall be replaced with new and shall be attached to metal boxes.
7. All basement wiring shall be stapled to the under side of floor joists.
8. Dryer receptical in basement is loose from wall.


*corrected
2/17/82*

9. Range receptical in kitchen is loose from wall and has open splice in basement.
10. One receptical in kitchen. This receptical is used for refrigerator and toaster and light on extension cord.
11. Kitchen ceiling light not working.
12. Recepticals in dining room, living room are broken, not working or shorting out.
13. Lights in second floor shall not be on extension cords and lights are in faulty condition.
14. Wall switches in entire house are faulty.

The entire house shall be rewired to meet regulations of the National Electric Code. This situation shall be corrected within fifteen days of this notice or the electric service shall be discontinued.

Your cooperation and correction of this matter is appreciated.

Yours truly,



Richard G. Hayman
Building Commissioner

RGH:dd

CITY OF NAPOLEON
BUILDING INSPECTION DEPARTMENT
APPLICATION FOR ELECTRICAL PERMIT
(Please print or type)

The undersigned hereby makes application for installation or replacement of electrical equipment as herein specified, agreeing to do all such work in strict accordance with the City of Napoleon's adopted Electrical Codes.

Owner's Name MRS THOMAS WERNER Address LOMBARD

Electrical Contractor SHERM SMITH ELBERT Telephone No. 592 7791

Address RT 2 NAP

General Contractor _____ Telephone No. _____

Address _____

Location of Project 225 E MAIN Cost of Project 1500⁰⁰

Work Information:

Residential SINGLE 1 Commercial _____ Industrial _____

No. Units

New _____ Service Change X Rewiring X Additional Wiring _____

Brief Description of Work: _____

Size of proposed service entrance 100A Number of new circuits 8

Type of proposed service entrance _____ Underground _____ Overhead X

Require Temporary Electric _____ (Yes or No)

Total Floor Area - Commercial and Industrial only _____ sq. ft.

Additional Information: _____

*Ground fault circuit interrupter protection is required on all 120-volt single phase, 15 and 20 amp. Circuits which are part of a temporary electric service; and also on bathroom, outdoor, and garage receptacles in all dwelling units. Art. 210-8 N.E.C.

*Application for permit shall be accompanied by two complete sets of plans including: Electrical layout and riser diagram. (For commercial and industrial work only).

Date 6-22-82

Applicant's Signature Sherman Smith

PERMIT NO. 460
PERMIT FEE \$ 13.00