

PERMIT  
 CITY OF NAPOLEON, OHIO - BUILDING DEPARTMENT  
 255 West Riverview Avenue, Napoleon, Ohio 43545 - (419) 592-4010

Permit No. 3832 Issued 04/08/96  
 Job Location 746 W. Main St.  
 Lot \_\_\_\_\_  
 Issued by Brent N. Damman  
 Owner Robert D. Wulff 592-4315  
 Address 746 W. Main St.  
 Agent Faery Gary Mapley 264-1344  
 Address 17-557 Rd. G-1 Rt. #2  
 Use Type - Residential X Holgate, OH  
 Other - Describe \_\_\_\_\_  
 No. Dwelling Units \_\_\_\_\_  
 New X Replacement \_\_\_\_\_  
 Add'n. Alter Remodel \_\_\_\_\_  
 Change of Occupancy \_\_\_\_\_  
 Estimated Cost \$ 12,000.00

FEE	BASE	PLUS	TOTAL
<input checked="" type="checkbox"/> Building	\$ 9.00	\$ 52.00	\$ 61.00
<input type="checkbox"/> Electrical	\$	\$ 6.00	\$ 6.00
<input type="checkbox"/> Plumbing	\$	\$	\$
<input type="checkbox"/> Mechanical	\$	\$	\$
<input type="checkbox"/> Demolition	\$	\$	\$
<input type="checkbox"/> Zoning	\$	\$	\$
<input type="checkbox"/> Sign	\$	\$	\$
<input type="checkbox"/> Water Tap	\$	\$	\$
<input type="checkbox"/> Sew. Insp.	\$	\$	\$
<input type="checkbox"/> Sewer Tap	\$	\$	\$
<input type="checkbox"/> Temp. Water	\$	\$	\$
<input type="checkbox"/> Temp. Elec.	\$	\$	\$
TOTAL FEES.....			\$ 67.00
LESS FEES PAID.....			\$ 67.00
BALANCE DUE.....			\$ -0-

ZONING INFORMATION

district	lot dimensions		area	front yd	side yd	rear yd
max hgt	no pkg spaces	no ldg spaces	max cover	petition or appeal req'd		date appr

WORK INFORMATION

Size: Length 16' Width 24' Stories 1 Ground Floor Area \_\_\_\_\_  
 Height 8' Building Volume (for Demo. Permit) \_\_\_\_\_

Electrical: \_\_\_\_\_  
 Plumbing: \_\_\_\_\_  
 Mechanical: \_\_\_\_\_

Additional Information: Front side walk - Driveway - Footings & Slab  
16' x 24' Garage with 1' over hang

Date \_\_\_\_\_ Applicant Signature *[Signature]*





**APPLICATION FOR**

Residential, Building, Electrical, Plumbing, Mechanical, and Demolition Permit

FROM - The City of Napoleon, Ohio, Building Department

255 West Riverview Avenue; P.O. Box 151; Napoleon, Ohio 43545 - Telephone (419) 592-4010

ENTRY NO. \_\_\_\_\_

PERMIT NO. 3832 ISSUED 4-8-96

JOB LOCATION 246 W. Main St.

LOT \_\_\_\_\_  
(Subdivision or Legal Description)

ISSUED BY BND  
(Building Official)

OWNER Robert D. Wulff PHONE 593-4315

ADDRESS same 746 W. Main St.

AGENT Sam M. Galy PHONE 264-1344

ADDRESS 17-557 Rd. G-1 Rt. 2 Holgate

USE:  Residential  Commercial  Industrial  
 Other \_\_\_\_\_

WORK:  New  Addition  Replacement  Remodel

ESTIMATED COST = \$ 12,000.00

	Base	Plus	Total
<input checked="" type="checkbox"/> Building	\$ <u>9.00</u>	\$ <u>52.00</u>	\$ <u>61.00</u>
<input type="checkbox"/> Electrical	\$ _____	\$ <u>6.00</u>	\$ <u>6.00</u>
<input type="checkbox"/> Plumbing	\$ _____	\$ _____	\$ _____
<input type="checkbox"/> Mechanical	\$ _____	\$ _____	\$ _____
<input type="checkbox"/> Demolition	\$ _____	\$ _____	\$ _____
<input type="checkbox"/> Zoning	\$ _____	\$ _____	\$ _____
<input type="checkbox"/> Sign	\$ _____	\$ _____	\$ _____
<input type="checkbox"/> Water Tap	\$ _____	\$ _____	\$ _____
<input type="checkbox"/> Sewer Tap	\$ _____	\$ _____	\$ _____
<input type="checkbox"/> Temp Water	\$ _____	\$ _____	\$ _____
<input type="checkbox"/> Temp Elec.	\$ _____	\$ _____	\$ _____

Additional Plan Review: Structure \_\_\_\_\_ Hours \_\_\_\_\_  
Electric \_\_\_\_\_ Hours \_\_\_\_\_

TOTAL FEES . . . . . \$ 66.00  
Less Fees Paid . . . . . \$ 66.00  
BALANCE DUE . . . . . \$ \_\_\_\_\_

*ck # 444  
cash 66.00  
1.00*

*\$ 167.00*

**ZONING INFORMATION**

District	Lot Dimensions	Area	Front Yard	Side Yard	Rear Yard

Max Height	No. Pkg. Spaces	No. Ldg. Spaces	Max Cover	Petition or Appeal Required-Date

**WORK INFORMATION**

Building: Ground Floor Area X sq. ft. Basement Floor Area X sq. ft.  
 Garage Floor Area 384 sq. ft. 2nd Floor Area X sq. ft. Other \_\_\_\_\_ sq. ft.  
 Size: Length 16' Width 24' Stories 1 Height 8'  
 Building Volume (for Demolition Permit) X cubic feet

Description of Work: Frontside walk - Driveway - Footings + Slab - 16' x 24' Garage with 1' overhang.





**ELECTRICAL:** Contractor \_\_\_\_\_ Phone \_\_\_\_\_  
Address \_\_\_\_\_ ESTIMATED COST = \$ \_\_\_\_\_  
Type of Work: ( ) New ( ) Service Change ( ) Rewiring ( ) Add'l Wiring TEMPORARY ELEC. REQUIRED - ( ) Yes ( ) No  
Size of Service \_\_\_\_\_ Underground \_\_\_\_\_ Overhead \_\_\_\_\_ Number of New Circuits \_\_\_\_\_

Description of Work: \_\_\_\_\_

**PLUMBING:** Contractor \_\_\_\_\_ Phone \_\_\_\_\_  
Address \_\_\_\_\_ ESTIMATED COST = \$ \_\_\_\_\_

WATER TAP REQUIRED - ( ) Yes ( ) No Size \_\_\_\_\_ Type of Pipe \_\_\_\_\_ Water Dist. Pipe \_\_\_\_\_

SANITARY SEWER TAP REQUIRED - ( ) Yes ( ) No Size \_\_\_\_\_ Type of Pipe \_\_\_\_\_ Dr. Waste Vt. Pipe \_\_\_\_\_

STREET SEWER TAP REQUIRED - ( ) Yes ( ) No Type of Pipe \_\_\_\_\_ STREET TO BE OPENED - ( ) Yes ( ) No

Main Building Drain Size = \_\_\_\_\_ Main Vent Pipe Size = \_\_\_\_\_

**LIST NUMBER OF PLUMBING FIXTURES BELOW:**

Water Closets = \_\_\_\_\_ Bathtubs = \_\_\_\_\_ Showers = \_\_\_\_\_ Lavatories = \_\_\_\_\_ Kitchen Sinks = \_\_\_\_\_ Disposal = \_\_\_\_\_  
Clothes Washer = \_\_\_\_\_ Floor Drains = \_\_\_\_\_ Dishwasher = \_\_\_\_\_ Other \_\_\_\_\_ Total = \_\_\_\_\_

Description of Work: \_\_\_\_\_

**MECHANICAL:** Contractor \_\_\_\_\_ Phone \_\_\_\_\_  
Address \_\_\_\_\_ ESTIMATED COST = \$ \_\_\_\_\_

HEATING SYSTEM - ( ) Forced Air ( ) Gravity ( ) Hot Water ( ) Steam ( ) Unit Heaters ( ) Radiant ( ) Baseboard

TYPE OF FUEL - ( ) Electric ( ) Natural Gas ( ) Propane ( ) Wood ( ) Coal ( ) Solar ( ) Geothermal Other \_\_\_\_\_

NUMBER OF HEAT ZONES = \_\_\_\_\_ HOT WATER - ( ) One (1) Pipe ( ) Two (2) Pipes ( ) Series Loop

ELECTRIC HEAT - Number of Circuits \_\_\_\_\_ Number of Furnaces \_\_\_\_\_ Number of Hot Air Runs \_\_\_\_\_

Number of Hot Water Radiators \_\_\_\_\_ Total Heat Loss \_\_\_\_\_ Rated Capacity of Furnace/Boiler \_\_\_\_\_

LOCATION OF HEATING UNITS - ( ) Crawl Space ( ) Floor Level ( ) Attic ( ) Suspended ( ) Roof ( ) Outside

Description of Work: \_\_\_\_\_

**DRAWINGS REQUIRED:** All applications must be accompanied by two (2) complete sets of Drawings including Site Plans, Foundation Plans, Floor Plans, Structural Framing Plans, Exterior Elevations, Section and Details, Stair Details, Electrical Layout, Plumbing Isometric, Heating Layout, etc. All Plans shall be drawn to scale, show all existing structure on the Site Plans, and show electric panel and furnace locations.

**READ AND SIGN BELOW:** The undersigned hereby makes application for a Permit for all work described herein and agrees to complete the work in strict accordance with all applicable provisions of the current edition of the C.A.B.O. Building Code, the Napoleon Building and Zoning Codes, the Napoleon Engineering Department Rules and Regulations, Standard Specifications and other pertinent sections of the Napoleon Code of Ordinances.

Signature of Applicant *Scott A. Napley* Date 4/3/96

# Proposal

Page No.

of

Pages

## MEL LANZER CO.

2266 N. Scott St. P.O. Box 348  
 NAPOLEON, OHIO 43545  
 (419) 592-2801 (419) 592-9936

PROPOSAL SUBMITTED TO Gary Mapely		PHONE	DATE April 2, 1996
STREET 17-557 Rd. G-1, Rt. 2		JOB NAME Wulf - garage	
CITY, STATE AND ZIP CODE Holgate, OH 43527		JOB LOCATION 746 E. Main St., Napoleon	
ARCHITECT	DATE OF PLANS		JOB PHONE

We hereby submit specifications and estimates for:

We are quoting all labor & material for the following work at 746 E. Main Street in Napoleon. Work includes:

1. Remove foundation of old garage.
2. Remove sidewalks in front of house.
3. Scalp sod for new garage and driveway.
4. Haul away excess spoils and foundation.
5. Stone fill for driveway, walks, garage floor, and garage footer wall. Tonnage estimated is 50 ton.
6. Concrete work includes:
  - a. Garage footers with 2 #4 rebar continuous.
  - b. Garage floor is 4" thick with #10 wire mesh.
  - c. Walks (70'LF) at 4" thick - no reinforcing.
  - d. Driveway 10' wide x 30' long with #10 wire mesh and 4" of concrete.
7. Masonry - block foundation using 3 row - 6" block and 1 row of 4" block.
8. Anchor bolts in footer wall for wall plates.
9. Foundation insulation is 1½" thick x 2'0" high & runs continuous.
10. Grade disturbed areas of lawn after completing our work.
11. No seeding of lawn is included in our price.

**We Propose** hereby to furnish material and labor — complete in accordance with above specifications, for the sum of: Seven Thousand Two Hundred Ninety and 00/100----- dollars (\$ 7,290.00 ).

Payment to be made as follows:

10 days after receipt of invoice

All material is guaranteed to be as specified. All work to be completed in a workmanlike manner according to standard practices. Any alteration or deviation from above specifications involving extra costs will be executed only upon written orders, and will become an extra charge over and above the estimate. All agreements contingent upon strikes, accidents or delays beyond our control. Owner to carry fire, tornado and other necessary insurance. Our workers are fully covered by Workmen's Compensation Insurance.

Authorized  
Signature

*Romas M. Zgela*

Note: This proposal may be withdrawn by us if not accepted within 30 days.

**Acceptance of Proposal** — The above prices, specifications and conditions are satisfactory and are hereby accepted. You are authorized to do the work as specified. Payment will be made as outlined above.

Date of Acceptance: 4/3/96

Signature

*Mr. Fritz [Signature]*

Signature



RESIDENTIAL PLAN CORRECTION SHEET

CITY OF NAPOLEON
255 West Riverview Ave.
Napoleon, Ohio 43545
(419) 592-4010

ADDENDUM TO PERMIT NO. 3832
Owner Robert Wulff
Contractor Gary Maples
Location 746 W. Main

Please note the items checked below and incorporate them into your plans as indicated:

- [ ] Permit not yet issued, correct Plans and re-submit.
[ ] Permit issued, incorporate items during construction.

GENERAL

- Provide approved smoke detector(s) as req'd.
Provide 1/2" gypsum wallboard between dwelling and garage, on garage side.
Provide min. 1-3/8" solid wood door from garage to dwelling (or equal).
Submit fully dimensioned plot plan.
Provide min. of 1 - 3' 0" x 6' 8" exit door.
Provide min. 22" x 30" attic access opening.
Provide min. 18" x 24" crawl space access opening.
Provide approved sheathing or flashing behind masonry veneer.
Provide min. 15# underlayment on roof.
Provide adequate fireplace hearth.
Install factory built fireplaces/stoves according to manufacturer's instructions.
Terminate chimney 2' above roof or 2' above highest point of bldg within 10' of chimney.

LIGHT AND VENTILATION

- Provide mechanical, exhaust or window in bathroom
Provide min. sq. in. net free area attic ventilation.
Provide min. sq. in. net free area crawl space ventilation.

FOUNDATION

- X Min. depth of foundation below finished grade is 36".
X Min. size of footer 12" x 12".
X Provide anchor bolts, 1/2" @ 6' o.c. 1' from each corner. Embedded 7" in concrete and 15" in masonry. 18" bolts required
Show size of basement columns.

FRAMING

- Show size of wood girder in
Provide design data for structural member in
Floor joists undersized in
Provide double joists under parallel bearing partitions.
Provide 1" x 4" let in corner bracing, approved sheathing, or equal.
Show size of headers for openings over 4' wide

Additional corrections/comments:

- Show size of members supporting porch roof.
Provide double top plate for all bearing partitions and exterior walls.
Provide design data for prefab wood truss.
Ceiling joists undersized in
Roof rafters undersized in

PLUMBING AND MECHANICAL

- Terminate all exhaust systems to outside air.
Insulate ducts in unheated areas.
Provide backflow prevention device on all hose bibs.
Terminate pressure and temperature relief valve drain in an approved manner.
Provide dishwasher drain with approved air gap device.

EGRESS WINDOWS

- All bedroom windows shall have a min. net clear opening width of 20" and a min. net clear height of 24".
First floor bedrooms windows shall have a min. net clear opening of 5.0 s.f.. Second floor bedroom windows shall have a min. net clear opening of 5.7 s.f.

ELECTRICAL

- Show location of service entrance panel and service equipment panel.
G.F.C.I. req'd. on temporary electric.
Outdoor, bathroom, and garage receptacles shall be protected by G.F.C.I.
Max. number of receptacles permitted on a G.F.C.I. circuit shall be 10 for 20 A. circuits and 7 for 15 A. circuits.
Refrigerators, microwaves, washers, disposal, furnace and air conditioners shall be on separate circuits.

INSPECTIONS

- The following indicated inspections are req'd. The owner or his agent shall contact the City Bldg. Dept. at least 24 hrs. prior to the time the inspection is to be made.
X Footer & setbacks
X Foundation
Plumbing rough-in
Plumbing - final
Electrical service
Other
Electrical rough-in
X Electrical - final
Building sewer
HVAC rough-in
X Final building

The approval of Plans and Specifications does not permit the violation of any Section of the Building Code or other City Ordinance. This addendum is attached to Permit No. and made a part thereof.

Date ( ) approved ( ) disapproved Checked by





LOWE'S COMPANIES, INC.  
 DFD 0231  
 ESTIMATE

14/16 = 7/8

CUSTOMER NAME: GARUTH MAPLEY 264-1344

SALESMAN: NED HUBBLE  
 SALESMAN#: 50000

ESTIMATE NUMBER: 489 DATE ESTIMATED: 04/03/96 0231 34 04/03/96 08:31:26

QTY	ITEM	UNIT	DESCRIPTION
2	13280	ROL	SILLSEAL 3 1/2"X50'ROLL FOAMULAR
5	6705	EA	2X4X16 .40 TREATED GM2 CCA
10	6012	EA	2X4X16 SPF CONST QR STD
60	7021	EA	2X4X92 5/8 SPF STUD
2	9031	PC	2X10X10 PINE GM 1
3	9021	PC	2X8X8 PINE GM 1
2	57076	EA	24"X38"CLAD WND WHT LO E 2032CRES MODEL NUMBER: LDH12032W007
1	14620	EA	32" PRO STEEL DR UT FLUSH RH
22	15618	PC	ABTCD 8"OC 4X8 TEXT HD BD SIDING ✓
8	6015	EA	2X6X10 SPF NO2 AND BTR
17	12212	PC	7/16 O-S-B PANEL 24/16 ✓
2	10306	ROL	ROOF FELT 4 SQ. NO.15 ASPHALT
10	11688	PC	DRIP EDGE ALUM WH 4 1/2"X1"X10' MODEL NUMBER: 55-054
22	12212	PC	7/16 O-S-B PANEL 24/16 ✓
1	18837	EA	9X7 NON-INS STL GARAGE DR 200-9 ? MODEL NUMBER: GDS 200-9
18	10204	BDL	OC IMPERIAL BLACK CLASSIC 3/50
2	6017	EA	2X6X8 SPF NO2 AND BTR
1	6015	EA	2X6X10 SPF NO2 AND BTR
2	3564	PC	2"X8' BRICKMOULD MLDG PINE 190FJ
1	3562	PC	2"X10' BRICKMOULD MLDG PINE 190FJ
6	952	PC	1X6X10 #2 WHTWOOD BOARD
9	6809	EA	NAPCO WHITE SOLID SOFIT TRI 4"X12
9	6562	EA	NAPCO F CHANNEL WHITE
9	6563	EA	NAPCO 6" ALUM FASCIA PVC WHITE

Star Trusses



LOWE'S COMPANIES, INC.  
 DFO 0231  
 ESTIMATE

CUSTOMER NAME: GARUTH MAPLEY 264-1344

SALESMAN: NED HUBBLE  
 SALESMAN#: 50000

ESTIMATE NUMBER: 489 DATE ESTIMATED: 04/03/96 0231 34 04/03/96 08:31:26

QTY	ITEM	UNIT	DESCRIPTION
1	69457	BOX	NAIL COATED SINKER 25LB 16 D
1	69454	BOX	NAIL COATED SINKER 25LB 8 D
1	69462	BOX	NAIL ROOF GALV 25 LB 1 1/4 IN
3	69330	BOX	NAIL HARDERD SID GALV 5LB 2 1/2IN
1	69176	BOX	NAIL COATED SINKER 1LB 16D
2	6190	BOX	GP 1"OR 1 1/4" SS TRIM NL 1LB WHT

TOTAL EXCLUDING TAX, FREIGHT, AND DELIVERY CHARGES

\$1,916.80

*Trusses* 619.27

2536.07

*Tax* 152.17

\$ 2688.24

THIS ESTIMATE IS VALID UNTIL 07/01/96.

\_\_\_\_\_  
 MANAGER'S SIGNATURE

\_\_\_\_\_  
 DATE

THIS ESTIMATE IS NOT VALID WITHOUT MANAGER'S SIGNATURE.

THIS IS AN ESTIMATE ONLY. DELIVERY OF ALL MATERIALS CONTAINED IN THIS ESTIMATE ARE SUBJECT TO AVAILABILITY FROM THE MANUFACTURER OR SUPPLIER. QUANTITY, EXTENSION, OR ADDITION ERRORS SUBJECT TO CORRECTION. CREDIT TERMS SUBJECT TO APPROVAL BY LOWE'S CREDIT DEPARTMENT.

LOWES IS A SUPPLIER OF MATERIALS ONLY. LOWES DOES NOT ENGAGE IN THE PRACTICE OF ENGINEERING, ARCHITECTURE, OR GENERAL CONTRACTING. LOWES DOES NOT ASSUME ANY RESPONSIBILITY FOR DESIGN, ENGINEERING, OR CONSTRUCTION; FOR THE SELECTION OR CHOICE OF MATERIALS FOR A GENERAL OR SPECIFIC USE; FOR QUANTITIES OR SIZING OF MATERIALS; FOR THE USE OR INSTALLATION OF MATERIALS; OR FOR COMPLIANCE WITH ANY BUILDING CODE OR STANDARD OF WORKMANSHIP.

*Trusses 16" OC*

*17 - 16' 4/12 1'04 Common 32.09 ea.*

*2 - 16' 4/12 1'04 Gable 36.87 ea.*



# ACORD CERTIFICATE OF INSURANCE

ISSUE DATE (MM/DD/YY)

4/8/96

**PRODUCER**

Insurance & Risk Management Agencies of  
Ohio Inc.  
1401 S. Jefferson Avenue  
P. O. Drawer 700  
Defiance, Ohio 43512

THIS CERTIFICATE IS ISSUED AS A MATTER OF INFORMATION ONLY AND CONFERS NO RIGHTS UPON THE CERTIFICATE HOLDER. THIS CERTIFICATE DOES NOT AMEND, EXTEND OR ALTER THE COVERAGE AFFORDED BY THE POLICIES BELOW

**COMPANIES AFFORDING COVERAGE**

CODE SUB-CODE

COMPANY LETTER **A**

Westfield Insurance Company

COMPANY LETTER **B**

COMPANY LETTER **C**

COMPANY LETTER **D**

COMPANY LETTER **E**

**INSURED**

Gareth Mapley  
17-557 Rd. G-1  
Holgate, Ohio 43527

**COVERAGES**

THIS IS TO CERTIFY THAT THE POLICIES OF INSURANCE LISTED BELOW HAVE BEEN ISSUED TO THE INSURED NAMED ABOVE FOR THE POLICY PERIOD INDICATED, NOTWITHSTANDING ANY REQUIREMENT, TERM OR CONDITION OF ANY CONTRACT OR OTHER DOCUMENT WITH RESPECT TO WHICH THIS CERTIFICATE MAY BE ISSUED OR MAY PERTAIN, THE INSURANCE AFFORDED BY THE POLICIES DESCRIBED HEREIN IS SUBJECT TO ALL THE TERMS, EXCLUSIONS AND CONDITIONS OF SUCH POLICIES. LIMITS SHOWN MAY HAVE BEEN REDUCED BY PAID CLAIMS.

CO LTR	TYPE OF INSURANCE	POLICY NUMBER	POLICY EFFECTIVE DATE (MM/DD/YY)	POLICY EXPIRATION DATE (MM/DD/YY)	ALL LIMITS IN THOUSANDS	
	<b>GENERAL LIABILITY</b>				GENERAL AGGREGATE	\$
A	<input checked="" type="checkbox"/> COMMERCIAL GENERAL LIABILITY				PRODUCTS-COMP/OPS AGGREGATE	\$
	CLAIMS MADE <input checked="" type="checkbox"/> OCCUR.	34-3200	4/8/96	4/8/97	PERSONAL & ADVERTISING INJURY	\$
	OWNER'S & CONTRACTOR'S PROT.				EACH OCCURRENCE	\$ 500,000
	<b>AUTOMOBILE LIABILITY</b>				FIRE DAMAGE (Any one fire)	\$ 50,000
	ANY AUTO				MEDICAL EXPENSE (Any one person)	\$ 5,000
	ALL OWNED AUTOS				COMBINED SINGLE LIMIT	\$
	SCHEDULED AUTOS				BODILY INJURY (Per person)	\$
	HIRED AUTOS				BODILY INJURY (Per accident)	\$
	NON-OWNED AUTOS				PROPERTY DAMAGE	\$
	GARAGE LIABILITY					
	<b>EXCESS LIABILITY</b>				EACH OCCURRENCE	\$
	OTHER THAN UMBRELLA FORM				AGGREGATE	\$
	<b>WORKER'S COMPENSATION</b>				STATUTORY	\$
	AND					\$ (EACH ACCIDENT)
	EMPLOYERS' LIABILITY					\$ (DISEASE—POLICY LIMIT)
	OTHER					\$ (DISEASE—EACH EMPLOYEE)

DESCRIPTION OF OPERATIONS/LOCATIONS/VEHICLES/RESTRICTIONS/SPECIAL ITEMS

**CERTIFICATE HOLDER**

**CANCELLATION**

SHOULD ANY OF THE ABOVE DESCRIBED POLICIES BE CANCELLED BEFORE THE EXPIRATION DATE THEREOF, THE ISSUING COMPANY WILL ENDEAVOR TO MAIL 10 DAYS WRITTEN NOTICE TO THE CERTIFICATE HOLDER NAMED TO THE LEFT, BUT FAILURE TO MAIL SUCH NOTICE SHALL IMPOSE NO OBLIGATION OR LIABILITY OF ANY KIND UPON THE COMPANY, ITS AGENTS OR REPRESENTATIVES.

AUTHORIZED REPRESENTATIVE


John R. Brownlee








One of the "100 Best Companies to Work for in America"






Lowe's Project Design System, Store #231, Defiance, OH.  
Wed Jan 17 09:51:55 1996@  
Drawing: Plan View







Lowe's Project Design System, Store #231, Defiance, OH.  
Wed Jan 17 09:51:55 1996@  
Right View



The purpose of this view is to provide a general outline of the layout of the substructure for the side indicated above. Be sure that this design meets your needs and local building code requirements. A complete Project Package includes a Lowe's Project Planning Guide, Plan View, Front, Left, Right and Rear View, and Materials list. Please consult your local building department for your code requirements and nailing techniques.




Lowe's Project Design System, Store #231, Defiance, OH.

Wed Jan 17 09:51:55 1996@

The materials in this garage will cost \$2263.42


Drawing: 4-Dimensional View



The purpose of this view is to provide a three dimensional view of the garage. Have this checked by a qualified professional or building inspector. A complete Project Package includes a Lowe's Project Planning Guide, Plan View, Front, Left, Right and Rear View, and Materials list. Please consult your local building department for your code requirements and nailing techniques.



Lowe's Project Design System, Store #231, Defiance, OH.  
Wed Jan 17 09:47:51 1996@  
The materials in this garage will cost \$2147.34  
Drawing: 3-Dimensional View




The purpose of this view is to provide a three dimensional view of the garage.  
Have this checked by a qualified professional or building inspector.  
A complete Project Package includes a Lowe's Project Planning Guide, Plan View, Front, Left, Right and Rear View,  
and Materials list. Please consult your local building department for your code requirements and nailing techniques.






Lowe's Project Design System, Store #231, Defiance, OH.  
Wed Jan 17 09:51:55 1996@  
Left View



The purpose of this view is to provide a general outline of the layout of the substructure for the side indicated above. Be sure that this design meets your needs and local building code requirements. A complete Project Package includes a Lowe's Project Planning Guide, Plan View, Front, Left, Right and Rear View, and Materials list. Please consult your local building department for your code requirements and nailing techniques.



Lowe's Project Design System, Store #231, Defiance, OH.  
Wed Jan 17 09:51:55 1996@  
Front View




The purpose of this view is to provide a general outline of the layout of the substructure for the side indicated above. Be sure that this design meets your needs and local building code requirements. A complete Project Package includes a Lowe's Project Planning Guide, Plan View, Front, Left, Right and Rear View, and Materials list. Please consult your local building department for your code requirements and nailing techniques.



Lowe's Project Design System, Store #231, Defiance, OH.

Wed Jan 17 09:51:55 1996@

Back View




The purpose of this view is to provide a general outline of the layout of the substructure for the side indicated above. Be sure that this design meets your needs and local building code requirements. A complete Project Package includes a Lowe's Project Planning Guide, Plan View, Front, Left, Right and Rear View, and Materials list. Please consult your local building department for your code requirements and nailing techniques.





# NAPOLEON BUILDING DEPARTMENT (SAMPLE DRAWING)



VENTS  
 ROOFING  
 UNDERLAYMENT  
 SHEATHING

AIR SPACE  
 DRIP EDGE

GUTTER

1" CEILING HT.

FASCIA

1' OVERHANG

all vent soffit WITH VENTS @ 16" O.C.

None INSULATION

Hard board SIDING

7/16" SHEATHING

2x4 STUDS @ 16" O.C.

2x4" TREATED PLATE

1/2" x 18" ANCHOR BOLTS @ 6'-0" O.C.

FIN. GRADE

STONE FILL

FOUNDATION WALL

4" FT'G. DR. FILE

CONC. FT'G. WITH REBAR

12" MIN

Truss  
 2x4 RAFTERS @ 16" O.C.  
 2x11 CEILING JOISTS @ 16" O.C.  
 None CEILING INSULATION  
 None FINISH CEILING

TYPE OF FRAMING LUMBER

Per drawings

SIZE OF HEADERS

4" CONCRETE SLAB W/ 6x6 # WIRE MESH

VAPOR BARRIER

STONE FILL

None 4" RIGID INSULATION HORIZ.  
 None 4" RIGID INSULATION VERT.

SECTION SCALE 1/2" = 1'-0"



DATE WALL SECTION @ SLAB ON GRADE DWG. N<sup>o</sup> OF

4-11-89 FH

