

Job Complete

PERMIT

CITY OF NAPOLEON - BUILDING DEPARTMENT
255 West Riverview Avenue, Napoleon, Ohio 43545 - 419-592-4010

Permit No. 01336 Issued 4-3-87
date

Job Location 547 W. Maumee

Lot 3 HARTMANS SUB DIV. OF address
007 LOT 9410
sub-div or legal discript

Issued By Eldon Huber
building official

Owner Douglas Reiser 592-7175
name tel.

Address 547 W. Maumee

Agent Bostelman Electric 599-3416
builder-eng.-etc. tel.

Address 547 W. Maumee

Description of Use Residence

Residential 1
no. dwelling units

Commercial _____ Industrial _____

New _____ Add'n. _____ Alter _____ Remodel X

Mixed Occupancy _____

Change of Occupancy _____

Estimated Cost \$ 1,200.00

ZONING INFORMATION N.A.

FEE	BASE	PLUS	TOTAL
BUILDING			
<input checked="" type="checkbox"/> ELECTRICAL	10.00	4.00	14.00
PLUMBING			
MECHANICAL			
DEMOLITION			
ZONING			
SIGN			
WATER TAP			
SEWER TAP			
TEMP. ELECT.			
ADDITIONAL PLAN REVIEW	Struct. _____ hrs	Elect. _____ hrs	
TOTAL FEES			14.00
LESS MIN. FEES PAID			_____ date _____
BALANCE DUE			_____

district	lot dimensions		area	front yd	side yds	rear yd
<u>P.B.</u>						
max hgt	no pkg spaces	no ldg spaces	max cover	petition or appeal req'd	date appr	

WORK INFORMATION: N.A.

Size: Length _____ Width _____ Stories _____ Ground Floor Area _____

Height _____ Building Volume (for demo. permit) _____ cu. ft.

Electrical: Replace existing with new 100 amp service & 2 circuits.
brief description

Plumbing: N.A.
brief description

Mechanical: N.A.
brief description

Sign: N.A. Dimensions _____ Sign Area _____
type

Additional Information: _____

PAID

APR 15 1987

Date April 15, 1987 Applicant Signature Thomas P. Bostelman owner-agent
CITY OF NAPOLEON

PERMIT

CITY OF NAPOLEON - BUILDING DEPARTMENT

255 West Riverview Avenue, Napoleon, Ohio 43545 - 419-592-4010

01336

Permit No. [redacted] Issued 4-3-87 date

Job Location 547 W MADAMEE address

Lot [redacted] sub-div or legal discript

Issued By FH building official

Owner DOUGLAS REISER 592-7175 name tel.

Address 547 W. MADAMEE

Agent BOSTELMAN ELEC. 599-3416 builder-eng.-etc. tel.

Address 547 W. MADAMEE

Description of Use RESIDENCE

[Redacted]

Residential 1 no. dwelling units

Commercial [redacted] Industrial [redacted]

New [redacted] Add'n. [redacted] Alter [redacted] Remodel X

Mixed Occupancy [redacted]

Change of Occupancy [redacted]

Estimated Cost \$ 1200.00

ZONING INFORMATION N.A.

district	lot dimensions	area	front yd	side yds	rear yd
max hgt	no pkg spaces	no ldg spaces	max cover	petition or appeal req'd	date appr

WORK INFORMATION: N.A.

Size: Length [redacted] Width [redacted] Stories [redacted] Ground Floor Area [redacted]

Height [redacted] Building Volume (for demo. permit) [redacted] cu. ft.

Electrical: REPLACE EXISTING WITH NEW 100 AMP SERVICE + 2-CIRCUITS brief description

Plumbing: N.A. brief description

Mechanical: N.A. brief description

Sign: N.A. Dimensions [redacted] Sign Area [redacted]

Additional Information: [redacted]

Date [redacted] Applicant Signature [redacted] owner-agent

FEE'S	BASE	PLUS	TOTAL
BUILDING			
ELECTRICAL	10.00	4.00	14.00
PLUMBING			
MECHANICAL			
DEMOLITION			
ZONING			
SIGN			
WATER TAP			
SEWER TAP			
TEMP. ELECT.			
ADDITIONAL PLAN REVIEW	Struct. [redacted] hrs	Elect. [redacted] hrs	
TOTAL FEES.....			14.00
LESS MIN. FEES PAID [redacted] date [redacted]			
BALANCE DUE.....			

CITY OF NAPOLEON
BUILDING INSPECTION DEPARTMENT
APPLICATION FOR ELECTRICAL PERMIT
(Please print or type)

The undersigned hereby makes application for installation or replacement of electrical equipment as herein specified, agreeing to do all such work in strict accordance with the City of Napoleon's adopted Electrical Codes.

Owner's Name Douglas Reiser Address 547 W. Maumee ⁵⁹²⁻⁷¹⁷⁵

Electrical Contractor Boatman Electric Telephone No. 599-3416

Address 232 Robt Nap.

General Contractor _____ Telephone No. _____

Address _____

Location of Project 547 W. Maumee Cost of Project _____

Work Information:

Residential 1 / Commercial _____ Industrial _____
No. Units

New _____ Service Change X Rewiring _____ Additional Wiring _____

Brief Description of Work: upgrade entrance & check old wiring

Size of proposed service entrance 100 Number of new circuits 2

Type of proposed service entrance _____ Underground _____ Overhead X

Require Temporary Electric No (Yes or No)

Total Floor Area - Commercial and Industrial only _____ sq. ft.

Additional Information: _____

*Ground fault circuit interrupter protection is required on all 120-volt single phase, 15 and 20 amp. Circuits which are part of a temporary electric service; and also on bathroom, outdoor, and garage receptacles in all dwelling units. Art. 220-8 N.E.C.

Application for permit shall be accompanied by two complete sets of plans including: Electrical layout and riser diagram. (For commercial and industrial work only).

ate April 2, 1987 Applicant's Signature Norm P. Boatman

PERMIT NO. 01336
PERMIT FEE \$ 14.00

