

PERMIT

CITY OF NAPOLEON, OHIO — DEPT. OF BUILDING & ZONING
255 W. Riverview Avenue, Napoleon, Ohio 43545 (419) 592-4010

Permit No. 195 Date 1-30-81
Job Location ~~XXXXXXXXXXXX~~ 700 W. Maumee Valuation \$ 900.00
Owner Methodist Parsonage Address 700 W. Maumee
Contractor Cochran Electric Telephone No. 592-0891
Address 525 N. Perry St., Napoleon, Ohio
Electric Contractor _____
Plumbing Contractor _____
Mechanical Contractor _____

This permit is issued for work described in the plans, specifications, and/or application submitted, as approved by the Building Commissioner of the City of Napoleon, Ohio. Work shall conform to all pertinent construction and land use Codes and Ordinances.

Work Information:

Residential Commercial _____ Industrial _____
New Construction _____ Addition _____ Remodel
Brief Description of Work Service Change

PAID

ISSUED BY Richard D. Hayman Building Official B.W. DEPT. OF BUILDING & ZONING
CITY OF NAPOLEON

It is the owners or contractors responsibility to call the Building Department for the following (x) inspections:

- _____ Footing excavation prior to placing concrete.
- _____ Footing drains and foundation prior to backfill.
- _____ Prepared sub-grade prior to placing concrete floor slab.
- _____ Sanitary sewer
- Rough-in electrical, plumbing and service framing prior to installing wall board.
- Final electrical, plumbing and heating.
- _____ Final building inspection, prior to occupancy.

PERMIT & FEES

Building Permit	\$ _____
Electrical Permit	\$ <u>5.00</u>
Plumbing Permit	\$ _____
Mechanical Permit	\$ _____
Demolition Permit	\$ _____
Zoning Permit	\$ _____
Sign Permit	\$ _____
Water Tap	\$ _____
Sewer Tap	\$ _____
Temp. Elec.	\$ _____
Other _____	\$ _____
TOTAL FEES	\$ <u>5.00</u>
LESS FEES PAID	\$ <u>-0-</u>
BALANCE DUE	\$ <u>5.00</u>

Permit is not valid until all fees are paid in full, and shall be void if work is not started within six months of date above.

PERMIT

CITY OF NAPOLEON, OHIO — DEPT. OF BUILDING & ZONING

255 W. Riverview Avenue, Napoleon, Ohio 43545 (419) 592-4010

195

Permit No. _____ Date 1-30-81

Job Location XXXXXXXXXXXXXXXXX 700 W. Maumee Valuation \$ 900.00

Owner Methodist Parsonage Address 700 W. Maumee

Contractor Cochran Electric Name _____ Address _____ Telephone No. 592-0891

Address 525 N. Perry St., Napoleon, Ohio

Electric Contractor _____

Plumbing Contractor _____

Mechanical Contractor _____

This permit is issued for work described in the plans, specifications, and/or application submitted, as approved by the Building Commissioner of the City of Napoleon, Ohio. Work shall conform to all pertinent construction and land use Codes and Ordinances.

Work Information:

Residential No. dwelling units Commercial _____ Industrial _____

New Construction _____ Addition _____ Remodel

Brief Description of Work Service Change

ISSUED BY *Robert L. Haynes* Building Official DEPT. OF BUILDING & ZONING

PAID
FEB 16 1981
CITY OF NAPOLEON

It is the owners or contractors responsibility to call the Building Department for the following (x) inspections:

- _____ Footing excavation prior to placing concrete.
- _____ Footing drains and foundation prior to backfill.
- _____ Prepared sub-grade prior to placing concrete floor slab.
- _____ Sanitary sewer
- _____ Rough-in electrical, plumbing and service framing prior to installing wali board.
- _____ Final electrical, plumbing and heating.
- _____ Final building inspection, prior to occupancy.

PERMIT & FEES	
Building Permit	\$ _____
Electrical Permit	\$ <u>5.00</u>
Plumbing Permit	\$ _____
Mechanical Permit	\$ _____
Demolition Permit	\$ _____
Zoning Permit	\$ _____
Sign Permit	\$ _____
Water Tap	\$ _____
Sewer Tap	\$ _____
Temp. Elec.	\$ _____
Other _____	\$ _____
TOTAL FEES	\$ <u>5.00</u>
LESS FEES PAID	\$ <u>-0-</u>
BALANCE DUE	\$ <u>5.00</u>

Permit is not valid until all fees are paid in full, and shall be void if work is not started within six months of date above.

INSPECTION RECORD

UNDERGROUND		ROUGH-IN & FINAL			
Type	Date	By	Type	Date	By
PLUMBING					
Sewer Connection			Drainage, W. & Vent		
Building Sewer			Water Piping		
Water Piping			Condensate Lines		
			Indirect Waste		
			FINAL APPROVAL		
Floor Ducts Raceways			Rough Wiring		
Conduits & or Cable			Conduits/Cable		
Grounding & or Bonding			Service Panel		
			Subpanels		
			<input type="checkbox"/> Range <input type="checkbox"/> Dryer		
			Refrigerant Piping		
			Ducts/Plenums		
			Ventilation <input type="checkbox"/> Supply		
			<input type="checkbox"/> Exhst.		
			Wall Construction		
			Crawl Space <input type="checkbox"/> Vent <input type="checkbox"/> Access		
			Floor System(s)		
			Roof System		
			Fire Wall(s)		
			Roof Cover Roof Drain		
			FINAL APPROVAL		
ELECTRICAL					
			Electric Mtr. Clearance		
			Signs		
			FINAL APPROVAL		
MECHANICAL					
			Duct Insulation		
			Chimney(s)		
			Furnace(s)		
			FINAL APPROVAL		
BUILDING					
			Fireplace Chimney		
			Attic <input type="checkbox"/> Vent <input type="checkbox"/> Access		
			Special Insp Reports Rec'd		
			Smoke Detector		
			Demolition (sewer cap)		
			Building or Structure		
			FINAL APPROVAL		
BLDG. DEPT			Certificate of Occupancy Issued		#

CITY OF NAPOLEON
BUILDING INSPECTION DEPARTMENT
APPLICATION FOR ELECTRICAL PERMIT
(please print or type)

The undersigned hereby makes application for installation or replacement of electrical equipment as herein specified, agreeing to do all such work in strict accordance with the City of Napoleon's adopted Electrical Codes.

Owner's Name METHODIST PARSONAGE Address 700 W MAUMEE

Electrical Contractor COCHRAN ELECTRIC Telephone No. 592-0891

Address 525 N PERRY ST

General Contractor _____ Telephone No. _____

Address _____

Location of Project 700 W. MAUMEE ST Cost of Project 900.00

Work Information:

Residential Commercial _____ Industrial _____

New _____ No. Units _____ Service Change Rewiring _____ Additional Wiring _____

Brief Description of Work: UP GRADE FROM 60 AMP TO 100AMP SERVICE AND DISTRIBUTION PANEL

Size of proposed service entrance 100 AMP Number of new circuits NONE

Type of proposed service entrance _____ Underground _____ Overhead

Require Temporary Electric NO (Yes of No)

Total Floor Area - Commercial and Industrial only _____ sq. ft.

Additional Information: _____

*GROUND FAULT CIRCUIT INTERRUPTER PROTECTION IS REQUIRED ON ALL 120-VOLT SINGLE PHASE, 15 and 20 AMP. CIRCUITS WHICH ARE PART OF A TEMPORARY ELECTRIC SERVICE; AND ALSO ON BATHROOM, OUTDOOR, AND GARAGE RECEPTACLES IN ALL DWELLING UNITS. Art. 210-8 N.E.C.

*APPLICATION FOR PERMIT SHALL BE ACCOMPANIED BY TWO COMPLETE SETS OF PLANS INCLUDING: ELECTRICAL LAYOUT AND RISER DIAGRAM. (FOR COMMERCIAL AND INDUSTRIAL WORK ONLY).

Date 1-29-81 Applicant's Signature Swynn Myers

PERMIT NO.

195

PERMIT FEE

\$500

