CITY OF NAPOLEON - BUILDING DEPARTMENT 255 West Riverview Avenue, Napoleon, Ohio 43545 - 419-592-4010

| /= / / ISSU | | | | FEES | DASE | PLUS | TOTAL |
|---------------------------------------|--|--|--|---------------------------|--|----------------------|---|
| 32 Meekison : | | 4 | BUIL | DING | \$3.00 | | \$3.00 |
| n/a | address | _ | ELEC | TRICAL | | | Switze militor |
| ilding official | nenberg | | PLUM | BING | | | = 9 to 482 |
| ame Meekison St. | tel. | <u>-</u> | MECH | HANICAL | | | Counsed |
| | 592-3316 | 中 | DEMO | DLITION | | 1 | Tourner |
| r-engetc. | tel. | - - | ZONI | NG | Since 4 | | gaigist |
| se Remodel po | orch | - 🕇 | SIGN | | (SEA)CI | | Marine Sc |
| 31620 | - It | 705 1021 | WATER | TAP | Duct | | |
| x(1) no. dwelling units | 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 | - W T | SEWER | TAP | THE PARTY OF THE P | | |
| | | 2 | ТЕМР. Е | ELECT. | | | 100 |
| 'nAlter cy | (A) | i | | | Struct. | | mano in |
| ipancy | | 10 | RE\ | /IEW | Elect. | | (80-50017) |
| S Tribble I | 1 (E-7)(1+ | 40 | TOT | AL FEES | | | \$3.00 |
| | (List) i Je-i | | LES | S MIN. FE | ES PAID | 10 | 0- |
| ONING INFORMAT | TION | 1 | BAL | ANCE DU | | | \$3.00 |
| lot dimensions | area | J.T | front | yd | side | yds | rear yd |
| - 15/19/11 | no ldg spaces | max | cover | petition | or appeal req'd | 8 | date appr |
| no pkg spaces | 1,766,011 | | | | | 1.75.75 | |
| no pkg spaces | I. /kaslin i | IF I | | BeW | n. jetni | - 1 | name) |
| | 1. (harlin 1 | ew it | | | 7. Jetni Godinina Column | | Swip care |
| ATION: | 13 fo | tories_ | 1 | | | no | dwa |
| ATION: 14' Width | 13 fo | | 1 | | | no | Floridan Swife Foundan Vulle Outs Orain |
| ATION: 14' Width | n_6!s | demo. | 1 | | | no | Florar Southflank Valide Bask stell |
| ATION: 14' Width Build | 6! 5 | demo. | 1 | | | no | Floridan Swife Foundan Vulle Outs Orain |
| ATION: 14' Width Build | n_6!s | demo. | 1 | | | no | Floridan Swife Foundan Vulle Outs Orain |
| ATION: 14' Width Build | ding Volume (for control of description brief description brief description | demo. | 1 | Grou | und Floor Are | no | Floridan Swife Foundan Vulle Outs Orain |
| ATION: 14' Width Build n/a n/a Dimen | brief description | demo. | 1 | Grou | | no | Floridan Swife Foundan Vulle Outs Orain |
| ATION: 14' Width Build | brief description | demo. | 1 | Grou | und Floor Are | no | Floridan Swife Foundan Vulle Outs Orain |
| ATION: 14' Width Build n/a n/a Dimen | brief description | demo. | 1 | Grou | und Floor Are | no | Floridan Swife Foundan Vulle Outs Orain |
| | n/a n/a sub-dividual Zachrich lame leekison St. rengetc. See Remodel po X(1) no. dwelling units Industri n. Alter cy lpancy \$200.00 CNING INFORMAT n/a lot dimensions | date 32 Meekison Street address n/a sub-dy or legal discript ame tel. Seekison St. 592-3316 rengetc. see Remodel porch X(1) no. dwelling units Industrial 'n. Alter Remodel XX cy spancy span | date 32 Meekison Street address n/a sub-div or legal discript liding official Zachrich lame tel. Meekison St. 592-3316 r-engetc. See Remodel porch X(1) no. dwelling units Industrial Yn. Alter Remodel XX cy Ipancy spancy spanc | See Remodel porch Sewer | ### BUILDING ### BUILDING #### BUILDING #################################### | BUILDING \$3.00 A | BUILDING \$3.00 In a sub-giv or legal discript struct. Sub-giv or legal discript sub-giv or legal disc |

INSPECTION RECORD

| | UNDERGROUND | | الارزال | (0, 11, 11, 11, 11, 11, 11, 11, 11, 11, 1 | H-IN | | | FINAL | | | | |
|-------------|----------------------------------|--------|---------|---|-------|-----|--------------------------------|-------|----|------------------------------------|------|----|
| | Туре | Date | Ву | Туре | Date | Ву | Туре | Date | Ву | Туре | Date | Ву |
| PLUMBING | Building Drains | | | Drainage, Waste & Vent Piping | | | Indirect Waste | | | Drainage, Waste & Vent Piping | | |
| | Water Piping | | | / | | | | | | Backflow Prevention | | |
| | Building Sewer | | | Water Piping | | | Condensate Lines | | | Water Heater | | |
| | Sewer Connection | | X | | | | | | | FINAL APPROVAL | | |
|)AL | Refrigerant Piping | | | Refrigerant Piping | | | Chimney(s) | | | Grease Exhaust System | | |
| | | É | | Duct Furnace(s) | | | Fire Dampers | | | Air Cond. Unit(s) | 91 | |
| N N N | Ducts/ Plenums | | | Ducts/ Plenums | | | □ Radiant Htr(s) □ Unit Htr(s) | | | Refrigeration Equipment | | |
| MECHANICAL | | | | Duct Insulation | | | Pool Heater | | | Furnace(s) | | |
| | | | | Combustion Products Vents | | | Ventilation ☐ Supply ☐ Exhst. | | | FINAL APPROVAL | 118 | |
| 8 | Conduits & or Cable | | | Conduits/ Cable | | | □ Range □ Dryer | | | Temp Service Temp Lighting | | |
| AL | Grounding & or Bonding | | | Rough Wiring | | | □ Generator(s) □ Motors | | | Fixtures Lampholders | | |
| ECTRICAL | Floor Ducts Raceways | | | Service Panel Switchboard | | | □ Water Htr □ Welder | | | Signs | | |
| ELEC | Service Conduit | | | Busways Ducts | | | □ Heaters □ Heat Cable | | | Electric Mtr. Clearance | | |
| | Temporary Power Pole | | | Subpanels | | | □ Duct Htr(s) □ Furnace(s) | | | FINAL APPROVAL | | |
| | Location, Set- backs, Esmt(s) | 8/4/11 | 10 | Exterior Wall Construction | | | Roof Covering Roof Drainage | | | Smoke Detector | | |
| | Excavation | 8-1- | Co | | | | Exterior Lath | | | Demolition (sewer cap) | | |
| | Footings & Reinforcing | | | | | | ☐ Interior Lath ☐ Wallboard | | | | | |
| BUILDING | Floor Slab | | | Interior Wall Construction | | | Fire Wall(s) | | | Building or Structure | | |
| 30ILI | Foundation Walls | | | Columns & Supports | | | Fireplace Chimney | | | VI | | |
| | Sub-soil Drain | | | Crawl Space □ Vent □ Access | | | Attic | | | | 100 | |
| | Piles | | | Floor System(s) | | | | | | FINAL APPROVAL BLDG. DEPT. | | |
| | | | | Roof System | | | Special Insp Reports Rec'd | | | Certificate of Occupancy Issued | | ,. |
| | | INSPE | CTIC | ONS, CORRECTIO | NS, E | TC. | C. INSPECTIONS | | | , CORRECTIONS, | ETC. | 1 |
| ADDITIONAL | | | | ,, | | | | | | | | |
| TIDC | | | | | | | | | | | | Ī |
| A | | 1 | | 5 | | | | | | | | |



107-115 W. Washington St. Napoleon, O. 43545 Phone 419-592-7761

August 3, 1977

(ity of Napoleon (ity Building Napoleon, Ohio

Gentlemen:

I hereby grant Robert Zachrich my permission to remodel the front porch of his residence at 132 Meekeson St.

(ordially,

J.H. Crahan

| | | , |
|---|--|---|
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| · | | |

RESIDENTIAL PLAN CORRECTION SHEET

CITY OF NAPOLEON, Building Dept. 255 West Riverview Avenue Napoleon, Ohio 43545 (419) 592-4010 ADDENDUM to Permit No. 794-77

Owner B. ZACILICH

Location 132 MEEKIEW

Please note the Items checked below and incorporate them into your plans as indicated: Permit not yet issued Correct Plans and Re-Submit. Permit issued incorporate the Items during construction.

| | GENERAL | Show size of members supporting porch roof | | | |
|----------|--|---|--|--|--|
| | Provide 1 approved smoke detector. | Provide double top plate. | | | |
| | Provide 1 hour fire wall and/or ceiling between garage and dwelling. | Provide design data for pre-fab. wood truss/ | | | |
| | Provide (Class B) 1 hour fire rated door from garage to dwelling. | Ceiling joists undersized in | | | |
| | Submit fully dimensioned plot plan. | Roof rafters undersized in | | | |
| | Provide 1-3'0" x 6'8" exit door. | | | | |
| | Provide min. 22" x 30" attic access. | PLUMBING AND MECHANICAL: | | | |
| | Provide min. 18" x 24" crawl space access opening. | Terminate all exhaust systems to outside air | | | |
| _ | | Insulate ducts in unheated areas. | | | |
| | LIGHT AND VENTILATION: | Provide back flow device on all hose bibs | | | |
| | Provide mechanical exhaust or window in bathroom | ELECTRICAL: | | | |
| | Provide Minsq. in. net free area attic ventilation. | Show location of service entrance and service equipment panel. | | | |
| - | Provide minsq. in. net free | G.F.C.I. req'd. on Temp. Electric. | | | |
| | area crawl space ventilation. | Outdoor and bathroom receptacles shall be protected by G.F.C.I. | | | |
| | FOUNDATION: | METAL VENEERS: | | | |
| X | Min. depth of foundation below finished grade 30". | Contact City Utilities Dept. to remove conductors and/or meter. | | | |
| X | Min. size of footer? W.IDE" | | | | |
| , | Provide anchor bolts 1/2" @ 8' o.c. 1' from each corner. Embedded 8" concrete and 15" in | Provide 18" x 18" x ¾" wood backer for meter base. | | | |
| - | masonry. Show size of basement columns. | Provide approved system of grounding and bonding. | | | |
| \dashv | FRAMING: | MISCELLANEOUS: | | | |
| - | | Provide backwater valve in sub-soil drain tile. | | | |
| | Show size of wood girder in | Provide approved sheathing and flashing behind masonry veneer. | | | |
| | Provide design data for structural member in | Provide 15# felt underlayment on roof | | | |
| | Floor joists under sized in | Provide adequate fireplace hearth extensions | | | |
| | Provide double joists under parallel partitions. | Install factory built fireplaces/stoves according to manufacturers recommendations. | | | |
| | Provide 1" x 4" let in corner bracing or approved sheathing. | Terminate chimney 3' above roof or 2' above highest point of building within 10' of | | | |
| | Show size of headers for openings over 4' wide. | chimney. | | | |

| Show size of headers for openings over 4' wide. | Crimney. |
|--|--|
| ADDITIONAL CORRECTIONS: WROUGHT IRON PO | ORCH COLUMNS TO BE ANCHORED IN AN |
| APPROVED MANNER | |
| The approval of plans and specifications does not permit the | ne violation of any section of the Building Code, or other |
| City Ordiance or State Law. This addendum is attached | to Permit No. 794 - 77 and made a part there-of. |
| Date Approved or Disapproved 9-2-77 | Checked By Ronald D. Sonnenberg |
| Date Rechecked and Approved | Checked By |
| White-Building Departmen | nt Yellow-Applicant |

and the second of the second o

The second second

\$ 3,00

| | | | # 3,00 |
|---------------------------|--|----------------|-----------------|
| | | | |
| Under Land (| Contract to Jack Crahan Mr+ Mrs. Robert Zachrich | 132 Meek | ison Street |
| | Robert Zachrich | | |
| | | | |
| | England 132 MEEKISON | ST, # | |
| | | | |
| | | | |
| | | | |
| | | | |
| a simple | | | |
| | Dennide 1 X Normania | | |
| | | | |
| Brief Dears | intron of Mozar tearing or | + marchen from | transl |
| and beach | and it will a some of | WOOGEN TRYNT | parch |
| Sizes Janu | cing it with a coment | SOURCA | |
| | | | |
| Liber Miesi | | | Sc. FL |
| | | | |
| | | | |
| Foundation | Piers Foll Textpoli | | |
| | Concrete 30 X/2 This reason | | == 4"to6" FLOOI |
| Walls: Arm | | | |
| | office Type of Extended Aller | | |
| INCLUDING: ADDITIONS O | | | |
| | on or an arms room of | 200,00 | |
| 8-1 | - 77 | Robert F. | Jachrich |
| | | | / |

| | W | |
|--|---|--|
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |