## THE CITY OF NAPOLEON

#### **BUILDING & ZONING DEPARTMENT**


#### 255 W. RIVERVIEW

(419)592-4010

Page 1 of 1 Sidwealk/Curb Replacement Permit Permit Number: SW2005-39 Printed: 9/15/2005 265 Northcrest Dr **Property Address: Applicant** B & B Concrete Approval Date: 9/15/2005 613 Arden Ct Address: Napoleon, OH 43545 Phone: 419-344-2929 **Owners** Mr. John Schroeder Name: Address: 265 Northcrest Dr. Contractors B & B Concrete Address: 613 Arden Ct Phone 419-344-2929 Napoleon, OH 43545 Contractors Vernon Nagel, Inc. 0154 Co Rd 11C Address: Phone 419-592-3861 Napoleon, OH 43545 Fees and Receipts: Number Description Amount FEE2005-726 Sidewalk/Curb \$25.00 **Total Fees:** \$25.00

Description of work to be done:

replacing sidewalk per city ordinance



Applicant signature: Date:	
----------------------------	--

# CITY OF NAPOLEON GENERAL PERMIT APPLICATION

THIS APPLICATION IS FOR RESIDENTAL CONSTRUCTION INCLUDING BUILDING, ELECTRICAL, PLUMBING, MECHANICAL, DEMOLITIONS, REMODELING.

DATE: 4//5/05 JOB LOCATION: Northcrest	
OWNER: Sack Schroder PHONE:	
OWNER ADDRESS: DES Nochcast	CITY: Napoleon ZIP: 43545
	PHONE: 419-344-1829
To one of this ich minute t	No:
DESCRIPTION OF WORK TO BE NEW Sidnest	
PLEASE MARK THE TYPE OF WORK YOU TO A A C ADD ON BOILER REPLACEMENT	REMODELING
CURBING DECKS *	ROOFINGSEWER REPAIRS**
DRIVEWAY*ELECTRICAL SERVICE UPGRADE	∠SIDEWALK* _SIDING _STORAGE SHED*
ELECTRICAL SERVICE NEWFENCE*ADDITIONS*	_SWIMMING_POOL*FURNACE REPLACEMENTTEMP ELECTRIC
FURNACE NEWLAWN METERPLUMBING	WATER TAP (size")WINDOWSZONING

\*PLEASE INCLUDE A PICTURE SHOWING MEASURMENTS FROM EXISTING STRUCTURES AND PROPERTY LINES. INDICATING THE TYPE OF WORK YOU WISH TO PERFORM.

\*\* IF WORK REQUIRES GOING INTO THE STREET A STREET BOND IS REQUIRED!

FOR PERMIT COSTS PLEASE FILL OUT REVERSE SIDE.



## CITY OF NAPOLEON ENGINEERING DEPARTMENT

255 W. Riverview Avenue, PO Box 151, Napoleon, OH 43545 Phone: 419-592-4010 - Fax: 419-599-8393

### FORMAL NOTICE

(RC 729.03)

RESOLUTION OF NECESSITY

J. Andrew Small Members of Council

Mayor

August 15, 2005

Glenn A. Miller, President Terri A. Williams James Hershberger Travis B. Sheaffer

John Schroeder 265 Northcrest Dr NapoleonOH43545

John A. Helberg Steven C. Small Michael J. DeWit

City Manager Dr. Jon A. Bisher

This is FORMAL NOTICE that on July 18, 2005, the Council of the City of Napoleon, Ohio passed Resolution No. 069-05, declaring the necessity of constructing certain sidewalks.

Finance Director Gregory J. Heath

Under the Resolution you are required to construct the sidewalks abutting your property, 265 Northcrest Dr in accordance with the plans and specifications filed in the office of the Clerk of Council of the City of Napoleon, Ohio.

Law Director David M. Grahn

In the event construction is not completed within 30 days from the date of service of this notice, the Council of Napoleon, Ohio will cause it to be done and the entire cost assessed against your property as provided by law.

City Engineer Joseph R. Kleiner, P.E.

> If you are intending to complete the project yourself or by an independent contractor, a permit is required from the Engineering Department pursuant to Sec. 913.04 of the Codified Ordinances of the City of Napoleon, Ohio. Specifications and minimum building requirements may be obtained from the Office of the City Engineer. The City Engineer can be contacted at (419)592-4010, or in person at City Hall located at 255 West Riverview, Napoleon, Ohio.

Issued by order of the Council of the City of Napoleon, Ohio.

**Attachments** 

Cc: Mr. Joe Kleiner, City Engineer

#### CITY OF NAPOLEON

## RESIDENTIAL SIDEWALK SPECIFICATION

#### I. WORK INCLUDED:

- A. Under this item the Contractor shall improve by construction, reconstruction or repairing as is necessary public sidewalks between limits established by the Engineer.
- B. Sidewalks shall be at least four (4") inches in thickness and in driveway crossings six (6") inches in thickness. When sidewalks abutt with the curb, the width shall be five (5') feet or as wide as the existing sidewalks; in either case, a minimum width of four (4') feet shall be adhered to. Edge of walks adjacent to the property line of the street shall be placed at least one (1') foot from the property line or meet existing sidewalks. The Engineering Department will give line and grade.
- C. Old concrete sidewalk material shall be removed and granular material used for fill if necessary to meet grade.
- D. All work shall conform to the standard specifications published by the Ohio Department of Transportation (0.D.O.T.) and the City, in effect at the date of contract and the requirements under these specifications.
  - Referenced O.D.O.T. specifications as follows:

608. concrete walks

499. concrete

511.12 depositing and curing concrete in cold weather

## II. MATERIALS AND FINISH:

- A. A minimum 4" thick of crushed limestone base shall be provided and compacted in place. #57, # 411, or # 304 limestone to be used.
- B. The concrete mix shall be a minimum of a 6 bag mix with 5 to 6% air entrainment. All surface area shall be broom finished and sealed with an Engineer approved concrete sealer. All joints shall be trowel-cut with a maximum joint spacing of 5 feet. The depth of cut shall be a minimum ½ of the thickness of the slab. The final trowel-cut and edging shall be done after the final brooming. Expansion joints shall be placed at a maximum of 40 feet and at all intersecting walks.