

METER YOKE RELEASE

This document is for the release of one (1) Water Meter Yoke for Residential water service lines.

RELEASE NO. 206

PERMIT NO. _____ ISSUED 6-4-96

JOB LOCATION 1211 Oakwood Ave

() - Inside City Limits () - Outside City Limits

ISSUED BY BMD

OWNER Mike Austermler

ADDRESS 1079 Dodd

CONTRACTOR SELF

ADDRESS _____

CONTRACTOR'S PHONE NO. 579-4296

WATER TAP SIZE: () = 1" () = 1-1/2" () = 2"

WATER METER s# _____

() - New Dwelling (X) - Existing Dwelling

() - Lawn Meter

Water Service Line to be Type (K) Copper or (CTS) Polyethelene Tubing of one inch (1") minimum.

Watts No. 7 Dual check required () = Yes () = No

Water Meter Yoke installation is subject to the following conditions:

- 1.) Must be located in an accessible area.
- 2.) Must be in an area not subject to freezing temperatures.
- 3.) Must be eighteen inches (18") above floor level, not in crawl spaces.
- 4.) Must comply with the mounting criteria and clearances as set forth in DRAWING #04403901.

METER YOKE RELEASE

This document is for the release of one (1) Water Meter Yoke for Residential water service lines.

RELEASE NO. 206

PERMIT NO. _____ ISSUED 6-4-96

JOB LOCATION 1211 Oakwood Ave

() - Inside City Limits () - Outside City Limits

ISSUED BY BTD

OWNER Mike Anstern, Jr

ADDRESS 1079 Dodd

CONTRACTOR S-1F

ADDRESS _____

CONTRACTOR'S PHONE NO. 599-4296

WATER TAP SIZE: () = 1" () = 1-1/2" () = 2"

WATER METER s# _____

() - New Dwelling (X) - Existing Dwelling

() - Lawn Meter

Water Service Line to be Type (K) Copper or (CTS) Polyethelene Tubing of one inch (1") minimum.

Watts No. 7 Dual check required () = Yes () = No

Water Meter Yoke installation is subject to the following conditions:

- 1.) Must be located in an accessible area.
- 2.) Must be in an area not subject to freezing temperatures.
- 3.) Must be eighteen inches (18") above floor level, not in crawl spaces.
- 4.) Must comply with the mounting criteria and clearances as set forth in **DRAWING #04403901.**