

PERMIT

CITY OF NAPOLEON - BUILDING DEPARTMENT
 255 West Riverview Avenue, Napoleon, Ohio 43545 - 419-592-4010

Permit No. 01260 Issued 10-13-86 date
 Job Location 512 Ohio address
 Lot _____ sub-div or legal discript
 Issued By Eldon Huber building official
 Owner Andrew McMahan 599-3926 name tel.
 Address 512 Ohio
 Agent Bostelman Elec. 599-3416 builder-eng.-etc. tel.
 Address 232 Rd.
 Description of Use Residence
 Residential 1 no. dwelling units
 Commercial _____ Industrial _____
 New _____ Add'n. _____ Alter X Remodel _____
 Mixed Occupancy _____
 Change of Occupancy _____
 Estimated Cost \$ 750.00

FEE	BASE	PLUS	TOTAL
BUILDING			
ELECTRICAL	5.00	2.00	7.00
PLUMBING			
MECHANICAL			
DEMOLITION			
ZONING			
SIGN			
WATER TAP			
SEWER TAP			
TEMP. ELECT.			
ADDITIONAL PLAN REVIEW	Struct. _____ hrs		
	Elect. _____ hrs		
TOTAL FEES.....			\$7.00
LESS MIN. FEES PAID _____ date _____			
BALANCE DUE.....			

N.A. ZONING INFORMATION

district	lot dimensions	area	front yd	side yds	rear yd
max hgt	no pkg spaces	no ldg spaces	max cover	petition or appeal req'd	date appr

WORK INFORMATION:

Size: Length _____ Width _____ Stories _____ Ground Floor Area _____
 Height _____ Building Volume (for demo. permit) _____ cu. ft.
 Electrical: 100 AMP Service and 2-Circuits brief description
 Plumbing: N.A. brief description
 Mechanical: N.A. brief description
 Sign: _____ Dimensions _____ Sign Area _____

PAID
OCT 13 1986

Additional Information: _____
 Date 10/13/86 Applicant Signature [Signature] owner-agent

CITY OF NAPOLEON

INSPECTION RECORD

	UNDERGROUND			ROUGH-IN						FINAL		
	Type	Date	By	Type	Date	By	Type	Date	By	Type	Date	By
PLUMBING	Building Drains			Drainage, Waste & Vent Piping			Indirect Waste			Drainage, Waste & Vent Piping		
	Water Piping									Backflow Prevention		
	Building Sewer			Water Piping			Condensate Lines			Water Heater		
	Sewer Connection									FINAL APPROVAL		
MECHANICAL	Refrigerant Piping			Refrigerant Piping			Chimney(s)			Grease Exhaust System		
				Duct Furnace(s)			Fire Dampers			Air Cond. Unit(s)		
	Ducts/ Plenums			Ducts/ Plenums			<input type="checkbox"/> Radiant Htr(s) <input type="checkbox"/> Unit Htr(s)			Refrigeration Equipment		
				Duct Insulation			Pool Heater			Furnace(s)		
				Combustion Products Vents			Ventilation <input type="checkbox"/> Supply <input type="checkbox"/> Exhst.			FINAL APPROVAL		
ELECTRICAL	Conduits & or Cable			Conduits/ Cable			<input type="checkbox"/> Range <input type="checkbox"/> Dryer			Temp Service Temp Lighting		
	Grounding & or Bonding			Rough Wiring			<input type="checkbox"/> Generator(s) <input type="checkbox"/> Motors			Fixtures Lampholders		
	Floor Ducts Raceways			Service Panel Switchboard			<input type="checkbox"/> Water Htr <input type="checkbox"/> Welder			Signs		
	Service Conduit			Busways Ducts			<input type="checkbox"/> Heaters <input type="checkbox"/> Heat Cable			Electric Mtr. Clearance		
	Temporary Power Pole			Subpanels			<input type="checkbox"/> Duct Htr(s) <input type="checkbox"/> Furnace(s)			FINAL APPROVAL		
BUILDING	Location, Set-backs, Esmt(s)			Exterior Wall Construction			Roof Covering Roof Drainage			Smoke Detector		
	Excavation						Exterior Lath			Demolition (sewer cap)		
	Footings & Reinforcing						<input type="checkbox"/> Interior Lath <input type="checkbox"/> Wallboard					
	Floor Slab			Interior Wall Construction			Fire Wall(s)			Building or Structure		
	Foundation Walls			Columns & Supports			Fireplace Chimney					
	Sub-soil Drain			Crawl Space <input type="checkbox"/> Vent <input type="checkbox"/> Access			Attic <input type="checkbox"/> Vent <input type="checkbox"/> Access					
	Piles			Floor System(s)						FINAL APPROVAL BLDG. DEPT.		
				Roof System			Special Insp Reports Rec'd			Certificate of Occupancy Issued		
ADDITIONAL	INSPECTIONS, CORRECTIONS, ETC.						INSPECTIONS, CORRECTIONS, ETC.					
	P.A.I.D.											
	OCT 1 1988											
	TICKET NO. 100											

PERMIT

CITY OF NAPOLEON - BUILDING DEPARTMENT

255 West Riverview Avenue, Napoleon, Ohio 43545 - 419-592-4010

Permit No. [REDACTED] Issued 10-13-86
date

Job Location 512 OHIO
address

Lot _____
sub-div or legal discript

Issued By FH
building official

Owner ANDREW M MAHAN 599-3926
name tel.

Address 512 OHIO

Agent BOSTELMAN ELEC. 599-3416
builder-eng.-etc. tel.

Address 232 RO

Description of Use RESIDENCE

Residential 1
no. dwelling units

Commercial _____ Industrial _____

New _____ Add'n. _____ Alter Remodel _____

Mixed Occupancy _____

Change of Occupancy _____

Estimated Cost \$ 750.00

FEES	BASE	PLUS	TOTAL
BUILDING			
ELECTRICAL	5.00	2.00	7.00
PLUMBING			
MECHANICAL			
DEMOLITION			
ZONING			
SIGN			
WATER TAP			
SEWER TAP			
TEMP. ELECT.			
ADDITIONAL PLAN REVIEW	Struct. _____ hrs		
	Elect. _____ hrs		
TOTAL FEES.....			7.00
LESS MIN. FEES PAID _____			
	<small>date</small>		
BALANCE DUE.....			

N.A. **ZONING INFORMATION**

district	lot dimensions	area	front yd	side yds	rear yd
max hgt	no pkg spaces	no ldg spaces	max cover	petition or appeal req'd	date appr

WORK INFORMATION:

Size: Length _____ Width _____ Stories _____ Ground Floor Area _____

Height _____ Building Volume (for demo. permit) _____ cu. ft.

Electrical: 100 AMP SERVICE + 2-CIRCUITS
brief description

Plumbing: N.A.
brief description

Mechanical: N.A.
brief description

Sign: _____ Dimensions _____ Sign Area _____
type

Additional Information: _____

Date _____ Applicant Signature _____
owner-agent

CITY OF NAPOLEON
BUILDING INSPECTION DEPARTMENT
APPLICATION FOR ELECTRICAL PERMIT
(Please print or type)

The undersigned hereby makes application for installation or replacement of electrical equipment as herein specified, agreeing to do all such work in strict accordance with the City of Napoleon's adopted Electrical Codes.

Owner's Name ANDREW McMahon Address 512 Ohio 599-3926

Electrical Contractor Bostelman Electric Telephone No. 599-3416

Address 232 Rohrs ST

General Contractor _____ Telephone No. _____

Address _____

Location of Project 512 OHIO Cost of Project 750⁰⁰

Work Information:

Residential Commercial _____ Industrial _____

No. Units

New _____ Service Change Rewiring _____ Additional Wiring _____

Brief Description of Work: upgrade entrance from 60 amp to 100 amp

new circuit for Washer & Dryer

Size of proposed service entrance 100 Number of new circuits 2

Type of proposed service entrance _____ Underground Overhead _____

Require Temporary Electric No (Yes or No)

Total Floor Area - Commercial and Industrial only _____ sq. ft.

Additional Information: _____

*Ground fault circuit interrupter protection is required on all 120-volt single phase, 15 and 20 amp. Circuits which are part of a temporary electric service; and also on bathroom, outdoor, and garage receptacles in all dwelling units. Art. 210-8 N.E.C.

Application for permit shall be accompanied by two complete sets of plans including: Electrical layout and riser diagram. (For commercial and industrial work only).

date Oct 10, 1986

Applicant's Signature Lana P. Bostelman

PERMIT NO.

PERMIT FEE \$

