PERMIT

CITY OF NAPOLEON, OHIO - BUILDING DEPARTMENT 255 West Riverview Avenue, Napoleon, Ohio 43545 - (419) 592-4010

Permit No. 4099 Issued 10/31/96	l reec	DACE	DING		
Job Location 511 S. Perry St. (511½)	i				
Lot	[X]Electrical				
Issued by Brent N. Damman	[X]Plumbing				
Owner Keith Fruchey 599-0005	[]Mechanical	\$ 18.00	\$	_\$_18.00	
Address 620 Trail Drive	[]Demolition	\$	\$	\$	
AgentSelf	[]Zoning	\$	_\$	\$	
Address	[]Sign	\$	_\$	\$	
Use Type - Residential x	i []Water Tap	\$	_\$	\$	
Other - Describe	[]Sew. Insp.	\$	_\$	\$	
No. Dwelling Units	[]Sewer Tap	\$	_\$	\$	
NewReplacement	[]Temp.Water	\$	_\$	\$	
^dd'nAlterRemodel_X	[]Temp.Elec.	\$	\$	\$	
Mixed Occupancy	TOTAL FE	EES		.\$153.00	
Change of Occupancy	LESS FEE	ES PAID	• • • • • • • •	•\$	
Estimated Cost \$10,000.00	1			. \$	
ZONING INFORMATION					
district lot dimensions	area front	yd ¦ s	ide yd	rear yd	
max hgt no pkg spaces no ldg spaces	max cover	petition or appe	eal req'd	date appr	
WORK INFORMATION					
Size: LengthWidthStoriesGround Floor Area					
HeightBuilding Volume (for Demo. Permit)					
Electrical:					
Plumbing:					
Mechanical:		CI	TY OF NAT	Official	
Additional Information: Convert to dupl	Lex				
Date 10/31/86 Applicant Signature Let Hold Jon County Auditor White-Building Department Yellow-Applicant Pink-Electrical Inspector Green-Clerk-Treasurer Gold-County Auditor					
			Gold County	AUGILUI	

INSPECTION RECORD

Type Building Drains	Date	Ву				The second secon		-			-
			Туре	Date	Ву	Туре	Date	Ву	Туре	Date	B.
- I - WIII - W			Drainage, Waste & Vent Piping	12/11	BD	Indirect Waste			Drainage, Waste & Vent Piping		
Water Piping						,,,,,,			Backflow Prevention		
Building Sewer			Water Piping	12/11	10	Condensate Lines			Water Heater		
Sewer Connection									FINAL APPROVAL		
Refrigerant Piping			Refrigerant Piping			Chimney(s)			Grease Exhaust System		
			Duct Furnace(s)			Fire Dampers			Unit(s)		
Ducts/ Plenums			Ducts/ Plenums			□ Radiant Htr(s) □ Unit Htr(s)			Refrigeration Equipment		
			Duct Insulation			Pool Heater			Furnace(s)		
			Combustion Products Vents			Ventilation Supply Exhst.			FINAL APPROVAL		
Conduits &			Conduits/			□ Range □ Dryer			Temp Service Temp Lighting		
Grounding &			Rough New Kit	11/11/96	BD	☐ Generator(s) ☐ Motors			Fixtures Lampholders		
Floor Ducts			Service Panel Switchboard			□ Water Htr □ Welder			Signs		
Service			Busways Ducts			□ Heaters □ Heat Cable			Electric Mtr. Clearance	12/0	BD
Temporary Power Pole			Subpanels			□ Duct Htr(s) □ Furnace(s)			FINAL APPROVAL		
Location, Set- backs, Esmt(s)		LIPE STATE OF	Exterior Wall Construction			Roof Covering Roof Drainage			Smoke Detector		
Excavation						Exterior Lath			Demolition (sewer cap)		
Footings & Reinforcing						□ Interior Lath □ Wallboard					
Floor Slab			Interior Wall Construction	11/11/96	10	Fire Wall(s)			Building or Structure		
Foundation Walls			Columns & Supports			Fireplace Chimney					
Sub-soil Drain			Crawl Space □ Vent □ Access			Attic □ Vent □ Access					
Piles			Floor System(s)						BLDG. DEPT.		
			Roof System			Special Insp Reports Rec'd			Certificate of Occupancy Issued		
Contract of the Contract of th	NSPE	CTIC	NS, CORRECTIO	NS, ET	C.	INSP	ECTIO	ONS,	CORRECTIONS, I	ETC.	
										n	(
	Connection Refrigerant Piping Ducts/ Plenums Conduits & or Cable Grounding & or Bonding Floor Ducts Raceways Service Conduit Temporary Power Pole Location, Setbacks, Esmt(s) Excavation Footings & Reinforcing Floor Slab Foundation Walls Sub-soil Drain Piles	Connection Refrigerant Piping Ducts/ Plenums Conduits & or Cable Grounding & or Bonding Floor Ducts Raceways Service Conduit Temporary Power Pole Location, Setbacks, Esmt(s) Excavation Footings & Reinforcing Floor Slab Foundation Walls Sub-soil Drain Piles	Connection Refrigerant Piping Ducts/ Plenums Conduits & or Cable Grounding & or Bonding Floor Ducts Raceways Service Conduit Temporary Power Pole Location, Setbacks, Esmt(s) Excavation Footings & Reinforcing Floor Slab Foundation Walls Sub-soil Drain Piles	Refrigerant Piping Piping Duct Furnace(s) Ducts/ Plenums Duct Insulation Combustion Products Vents Conduits & Cable Grounding & Piloor Ducts Raceways Service Conduit Ducts Service Panel Switchboard Service Busways Ducts Temporary Power Pole Location, Setbacks, Esmt(s) Excavation Footings & Reinforcing Floor Slab Construction Foundation Walls Sub-soil Drain Piloor System Crawl Space Does System(s) Reof System	Refrigerant Piping Puct Furnace(s) Ducts/ Plenums Duct Insulation Combustion Products Vents Conduits & Conduits/ Cable Grounding & Rough Mrw Fit Wit/146 Grounding & Service Panel Switchboard Service Conduit Temporary Power Pole Location, Setbacks, Esmt(s) Excavation Footings & Reinforcing Floor Slab Conduits Construction Conduits Construction Construction Construction Columns & Supports Conduits Construction Columns & Supports Conduits Construction Columns & Supports Crawl Space Vent Daccess Piles Floor System(s) Roof System	Refrigerant Piping Piping Duct Furnace(s) Ducts/ Plenums Duct Insulation Combustion Products Vents Conduits & Cable Grounding & Rough Mrw Yes Subpanels Floor Ducts Raceways Subpanels Conduit Ducts Construction Excavation Footings & Reirigerant Piping Duct Furnace(s) Rough Mrw Yes Subpanels Exterior Wall Construction Footings & Reirigerant Piping Ducts Floor Slab Conduit Construction Foundation Walls Sub-soil Crawl Space Ducts Ploor System(s) Floor System(s) Footings & Reirigerant Piping	Refrigerant Piping	Refrigerant Piping	Refrigerant Piping	Refrigerant Piping Refrigerant Piping Chimney(s) Grease Exhaust System Duct Piping Duct Furnace(s) Ducts Pienums Ducts Pienums Ducts Pienums Ducts Pienums Ducts Pienums Duct Penums Pienums Pool Insulation Pool Insulation Pool Furnace(s) Pienums Pienu	Refrigerant Piping Refrigerant Piping Pount Piping Piping

This document is for the release of **one (1)** Water Meter Yoke for <u>Residential</u> water service lines.

RELEASE NO. 225
PERMIT NO. 4099 ISSUED 12-12-96
JOB LOCATION 511 S. Perry St.
(V) - Inside City Limits () - Outside City Limits
ISSUED BY BIND
OWNER Keith Fruchey
ADDRESS 620 Trail Dr.
CONTRACTOR Se 17
ADDRESS
CONTRACTOR'S PHONE NO. 599-0005
WATER TAP SIZE: $(\ \ \) = 1"$ () = 1-1/2" () = 2"
WATER METER s#
() - New Dwelling (X) - Existing Dwelling
() - Lawn Meter 5/8 Yoke
Water Service Line to be Type (K) Copper or (CTS) Polyethelene Tubing of one inch (1") minimum.
Watts No. 7 Dual check required () = Yes () = No
Water Meter Yoke installation is subject to the following conditions:
1.) Must be located in an accessible area.

- Must be in an area not subject to freezing temperatures.
- Must be eighteen inches (18") above floor level, not in crawl spaces.
- Must comply with the mounting criteria and clearances as set forth in DRAWING #04403901.

(1) 10 mm 10 mm

ISSUED 12-12-96

This document is for the release of **one (1)** Water Meter Yoke for <u>Residential</u> water service lines.

RELEASE NO. 225

PERMIT NO. 4099

JOB LOCATION 5/1 5. Perry St.
(V) - Inside City Limits () - Outside City Limits
ISSUED BY BND
OWNER Keith Fruchey
ADDRESS 620 Trail Dr.
CONTRACTOR 50 1f
ADDRESS
CONTRACTOR'S PHONE NO. 579-0005
WATER TAP SIZE: $(\ \) = 1"$ $(\ \) = 1-1/2"$ $(\ \) = 2"$
WATER METER s#
() - New Dwelling () - Existing Dwelling
() - Lawn Meter 5/8 Yoke
Water Service Line to be Type (K) Copper or (CTS) Polyethelene Tubing of one inch (1") minimum.
Watts No. 7 Dual check required () = Yes () = No
Water Meter Yoke installation is subject to the following conditions:
1.) Must be located in an accessible area.
2.) Must be in an area not subject to freezing temperatures.
3.) Must be eighteen inches (18") above floor level, not

4.) Must comply with the mounting criteria clearances as set forth in DRAWING #04403901.

METER YORK PELEASE

Die dollerent is to the selecte of one (1) warm Mater

() - Inmide Carr Markies () - Ownerds City Marke
E SERVICI
Done newscore on the total to the present and

This document is for the release of one (1) Water Meter Yoke for Residential water service lines.

RELEASE NO. 226
PERMIT NO. 4099 ISSUED 12-12-96
JOB LOCATION 511 /2 S. Perry St.
(X) - Inside City Limits () - Outside City Limits
ISSUED BY BAD
OWNER Keith Fruckey
ADDRESS 620 trail Dr.
CONTRACTOR
ADDRESS
CONTRACTOR'S PHONE NO. 599-0005
WATER TAP SIZE: $(\ \)$ = 1" $(\)$ = 1-1/2" $(\)$ = 2"
WATER METER S#
() - New Dwelling () - Existing Dwelling Conversion to Duple
() - Lawn Meter 5/8 Yoke
Water Service Line to be Type (K) Copper or (CTS)
Polyethelene Tubing of one inch (1") minimum.
Watts No. 7 Dual check required () = Yes () = No
Water Meter Yoke installation is subject to the following conditions:
1.) Must be located in an accessible area.

- 2.) Must be in an area not subject to freezing temperatures.
- 3.) Must be eighteen inches (18") above floor level, not in crawl spaces.
- 4.) comply with the mounting criteria clearances as set forth in DRAWING #04403901.

This document is for the release of **one (1)** Water Meter Yoke for <u>Residential</u> water service lines.

RELEASE NO. 226
PERMIT NO. 4/99 ISSUED 12-12-96
JOB LOCATION5/1/5 S. Parry St.
(X) - Inside City Limits () - Outside City Limits
ISSUED BY BND
OWNER Keith Fruchey
ADDRESS 620 trail Dr.
CONTRACTOR S / F
ADDRESS
CONTRACTOR'S PHONE NO
WATER TAP SIZE: () = 1" () = 1-1/2" () = 2"
WATER METER s#
() - New Dwelling () - Existing Dwelling Conversion to Daple
() - Lawn Meter 7/8 Yoke
Water Service Line to be Type (K) Copper or (CTS) Polyethelene Tubing of one inch (1") minimum.
Watts No. 7 Dual check required () = Yes () = No
Water Meter Yoke installation is subject to the following conditions:
1) Much be leasted in an energible

- 1.) Must be located in an accessible area.
- Must be in an area not subject to freezing temperatures.
- 3.) Must be eighteen inches (18") above floor level, not in crawl spaces.
- Must comply with the mounting criteria and clearances as set forth in DRAWING #04403901.

This document in for the release of one (1) Water Meter Yolg for Desidencial water nervice there

PELEASE NO. C.L.
TOTALOGI GIO
[] - Louide City Lindte [] - Outskie City Lindte
Designation .
Voter Surice Line to be Type (2) construct (CTS)
2.) Must be in in an arm not subject to transing

APPLICATION FOR

Residential, Building, Electrical, Plumbing, Mechanical, and Demolition Permit

FROM - The City of Napoleon, Ohio, Building Department

255 West Riverview Avenue; P.O. Box 151; Napoleon, Ohio 43545 - Telephone (419) 592-4010

ENTRY NO		Base	Plus	Total
PERMIT NO. <u>4099</u> ISSUED <u>10-31-96</u>	Building	\$ 2.00	\$ 48.00	\$ 57,00
JOB LOCATION 51/ 5, Perry (511/2)	/ Electrical			\$ 54.00
LOT	(X)Plumbing			\$ 2400
(Subdivision or Legal Description)	•			
ISSUED BY 600	(Mechanical	18.00	\$	18.00
(Building Official)	()Demolition	\$	\$. \$
OWNER Krith Fruchey PHONE 599-0005	()Zoning	\$	\$. \$
ADDRESS 620 Trail Dr. 19p.	()Sign	\$	\$	\$
AGENT Self PHONE	()Water Tap	\$	\$	\$
ADDRESS	()Sewer Tap	\$	\$	3
USE: () Residential () Commercial () Industrial () Other	()Temp Water	\$	\$	\$
WCRK: () New () Addition () Replacement (k) Remodel	()Temp Elec.	\$	\$	\$
ESTIMATED COST = \$ 10,000.00	Additional Plan Review:		Hours _	
CONING IMPORMATION	Less Fees	Paid		153.00
District Lot Dimensions Area	Front Ya	rd Side	Vard D	ear Yard
	30000	5100	1010	ear idia
Max Height No. Pkg. Spaces No. Ldg Spaces				
Max Height No. Pkg. Spaces No. Ldg. Spaces	Max Cove	Petitio	n or Appeal F	Required-Date
	•			
ORK INFORMATION				
uilding: Ground Floor Area sq. ft.	Basement Floor A	rea	sq. ft	
arage Floor Area sq. ft. 2nd Floor Area				
ize: Length Width Stories	Height			
uilding Volume (for Demolition Permit) cubic				
escription of Work: Convert to Duple				
				-

ELECTRICAL:	Contractor	Phone
	Address	ESTIMATED COST = \$
Type of Work:	()New ()Service Change ()Rewiring ()Add'l Wiring TEMPO	DRARY ELEC. REQUIRED - ()Yes ()No
	Size of Service Underground Overhead	Number of New Circuits
Description of	Work:	
	Contractor	
	Address	
WATER TAP REQU	IRED - ()Yes ()No Size Type of Pipe	Water Dist. Pipe
SANITARY SEWER	TAP REQUIRED - ()Yes ()No Size Type of Pipe	Dr. Waste Vt. Pipe
STREET SEWER T	AP REQUIRED - ()Yes ()No Type of Pipe STREE	TT TO BE OPENED - ()Yes ()No
	Main Building Drain Size = Main	Vent Pipe Size =
LIST NUMBER OF	PLUMBING FIXTURES BELOW:	
Water Closets	= X Bathtubs = X Showers = Lavatories = X Ki	tchen Sinks = X Disposal =
	= X Floor Drains = Dishwasher = Other	
Description of	Work:	
	Contractor	
	Address ESTIM	
HEATING SYSTEM	- ()Forced Air ()Gravity ()Hot Water ()Steam ()Unit Heat	ers ()Radiant ()Baseboard
TYPE OF FUEL -	()Electric ()Natural Gas ()Propane ()Wood ()Coal ()Sol	ar ()Geothermal Other
NUMBER OF HEAT	ZONES = HOT WATER - ()One (1) Pipe ()Two (2)	Pipes ()Series Loop
ELECTRIC HEAT -	Number of Circuits Number of Furnaces Nu	mber of Hot Air Runs
Number of Hot W	Nater Radiators Total Heat Loss Rated Capa	city of Furnace/Boiler
LOCATION OF HEA	MING UNITS - ()Crawl Space ()Floor Level ()Attic ()Sus	pended ()Roof ()Outside
Description of	Nozk:	
Foundation Plan Electrical Layo	ED: All applications must be accompanied by two (2) complete se s, Floor Plans, Structural Framing Plans, Exterior Elevations, Se out, Plumbing Isometric, Heating Layout, etc. All Plans shall be see Site Plans, and show electric panel and furnace locations.	ction and Details, Stair Details,
to complete the Building Code,	ELOW: The undersigned hereby makes application for a Permit for work in strict accordance with all applicable provisions of the the Napoleon Building and Zoning Codes, the Napoleon Engineering ications and other pertinent sections of the Napoleon Code of Ord	current edition of the C.A.B.O. Department Rules and Regulations,
Signature of Ap	plicant	Date