PERMIT_

HERRICATION RECORD

CITY OF NAPOLEON - BUILDING DEPARTMENT 255 West Riverview Avenue, Napoleon, Ohio 43545 - 419-592-4010

		ed 1-7-87 date	-	BUIL	FEES	BASE 3.00	PLUS 18.50	TOTAL 22.50
Job Location	n 1120 E. Rivery	address	- T	BUILL	JING			Jan 91 8
Lot 3	River Repo Esta	tes r legal discript	中	ELEC	TRICAL	HHW		gelbung 2
Issued By	C7 1		- 4	PLUM	BING			1 1
	il Mires	tel.	- 4	MECH	IANICAL		her	rainina a
	120 Riverview	592-1806	中	DEMO	LITIOŅ	or iana	ine	NUMB .
bu	ilder-engetc. 970 Oakwood	tel.	中	ZONII	VG .	100		
Description	of Use Residence	(green fint)	- 中	SIGN		reid i		Made 5
	TAUGITARIA	anthus entitletter Supply in tental	4	WATER	TAP	refraesc		1. 19
Residential_	no. dwelling units	10000	ioni	SEWER	TAP	000011		
	Industr	ial		ТЕМР. Е	LECT.	MENT .	81	Mane 3
	Add'n. X Alter	Remodel			IONAL	Struct	hrs	Papa de la
	pancy		-		IEW	Elect.	hrs	ALEXANDER S
Change of O	ccupancy	atalog inches	0	TOT	AL FEES			22,50
Estimated C	zoning informa	TION				ES PAID	fate	nonescu 3 at an
district	lot dimensions	area		front	yd	side	yds	rear yd
В	120.8' x 200'	24,160			T	32'L. 96'		91
max hgt 35 ' Ma	no pkg spaces x. 2 - min.	no idg spaces	45%	cover	petition	or appeal req'o	72	date appr
WORK INFO	RMATION:	schilgati Ventrick	3					701 mod 2
Size: Length		n 24' St	ories_	1	Gara Gro e	age and Floor Are	ea 576	S.F.
Height	121 Build	ding Volume (for d	emo i	nermit)			AIN	
7.10	o be applied for	seperately				TOOT TOO I	1987	cu. ft.
Plumbing:	N.A.	brief description		THE BUT	PAREON	SO BREAK	TALE PART CON	
Mechanical:_	N.A.	brief description	All I			des	U. Hararia	
Sign: N	.ADimer	brief description			s	ign Area		MIC
Additional In	formation: Two ca	r garage, addit	tion	to exist	ing hou	se.	7	1 8
			1	1	11.		//	
Date 1/26	187 Applie	cant Signature	ttu	up l	VLu	ulun	Th	
1/		3			O	wner-agent		

INSPECTION RECURD

Type Iding sins ter ing Iding wer Wer nnection frigerant sing cts/ snums nduits & Cable	Date	Ву	Type Drainage, Waste & Vent Piping Water Piping Refrigerant Piping Duct Furnace(s)	Date	Ву	Indirect Waste Condensate Lines	Date	Ву	Type Drainage, Waste & Vent Riping Backflow Prevention Water Heater	Date	ВУ
tins ter ing Iding ver ver nnection frigerant ing cts/ nums			Water Piping Refrigerant Piping Duct Furnace(s)			Condensate Lines			& Vent Riping Backflow Prevention Water Heater	1	
ing Iding wer wer nnection frigerant ing cts/ nums			Refrigerant Piping Duct Furnace(s)		7	Lines			Prevention Water Heater FINAL		
ver nnection frigerant ing cts/ nums			Refrigerant Piping Duct Furnace(s)			Lines			Heater FINAL	1 21	
rigerant ing cts/ nums			Piping Duct Furnace(s)	2						1 2	
cts/ nums			Piping Duct Furnace(s)	19	Contract Con		Acres Company		APPROVAL	10	
cts/ nums nduits & Cable			Furnace(s)	1		Chimney(s)			Grease Exhaust System	- 114	
nums nduits & Cable						Fire Dampers			Air Cond. Unit(s)		
nduits & Cable			Ducts/ Plenums			□ Radiant Htr(s) □ Unit Htr(s)			Refrigeration Equipment		
Cable			Duct Insulation			Pool Heater			Furnace(s)		
Cable			Combustion Products Vents			Ventilation ☐ Supply ☐ Exhst.			FINAL APPROVAL		
			Conduits/ Cable			□ Range □ Dryer		9.5	Temp Service Temp Lighting		
ounding & Bonding			Rough Wiring			☐ Generator(s) ☐ Motors			Fixtures Lampholders		
or Ducts ceways			Service Panel Switchboard			□ Water Htr □ Welder			Signs	T . T	
vice nduit			Busways Ducts			□ Heaters □ Heat Cable			Electric Mtr. Clearance	ou u	
mporary wer Pole			Subpanels			□ Duct Htr(s) □ Furnace(s)			FINAL APPROVAL		
cation, Set- cks, Esmt(s)	1/	54	Exterior Wall Construction	3/9	友	Roof Covering Roof Drainage	2/9	到	Smoke Detector		
cavation	1/	5				Exterior Lath			Demolition (sewer cap)		
otings & inforcing	1/	FI	ocali a			□ Interior Lath □ Wallboard	,				
or b	2/9		Interior Wall Construction			Fire Wall(s)			Building or Structure		
undation Ils	4	54	Columns & Supports			Fireplace Chimney			·		
b-soil ain			Crawl Space □ Vent □ Access			Attic □ Vent □ Access					
es			Floor System(s)	2/9	51	10.27,542				6/14	51
- III			Roof System	2/9	5.	Special Insp Reports Rec'd			Certificate of Occupancy Issued		
INSPECTIONS, CORRECTION		NS, ET	C.	INSP	ECTIO	NS,	CORRECTIONS, E	TC.			
							-		110111		
					-					1.5	1 .
									110 v		
		-	15		-	Na segui ru		_			
bai	ndation Is -soil in s	ndation ls -soil in s	or $\frac{2}{9}$ $\frac{5}{7}$ and $\frac{5}{7}$ notation $\frac{1}{5}$ $\frac{5}{7}$ notation in $\frac{5}{7}$ s	Interior Wall Construction Indation Is Columns & Supports Insoil Crawl Space Insoil Crawl Space Insoil Crawl Space Insoil Roof System Insoil Crawl Space Insoil Cr	Interior Wall Construction Indation I	Interior Wall Construction Indation I	Interior Wall Construction Indation Is	Indation	Interior Wall Construction Indation I	Interior Wall Construction Indation I	Interior Wall Construction Indation Is Columns & Supports Crawl Space Chimney Supports Fireplace Chimney Attic Vent Access Floor System(s) Roof System Fire Wall(s) Fireplace Chimney Attic Vent Access FINAL APPROVAL FINAL

CITY OF NAPOLEON 255 West Riverview Avc. Nappleon, Ohio 43545 419/592-4010

ADDENDUM TO Permit No. _ 0 /2 96

Permit No. 0/298

Owner PHIL MIRES

Contractor GERMANN RUILDER

Location 1/20 PIVERVIEW

P1. note the items checked below and incorporate them into your plans as indicated:
PERMIT NOT YET ISSUED, CORRECT PLANS AND RE-SUBMIT.
PERMIT ISSUED, INCORPORATE ITEMS DURING CONSTRUCTION.

	GENERAL		THEORIGINALE TIEMS DU		
~	Provide approved smoke detector(s) as reg'd.		Show size of members	sup	porting porch roof.
	Provide %" gypsum wallboard between	X	Provide double top p partitions and exter	ior	walls.
-	dwelling and garage, on garage side.	\geq	Provide design data	for	prefab wood truss.
	Provide min. 1 3/8" solid wood door from garage to dwelling. (or equal)		Ceiling joists under	size	d in
	Submit fully dimensioned plot plan.		Roof rafters undersi	zed	in
\prec	Provide min. of 1-3'0" x 6'8" exit door.		PLUMBING A	ND M	ECHANICAL
4	Provide min. 22" x 30" attic access opening.		Terminate all exhaus	t sy	stems to outside air
	Provide min. 18" x 24" crawl space access		Insulate ducts in un	heat	ed areas.
	Provide approved sheathing or final.		Provide backflow pre- hose bibs.	vent	ion device on all
-	Denind masonry veneer.		Terminate pressure an	nd t	emperature relief
-	Provide min. 15# underlayment on roof.	-	varve drain in an app	prov	ed manner.
-	Provide adequate fireplace hearth.		Provide dishwasher di gap device.	rain	with approved air
	Install factory built fireplaces/stoves according to manufacturers instructions.		METAL		
	Terminate chimney 2' above roof or 2' above highest point of building within 10' of chimney.	-	Contact City Utilitie conductors and/or met	er.	
	LIGHT AND VENTILATION		Provide approved syst bonding.	em (of grounding and
	Provide mechanical exhaust or window in	_	ELEC		****
1	rovide min. 27 6 Sq. In par from		Show location of servand service equipment	ice	entrance panel
× .	rea attic ventilation.		G. F. C. I. req'd. or	ter	aporary electric.
	Provide min. Sq. In. net free area crawl space ventilation.		Outdoor, bathroom and shall be protected by	gai	TAGE TECEPITAL
4	FOUNDATION		Maximum number of rec	enti	icles promites a
	Min. depth of foundationbelow finished grade is 32".		20 A. circuits and 7	uit for	shall be 10 for 15A. circuits.
1	Min. size of footer "x"		Refrigerators, microw	aves	, washers, disposal,
1	Provide anchor bolts 1" 6 6' o.c. 1' from each corner. Embedded 7" in concrete and		furnace and air condi separate circuits.		
4	13 In masonry.		INSPEC		
+	Show size of basement columns.		The following indicative required. The owner of the contract to the contract t	r hi	C ACOUR -ball
+	FRAMING		pontact the City Buil	41 na	Dont sa lasas
+	Show size of wood girder in	1	24 hrs prior to the tis to be made.	ime	the inspection
	Provide design data for structural member in	V	Footers and Setbacks.		Building sewer.
1	Floor joists undersized in	1X	Foundation.		HVAC rough-in.
	Provide double joists under parallel		Plumbing rough-in.		Final Building
-	bearing partitions.		Plumbing final.		other,
	Provide 1" x 4" let in corner bracing,		Electrical service.	X	BUILDING FRANING
	approved sheathing, or equal.		Electrical rough-in.	1	1 TEMPEROU
	Show size of headers for openings over 4' wide		Electrical final		
	Additional Corrections.		· · · · · · · · · · · · · · · · · · ·		
_ ;					
_					
			1.000		

The approval of plans and specifications does not permit the violation of any section of the Building Code or other City Ordinance. This addendum is attached to Permit No. 61298 and made a part there-of. DATE APPROVED OR DISAPPROVED 1-7-86 Checked by

DATE RECHECKED AND APPROVED_

Checked by

Plan Examiner.

PERMIT

CITY OF NAPOLEON - BUILDING DEPARTMENT

0/298 255 West Riverview Avenue, Napoleon, Ohio 43545

233 West Miretalem Washine, M	apo	eon, Unio 43545	- 419-592-4010)	
Permit NoIssued /-7-8 Z		FEES	BASE	PLUS	TOTAL
Job Location //ZO F. PIVERVIECU	. ¢	BUILDING	3,00	18,50	22,50
Lot 3 RIVER RENO ESTATE sub-div or legal discript	, d	ELECTRICAL	-		
Issued By 24 building official	. ф	PLUMBING			
Owner PHIC UIRES name tel.	Н	MECHANICAL			
Address // 20 RIVERVIEW	I		• ======		
Agent GERMAND RUILOERS	Y	DEMOLITION			
builder-engetc. tel. Address 970 09 Kwooo	Ŷ	ZONING			
Description of Use PESIDENCE	Ŷ	SIGN			
		WATER TAP			
Residential		SEWER TAP			
CommercialIndustrial		TEMP. ELECT.			
NewAdd'nAlterRemodel		ADDITIONAL	Struct.	hen	
Mixed Occupancy		PLAN			
Change of Occupancy		REVIEW	Elect		
Estimated Cost \$ 9000.				(A) (A) (A) (A)	
		LESS MIN. F	EES PAID	ite	
ZONING INFORMATION		BALANCE DU	JE		
district lot dimensions area 120,81 x 2001		front yd	side y	ds	rear yd
max hgt no pkg spaces no ldg spaces	max 45	cover petitio	n or appeal req'd	R 9	
WORK INFORMATION:	-)'	The second of the second secon	
Size: Length Z / Width Z / Stor	rion	(64)	RAGE und Floor Area	~ /	
		Gro	und Floor Area	5/6	Siti
Sanding volume (for der	mo. ŗ	permit)			u. ft.
Electrical: To BE APPLIED FOR brief description Plumbing: N A	SE	PERATECY			
brief description					
brief description					
type Dimensions					, _{An}
Additional Information: Two CAR 6A	RA	6E 700	17/00 7	OEX	ISTING
HOUSE		-			<u> </u>
DateApplicant Signature					-
		O	wner-agent		
White-Building Department "Yellow-Applicant Pink-Electrics	al Insp	ector Green-Cler	k-Treasurer Go	ld-County Auc	fitor

		ь

CITY OF NAPOLEON BUILDING INSPECTION DEPARTMENT APPLICATION FOR BUILDING PERMIT (Please print or type)


The undersigned hereby makes application for construction, installation, or alteration work as herein specified, agreeing to do all such work in strict accordance with the City of Napoleon's adopted Building Codes.

	2 0	, , , , , , , , , , , , , , , , , , , ,	and a consideration of the constant of the con
Location of project //20	E. RIVER	Cost of proje	ct 9000 00
Owner's Name PHIL Mie			
Contractor GERMANN	BUILDER	Telephone No. 59	2-1806
Address 970 On			
Lot Information: (Not red	quired for s	iding job)	
Lot No St	ubdivision_A	DIVER BEND ES	TATES
Zoning District B Lo			
Setbacks: Front Ri	ight Side	Left Side 32'	Rear /9'
Work Information:			
Residential	Commerc	ialIndustr	rial
New Construction	Additio	nRemode:	1
Accessory Building		Siding Wood	
Accessory Building	:	SARALE ADDITION	ov
Size: Length 24/ Wid	1th 24'	No. of Stories /	
Area: lst Floor_576			
		Accessory Bldg	
		Other	
Additional Information:			
APPLICATION FOR PERMIT SHA INCLUDING: ELEVATIONS, FL ADDITION OR REMODELING, SH LOCATION. ALL PLANS SHALL	.OOR PLANS, IOW ALL EXIS	CROSS SECTIONS AND PLOT TING STRUCTURES AND THE	DIAN TE
Date 1/5/87	Applicant	's Signature Milly W	humanns

		y.

CITY OF NAPOLEON BUILDING INSPECTION DEPARTMENT APPLICATION FOR ELECTRICAL PERMIT (Please print or type)

The undersigned hereby makes application for installation or replacement of electrical equipment as herein specified, agreeing to do all such work in strict accordance with the City of Napoleon's adopted Electrical Codes. Owner's Name Phil MIRES Address E RIVORIJOU Electrical Contractor Mike's Stecholo Telephone No. 592-8356 Address 1848 E RIVERVIEW Telephone No. General Contractor Address Location of Project E Riverview Cost of Project 300.00 Work Information: No. Units Commercial Industrial Residential Rewiring Additional Wiring Service Change / Brief Description of Work: 2 CAR GARASE Size of proposed service entrance 200 Number of new circuits 2 Type of proposed service entrance Underground K Overhead Require. Temporary Electric NO (Yes or No) Total Floor Area - Commercial and Industrial only sq. ft. Additional Information: *Ground fault circuit interrupter protection is required on all 120-volt single phase, £5 and 20 amp. Circuits which are part of a temporary electric service: and also on bathroom, outdoor, and garage receptacles in all dwelling units. Art. 220-8 N.E.C. Application for permit shall be accompanied by two complete sets of plans including: Electrical layout and riser diagram. (For commercial and industrial work only). ate 3-13-87 Applicant's Signature Masusee



	©-		
	= 7		