

METER YOKE RELEASE

This document is for the release of **one (1)** Water Meter Yoke for Residential water service lines.

RELEASE NO. 0053

PERMIT NO. _____

ISSUED 9-13-93

JOB LOCATION 1414 N. Scott

- Inside City Limits () - Outside City Limits

ISSUED BY BND

OWNER Ken Woods

ADDRESS 194 Old Creek Dr. Napoleon

CONTRACTOR Thomas Real Estate Maintenance

ADDRESS 12-564 Rd. P. Napoleon

CONTRACTOR'S PHONE NO. 599-2427

WATER TAP SIZE: = 1" () = 1-1/2" () = 2"

WATER METER s# _____

() - New Dwelling - Existing Dwelling
Business

Water Service Line to be Type (K) Copper or (CTS) Polyethelene Tubing of one inch (1") minimum.

Watts No. 7 Dual check required = Yes () = No

Water Meter Yoke installation is subject to the following conditions:

- 1.) Must be located in an accessible area.
- 2.) Must be in an area not subject to freezing temperatures.
- 3.) Must be eighteen inches (18") above floor level, **not in crawl spaces, unless circumstances dictate.**
- 4.) Must comply with the mounting criteria and clearances as set forth in **DRAWING #04403901.**