



City of Napoleon, Ohio

Zoning Department

255 West Riverview Avenue, P.O. Box 151
Napoleon, OH 43545

Mark B. Spiess, Senior Engineering Technician / Zoning Administrator
Telephone: (419) 592-4010 Fax: (419) 599-8393
www.napoleonohio.com

COMMERCIAL PERMIT

Issued Date: March 1, 2019

Expiration Date: March 1, 2020

Permit Number: P-19-022

Job Location: 904 Scott St.

Owner: Marathon Oil
539 S. Main St.
Findlay, OH 45840

Contractor: National Illumination & Sign
888-731-6122

Zone: C-3 Local Commercial

Set Backs: Principle Building

Front:25 Rear: 15 Side: 7

Comments:
85" x 108" Post Sign

Permit Type: Sign

Fee: \$37.80

Status: Paid

Amount Due: \$0.00

Mark B. Spiess
Sr. Eng. Tech / Zoning Admin.



City of Napoleon, Ohio

Zoning Department

255 West Riverview Avenue, P.O. Box 151
Napoleon, OH 43545
Telephone: (419) 592-4010 Fax: (419) 599-8393
www.napoleonohio.com

P-18-022

APPLICATION FOR SIGN PERMIT

LOCATION OF PROPERTY: 904 SCOTT ST.

OWNER NAME: MARATHON OIL PHONE: _____

OWNER ADDRESS: 539 S MAIN ST., FINDLAY, OH 45840

CONTRACTOR NAME: NATIONAL ILLUMINATION & SIGN PHONE: 888-731-6122

IS CONTRACTOR REGISTERED WITH THE CITY OF NAPOLEON? YES NO

SIGN INFORMATION

TYPE: POST WALL GROUND AWNING

DIMENSIONS: 85" X 108" = TOTAL S.F. 63.75 SQ. FT.

** PLEASE INCLUDE ANY AND ALL SITE PLANS AND PLANS OF ABOVE SIGNS.

FEES:

\$35.00 BASE UP TO 50 S.F. OF SIGN, PLUS \$0.20 PER ADDITIONAL S.F., NOT TO EXCEED \$150.00 (100-1700-46610)

\$5.00 FLAT FEE FOR TEMPORARY SIGNS, TEMPORARY SPECIAL EVENT SIGNS, AND PORTABLE SIGNS OTHER THAN THOSE EXEMPT FROM FEE. (SEE BELOW)

NO FEE REQUIRED FOR TEMPORARY AND EASILY REMOVABLE 1ST AMENDMENT SIGNS, OR SIGNS RELATED TO RELIGIOUS OR CHARITABLE CAUSES OR EVENTS.

ESTIMATED CONSTRUCTION COST \$ 6,500

[Signature]
APPLICANT SIGNATURE

FEB 26, 2019
DATE

Building/Zoning Office Use Only


Batch # _____ Check # _____ Date _____



BEFORE



AFTER



NOTE: Pricer to be street justied on both sides

SCOPE OF WORK

REMOVE MANUAL PRICE FACES FROM CABINET
INSTALL LED RETROFIT FACES INTO CABINET

NO CHANGES TO EXISTING SQUARE FOOTAGE, STRUCTURE, SETBACK, OVERALL HEIGHT, WIDTH OR CLEARANCE.

L.E.D.s ARE NOT ABLE TO FLASH, CHANGE COLOR, ANIMATE OR DISPLAY CHARACTERS OTHER THAN NUMERALS 0-9.

CONNECTING TO EXISTING ELECTRICAL CIRCUIT(S)

ILLUMINATION INTENSITY OF LED IS AUTOMATICALLY DIMMED OR BRIGHTENED AS THE SURROUNDING AMBIENT LIGHT DICTATES. A TAMPER-PROOF, MANUAL OVERRIDE EXISTS TO ADJUST LIGHTING IF REQUIRED BY CODE.

ALL DATA TRANSFER IS VIA WIRELESS COMMUNICATION

RETROFIT KITS ARE MARKED WITH A 'CLASSIFIED' UL LABEL MARKED WITH CONTROL # 45J08 WHICH IS UNDER MANUFACTURER'S UL FILE E241695.

LOW VOLTAGE LEDS WILL BE CONNECTED TO EXISTING 20 A SIGN CIRCUIT. NO NEW CIRCUITS ARE REQUIRED.

SIGN WILL HAVE A BELL BOX & LOCKING SWITCH COVER FOR DP/ST, 20 AMP DISCONNECT, BONDED TO THE EXISTING STRUCTURE, GROUNDED THROUGH #12 THHN DEDICATED SIGN CIRCUIT GOING BACK TO THE MAIN DISTRIBUTION CENTER & GROUNDING ELECTRODE.



DISCLAIMER: Renderings are for graphic purposes only and not intended for actual construction dimensions. For window requirements, actual dimensions and mounting detail, please refer to engineering specifications and install drawings. These drawings and designs are the exclusive property of Everbrite LLC. Use of, or duplication in any manner without express written permission of Everbrite LLC is prohibited.


Customer: SPEEDWAY LLC	Description: 7'x 9' 2 prod. RG 16" LD4 radius retrofit w/ pan embossed faces	
Project No: 399520	Scale: 3/8"=1'-0"	
Date: 01/17/19	Drawn By: KRW	
Location & Site No: 904 Scott Street Napoleon, OH	Revised:	
	Revised:	
	CUSTOMER SIGNATURE	DATE
	LANDLORD SIGNATURE	DATE



BEFORE



AFTER



SCOPE OF WORK

REMOVE MANUAL PRICE FACES FROM CABINET
INSTALL LED RETROFIT FACES INTO CABINET

NO CHANGES TO EXISTING SQUARE
FOOTAGE, STRUCTURE, SETBACK,
OVERALL HEIGHT, WIDTH OR CLEARANCE.

L.E.D.s ARE NOT ABLE TO FLASH, CHANGE
COLOR, ANIMATE OR DISPLAY CHARACTERS
OTHER THAN NUMERALS 0-9.

CONNECTING TO EXISTING ELECTRICAL CIRCUIT(S)

ILLUMINATION INTENSITY OF LED IS AUTOMATICALLY
DIMMED OR BRIGHTENED AS THE SURROUNDING
AMBIENT LIGHT DICTATES. A TAMPER-PROOF, MANUAL
OVERRIDE EXISTS TO ADJUST LIGHTING IF REQUIRED
BY CODE.

ALL DATA TRANSFER IS VIA WIRELESS COMMUNICATION

RETROFIT KITS ARE MARKED WITH A 'CLASSIFIED' UL
LABEL MARKED WITH CONTROL # 4508 WHICH IS UNDER
MANUFACTURER'S UL FILE E241695.


LOW VOLTAGE LEDS WILL BE CONNECTED TO EXISTING
20 A SIGN CIRCUIT. NO NEW CIRCUITS ARE REQUIRED.

SIGN WILL HAVE A BELL BOX & LOCKING SWITCH COVER
FOR DP/ST. 20 AMP DISCONNECT. BONDED TO THE EXISTING
STRUCTURE, GROUNDED THROUGH #12 THHN DEDICATED
SIGN CIRCUIT GOING BACK TO THE MAIN DISTRIBUTION
CENTER & GROUNDING ELECTRODE.

		<p>DISCLAIMER: Renderings are for graphic purposes only and not intended for actual construction dimensions. For workload requirements, actual dimensions and mounting detail, please refer to engineering specifications and install drawings. These drawings and designs are the exclusive property of Everbrite LLC Use of, or duplication in any manner without express written permission of Everbrite LLC is prohibited.</p>	
Customer: SPEEDWAY LLC	Scale: 3/8"=1'-0"	Description: 7'x 9' 2 prod. RG 16" LD4 radius retrofit w/ pan embossed faces	Customer Approval: Graphics and colors on file will be used unless otherwise specified by customer. Please review drawing carefully. By signing below, you agree to graphics as shown above, and to location of sign as shown. Please return signed copy back to Everbrite.
Project No: 399520	Drawn By: KRW	Revised:	CUSTOMER SIGNATURE _____ DATE _____
Date: 01/17/19	SPDY1505	Revised:	LANDLORD SIGNATURE _____ DATE _____
Location & Site No: 904 Scott Street Napoleon, OH			



BEFORE



Scale: 3/8"=1'-0"

NOTE: Pricer to be street justied on both sides

SCOPE OF WORK

REMOVE MANUAL PRICE FACES FROM CABINET
INSTALL LED RETROFIT FACES INTO CABINET

NO CHANGES TO EXISTING SQUARE FOOTAGE, STRUCTURE, SETBACK, OVERALL HEIGHT, WIDTH OR CLEARANCE.

L.E.D.s ARE NOT ABLE TO FLASH, CHANGE COLOR, ANIMATE OR DISPLAY CHARACTERS OTHER THAN NUMERALS 0-9.

CONNECTING TO EXISTING ELECTRICAL CIRCUIT(S)

ILLUMINATION INTENSITY OF LED IS AUTOMATICALLY DIMMED OR BRIGHTENED AS THE SURROUNDING AMBIENT LIGHT DICTATES. A TAMPER-PROOF, MANUAL OVERRIDE EXISTS TO ADJUST LIGHTING IF REQUIRED BY CODE.

ALL DATA TRANSFER IS VIA WIRELESS COMMUNICATION

RETROFIT KITS ARE MARKED WITH A 'CLASSIFIED' UL LABEL MARKED WITH CONTROL # 48U8 WHICH IS UNDER RS UL FILE E241695.

PRO WILL BE COMPLETED TO EXISTING

Bores vs Open cut?

James Bourd

Manual Sign

REGISTERED?