

PERMIT

CITY OF NAPOLEON - BUILDING DEPARTMENT

255 West Riverview Avenue, Napoleon, Ohio 43545 - 419-592-4010

Permit No. 01125 Issued 12-20-85 date
 Job Location 225 Shelby Street address
 Lot N/A sub-div or legal discript
 Issued By Ronald D. Spenberg building official
 Owner Jim Tonjes name tel.
 Address 225 Shelby Street 598-8991
 Agent Earl Elling Plb. & Htg. builder-eng.-etc. tel.
 Address R.R. 4 Napoleon, Ohio 43545
 Description of Use Single Family, R4
 Residential one no. dwelling units
 Commercial _____ Industrial _____
 New _____ Add'n. _____ Alter XX Remodel _____
 Mixed Occupancy no
 Change of Occupancy no
 Estimated Cost \$ 1,000.00

FEE	BASE	PLUS	TOTAL
BUILDING			
ELECTRICAL			
PLUMBING			
MECHANICAL	\$6.00	-0-	\$6.00
DEMOLITION			
ZONING			
SIGN			
WATER TAP			
SEWER TAP			
TEMP. ELECT.			
ADDITIONAL PLAN REVIEW	Struct. _____ hrs Elect. _____ hrs		
TOTAL FEES.....			\$6.00
LESS MIN. FEES PAID		-0-	
BALANCE DUE.....			\$6.00

ZONING INFORMATION

N/A

district	lot dimensions	area	front yd	side yds	rear yd
max hgt	no pkg spaces	no ldg spaces	max cover	petition or appeal req'd	date appr

WORK INFORMATION:

Size: Length N/A Width _____ Stories _____ Ground Floor Area _____
 Height _____ Building Volume (for demo. permit) _____ cu. ft.
 Electrical: _____ brief description _____
 Plumbing: _____ brief description _____
 Mechanical: Replace furnace w/ new nat. gas forced air furnace. brief description _____
 Sign: _____ Dimensions _____ Sign Area _____
 Additional Information: _____

PAID

JAN 2 1986

CITY OF NAPOLEON

Date 1-2-86 Applicant Signature James Tonjes for James Tonjes owner-agent

BORG-WARNER
Forced-Air Central System
GAS FURNACES

*Jim
Tanger
job*

EARL H. ELLING
PLUMBING — HEATING
AIR CONDITIONING
7-487 STATE ROUTE 108
NAPOLEON, OHIO 43645
(419) 598-8991

CLIMASTER IV



natural or
propane gas

Manufactured by the YORK Division of Borg-Warner Corporation

CLIMASTER IV compact, attractive styling in rich caribbean blue for installation anywhere in the home



The Climaster IV Upflow Furnace takes little space in basement or rec room installations. (Shown here with return-air plenum accessory and FlatTop Air Conditioning Coil.)



Closet installations are easier with Climaster IV because of its compact size. Unit shown is a Counterflow Model, with ductwork installed beneath the floor.

specifications:

BORG-WARNER CLIMASTER IV GAS FURNACES

	Model	Input (Btuh) ¹	Overall Dimensions			Available Add-on Cooling (Tons)
			Width	Depth	Height	
UPFLOW DIRECT DRIVE	UG040D	40,000	12 $\frac{1}{4}$	28 $\frac{1}{2}$	54	1,1.5,2
	UG065D	65,000	16 $\frac{1}{4}$			1.5,2
	UG080D	80,000	16 $\frac{1}{4}$			1.5,2,2.5,3
	UG105D	105,000	22 $\frac{1}{4}$			2.5,3,3.5,4
	UG120D	120,000	22 $\frac{1}{4}$			2.5,3,3.5,4,5
			26 $\frac{1}{4}$ *			3.5,4,5
	UG140D	140,000	26 $\frac{1}{4}$			3.5,4,5
	UG160D	160,000				4,5
UG200D	200,000	32 $\frac{1}{4}$				
UPFLOW BELT DRIVE	UG120B	120,000	26 $\frac{1}{4}$	28 $\frac{1}{2}$	54	4,5
	UG140B	140,000	32 $\frac{1}{4}$			7.5
	UG160B	160,000				1.5,2
	UG200B	200,000	1.5,2,2.5,3			
COUNTER-FLOW DIRECT DRIVE	CG065D	65,000	16 $\frac{1}{4}$	28 $\frac{1}{2}$	54	2.5,3,3.5,4
	CG080D	80,000	22 $\frac{1}{4}$			2.5,3,3.5,4
	CG105D	105,000				3.5,4,5
	CG120D	120,000	26 $\frac{1}{4}$			5
	CG140D	140,000				
	CG160D	160,000				

*Model UG120D16N.

¹ For altitudes above 2,000 ft. reduce ratings 4% for each 1,000 ft. above sea level.
Output Btuh = .80 X input Btuh.

Because of our policy of continuous improvement, we reserve the right to make changes in all specifications without notice. We suggest you contact your York Dealer or Distributor for the latest information for engineering purposes.



YORK Heating and Air Conditioning
BORG-WARNER

PERMIT

CITY OF NAPOLEON - BUILDING DEPARTMENT

255 West Riverview Avenue, Napoleon, Ohio 43545 - 419-592-4010

Permit No. 01125 Issued 12-20-85 date
 Job Location 225 Shelby Street address
 Lot N/A sub-div or legal discript
 Issued By Ronald P. Zimmerman building official
 Owner Jim Tonjes name tel.
 Address 225 Shelby Street 598-8991
 Agent Earl Eiling Plb. & Htg. builder-eng.-etc. tel.
 Address R.R. 4 Napoleon, Ohio 43545
 Description of Use Single Family, R4
 Residential one no. dwelling units
 Commercial _____ Industrial _____
 New _____ Add'n. _____ Alter XX Remodel _____
 Mixed Occupancy no
 Change of Occupancy no
 Estimated Cost \$ 1,000.00

FEE	BASE	PLUS	TOTAL
BUILDING			
ELECTRICAL			
PLUMBING			
MECHANICAL	\$6.00	-0-	\$6.00
DEMOLITION			
ZONING			
SIGN			
WATER TAP			
SEWER TAP			
TEMP. ELECT.			
ADDITIONAL PLAN REVIEW	Struct. _____ hrs		
	Elect. _____ hrs		
TOTAL FEES.....			\$6.00
LESS MIN. FEES PAID _____ date			-09
BALANCE DUE.....			\$6.00

ZONING INFORMATION

N/A

district	lot dimensions	area	front yd	side yds	rear yd
max hgt	no pkg spaces	no ldg spaces	max cover	petition or appeal req'd	date appr

WORK INFORMATION:

Size: Length N/A Width _____ Stories _____ Ground Floor Area _____
 Height _____ Building Volume (for demo. permit) _____ cu. ft.
 Electrical: _____ brief description
 Plumbing: _____ brief description
 Mechanical: Replace furnace w/ new nat. gas forced air furnace. brief description
 Sign: _____ Dimensions _____ Sign Area _____
 Additional Information: _____

PAID
 JAN 2 1986
 CITY OF NAPOLEON

Date 1-2-86 Applicant Signature James Tonjes for James Tonjes owner-agent

01152

DATE	DESCRIPTION	AMOUNT
1917		
1918		
1919		
1920		
1921		
1922		
1923		
1924		
1925		
1926		
1927		
1928		
1929		
1930		
1931		
1932		
1933		
1934		
1935		
1936		
1937		
1938		
1939		
1940		
1941		
1942		
1943		
1944		
1945		
1946		
1947		
1948		
1949		
1950		
1951		
1952		
1953		
1954		
1955		
1956		
1957		
1958		
1959		
1960		
1961		
1962		
1963		
1964		
1965		
1966		
1967		
1968		
1969		
1970		
1971		
1972		
1973		
1974		
1975		
1976		
1977		
1978		
1979		
1980		
1981		
1982		
1983		
1984		
1985		
1986		
1987		
1988		
1989		
1990		
1991		
1992		
1993		
1994		
1995		
1996		
1997		
1998		
1999		
2000		
2001		
2002		
2003		
2004		
2005		
2006		
2007		
2008		
2009		
2010		
2011		
2012		
2013		
2014		
2015		
2016		
2017		
2018		
2019		
2020		
2021		
2022		
2023		
2024		
2025		
2026		
2027		
2028		
2029		
2030		
2031		
2032		
2033		
2034		
2035		
2036		
2037		
2038		
2039		
2040		
2041		
2042		
2043		
2044		
2045		
2046		
2047		
2048		
2049		
2050		

PAID
BY
DATE OF PAYMENT
1917

CITY OF NAPOLEON
BUILDING INSPECTION DEPARTMENT
APPLICATION FOR HEATING PERMIT
(PLEASE PRINT OR TYPE)

The undersigned hereby makes application for the installation, replacement or alteration of a heating system or device as herein specified, agreeing to do all such work in strict accordance with the City of Napoleon's adopted Mechanical Code for 1, 2 and 3 Family Buildings.

Owner's Name Jim Tonjes Address 225 Shelby
Contractor's Name Ellings Plb & Htg Address Rt 4 Tel. 598-8991

BUILDING INFORMATION:

Single Family Double Family _____ Multiple _____ New Construction _____
Addition _____ Remodel _____ Replacement No. of Stories 2

DESCRIPTION OF WORK

Heating System - Warm Air Hot Water _____ Steam _____ Electric _____

Unit Heaters _____ Unit Gas Heaters _____ Other _____

Type - Gravity _____ Forced _____ Radiant _____

No. of Thermostatical Heating Zone 1

Hot Water - One Pipe _____ Two Pipe _____ Series Loop _____

Electric Heat - No. of Circuits _____ Other _____

Total Heat Loss of Area to be Heated 48,000 Btu.

Rated Capacity of Furnace/Boiler 65,000 Btu.

No. of Furnaces 1 No. of Hot Air Runs 6

No. of Hot Water Radiators _____ Type of Fuel nat gas

Heating Units Located: Crawl Space _____ Floor Level Suspended _____

Roof or Exposed to Outside Air _____ Attic _____ Other _____

APPLICATION FOR PERMIT SHALL BE ACCOMPANIED BY TWO COMPLETE SETS OF PLANS INCLUDING: LOCATION OF FURNACE OR UNIT HEATERS AND SIZE AND LOCATION OF FEEDER DUCTS AND RETURN AIR DUCTS. ALL PLANS SHALL BE DRAWN TO SCALE.

ESTIMATED COST OF COMPLETED PROJECT: \$1000⁰⁰

DATE 12-19-85 APPLICANT'S SIGNATURE Earl H. Elling
OWNER-CONTRACTOR-AGENT

PERMIT NO. 01125
FEE \$6.00

Jim Stargis 225 Shelby

FOR SALE in basement

8'0"

BR

BR



30x19
grills

Returns
24x8

BATH



KITCHEN

LR



James Taylor 225 Shelby



