

PERMIT

CITY OF NAPOLEON - BUILDING DEPARTMENT
 255 West Riverview Avenue, Napoleon, Ohio 43545 - 419-592-4010

Permit No. 01507 Issued 2-5-88 date
 Job Location 329 Union Street address
 Lot 5-A Brennan's Subdivision sub-div or legal discript
 Issued By Eldon Huber building official
 Owner Heyde Aviation 592-0880 name tel.
 Address Co. Rd. 0
 Agent Bostelman Electric 599-3416 builder-eng.-etc. tel.
 Address 232 Rohrs St.
 Description of Use Residence
 Residential 1 no. dwelling units
 Commercial _____ Industrial _____
 New _____ Add'n. _____ Alter _____ Remodel X
 Mixed Occupancy _____
 Change of Occupancy _____
 Estimated Cost \$ 900.00

FEE	BASE	PLUS	TOTAL
<input type="checkbox"/> BUILDING			
<input checked="" type="checkbox"/> ELECTRICAL	15.00	6.00	21.00
<input type="checkbox"/> PLUMBING			
<input type="checkbox"/> MECHANICAL			
<input type="checkbox"/> DEMOLITION			
<input type="checkbox"/> ZONING			
<input type="checkbox"/> SIGN			
WATER TAP			
SEWER TAP			
TEMP. ELECT.			
ADDITIONAL PLAN REVIEW	Struct. _____ hrs	Elect. _____ hrs	
TOTAL FEES			21.00
LESS MIN. FEES PAID			
BALANCE DUE			

ZONING INFORMATION

district	lot dimensions		area	front yd	side yds	rear yd
C						
max hgt	no pkg spaces	no ldg spaces	max cover	petition or appeal req'd	date appr	

WORK INFORMATION: N.A.

Size: Length _____ Width _____ Stories _____ Ground Floor Area _____
 Height _____ Building Volume (for demo. permit) _____ cu. ft.

Electrical: Replace existing with new 100 amp overhead service & 2 circuits. brief description
 Plumbing: N.A. brief description
 Mechanical: N.A. brief description
 Sign: N.A. Dimensions _____ Sign Area _____
 type

Additional Information: _____ **PAID**

Date _____ Applicant Signature Eldon Huber owner-agent **MAR 02 1988**
 CITY OF NAPOLEON

PERMIT

CITY OF NAPOLEON - BUILDING DEPARTMENT

01507 255 West Riverview Avenue, Napoleon, Ohio 43545 - 419-592-4010

Permit No. Issued 2-5-88
date

Job Location 329 UNION ST
address

Lot 5-A BRENNAN'S SUB DIV.
sub-div or legal discript

Issued By 54
building official

Owner H. F. YOE AVIATION 592-0880
name tel.

Address CO. RD. 6

Agent BOYTELMAN ELECTRIC 599-3416
builder-eng.-etc. tel.

Address 232 ROHS ST

Description of Use RESIDENCE

Residential 1
no. dwelling units

Commercial Industrial

New Add'n. Alter Remodel X

Mixed Occupancy

Change of Occupancy

Estimated Cost \$ 900.00

FEE	BASE	PLUS	TOTAL
BUILDING			
ELECTRICAL	15.00	6.00	21.00
PLUMBING			
MECHANICAL			
DEMOLITION			
ZONING			
SIGN			
WATER TAP			
SEWER TAP			
TEMP. ELECT.			
ADDITIONAL PLAN REVIEW	Struct. <u> </u> hrs	Elect. <u> </u> hrs	
TOTAL FEES.....			21.00
LESS MIN. FEES PAID			
BALANCE DUE.....			

ZONING INFORMATION

district <u>C</u>	lot dimensions	area	front yd	side yds	rear yd
max hgt	no pkg spaces	no ldg spaces	max cover	petition or appeal req'd	date appr

WORK INFORMATION: N.A.

Size: Length Width Stories Ground Floor Area

Height Building Volume (for demo. permit) cu. ft.

Electrical: N.A. REPLACE EXISTING WITH NEW 100 AMP OVERHEAD SERVICE & 2-CIRCUITS
brief description

Plumbing: N.A.
brief description

Mechanical: N.A.
brief description

Sign: N.A. Dimensions Sign Area
type

Additional Information:

Date Applicant Signature
owner-agent

CITY OF NAPOLEON
BUILDING INSPECTION DEPARTMENT
APPLICATION FOR ELECTRICAL PERMIT
(Please print or type)

The undersigned hereby makes application for installation or replacement of electrical equipment as herein specified, agreeing to do all such work in strict accordance with the City of Napoleon's adopted Electrical Codes.

Owner's Name Keyde Aviation Address Co. Rd 0 592-0880

Electrical Contractor Bostelme Electric Telephone No. 599-3416

Address 232 Rohrs St.

General Contractor _____ Telephone No. _____

Address _____

Location of Project 329 Union St Cost of Project 900⁰⁰

Work Information:

Residential 1 Commercial _____ Industrial _____
No. Units

New _____ Service Change X Rewiring _____ Additional Wiring _____

Brief Description of Work: upgrade service add two new circuits

Size of proposed service entrance 100amp Number of new circuits 2

Type of proposed service entrance _____ Underground _____ Overhead X

Require Temporary Electric No (Yes or No)

Total Floor Area - Commercial and Industrial only _____ sq. ft.

Additional Information: _____

PERMIT NO. _____
PERMIT FEE \$ _____

*Ground fault circuit interrupter protection is required on all 120-volt single phase, 15 and 20 amp. Circuits which are part of a temporary electric service: and also on bathroom, outdoor, and garage receptacles in all dwelling units. Art. 220-8 N.E.C.

Application for permit shall be accompanied by two complete sets of plans including: Electrical layout and riser diagram. (For commercial and industrial work only).

Date Feb 5, 1988 Applicant's Signature Alan P. Bostelme

