PERMIT

CITY OF NAPOLEON - BUILDING DEPARTMENT 255 West Riverview Avenue, Napoleon, Ohio 43545 - 419-592-4010

		d 10-8-87 date	1	120 -	FEES	BASE 6.00	PLUS 101.00	TOTAL 107.00
	on 85 Vincennse	address		BUIL	DING			Smiligh S
Lot 96	Riveria Heights	4th Addition	中	ELEC	TRICAL	10.00	44.00	54.00
Issued By_	F. J. Jan. H. J. Land		- 🔯	PLUM	IBING	6.00	20.00	26.00
OWI.0.	eck's Construction	tel.	×	MECI	HANICAL	12.00	gth	12.00
	11622 Rd. M - Napol		4	DEM	OLITION	marke I	III.	481148
Agent	ecks Construction builder-engetc. 11622 Rd. M - Napol	tel.	×			5.00		5.00
		(A) THE THILL C	Т	SIGN		Dustra		elate \$
Description	n of Use Residence	total-	T	SIGN		1210		1/8
1	The state of the s	- nollations	X	WATER	TAP	300.00		300.00
Residential	no. dwelling units	thinks a fairt	X	SĘWER	TAP	60.00		60.00
	alIndustria	Gruelmonest v	Х	TEMP. I	ELECT.	10.00		10.00
New_X	_Add'nAlter			ADDI"	TIONAL	Struct.	hrs	ar Ben
Mixed Occ	upancy	WHI LESS W. C.			AN VIEW	Elect.	hrs	G mod 5
Change of	Occupancy	- philadel -			6.1			
Estimated	Cost \$ 48,000.00	(gyant taug)						iempo Pewei
No.			-	LES	S MIN. FE	ES PAID	ate	
Tolle.	ZONING INFORMAT		3	BAL	ANCE DU	E		Ladout
district A	lot dimensions	area 9600 S.F.		front 30 '	yd	side R-75' L-		rear yd
max hgt	no pkg spaces 2 - min.	no idg spaces	max 35%	cover		or appeal req'd	7(1)	date appr
2017		analgeria	1	19.30		intiling 3	nett	British E
WORK INF	ORMATION:	221				Garage	572	S.F.
Size: Leng	401	20 2/1	ories_	1	Gro	and Floor Are	1/120	
Heigl	ht 12' + - Build	ng Volume (for de	emo. p	ermit)	, hor	HUN-S		_cu. ft.
300		deal jes 18	circ	uits.				
Electrical:	200 amp undergroun	d service & 22					ELECTRICAL CONTRACT	
Electrical:_ Plumbing:_	Newstaniero estado	brief description laundry.	1	T3 ,814	OLTOSARK	естіонь, сі	gayı	
ATT - 54	2 baths kitchen &	brief description laundry. brief description t. gas furnace	170	not air	runs.	ECTIONS, CO	SOLO.	37
Plumbing:_ Mechanical Sign:	2 baths kitchen & r. 75,000 B.T.U. na	brief description laundry. brief description t. gas furnace brief description	17.0	not air		ign Area	2010 2010	TAZZ Z
Plumbing:_ Mechanical Sign:	2 baths kitchen &	brief description laundry. brief description t. gas furnace brief description sions	& 8	not air	s	ign Area	3 0 10	W TAN WENN
Plumbing:_ Mechanical Sign:	2 baths kitchen & r. 75,000 B.T.U. na Dimens	brief description laundry. brief description t. gas furnace brief description sions	& 8	- 44	s	ign Area	7 (03104)	H 30 TTI2
Plumbing:_ Mechanical Sign: type Additional I	2 baths kitchen & r. 75,000 B.T.U. na Dimense Information:	brief description laundry. brief description t. gas furnace brief description sions PCAO Co	& 8	- 44	s		7 (03104) 2861	1.50
Plumbing:_ Mechanical Sign:	2 baths kitchen & r. 75,000 B.T.U. na Dimense Information:	brief description laundry. brief description t. gas furnace brief description sions	& 8	- 44	5 pc 5 pc		7 (03104) 2861	T 150

INSPECTION RECORD

	UNDERGR	OUNE)	THOUT AUST	R	ROUGH-IN FINA			IAL			
	Туре	Date	Ву	Туре	Date	Ву	Туре	Date	Ву	Туре	Date	Ву.
	Building Drains	87	38/	Drainage, Waste & Vent Piping	3/3/88	Ę,	Indirect Waste			Drainage, Waste & Vent Piping	1/19	168
Ü	Water Piping				ШуЩ	-				Backflow Prevention	1/12	
PLUMBING	Building Sewer			Water Piping	33.80	5	Condensate Lines			Water Heater	19	
	Sewer Connection									FINAL APPROVAL	1/4	F.
	Refrigerant Piping			Refrigerant Piping			Chimney(s)			Grease Exhaust System	L	
CAL				Duct Furnace(s)			Fire Dampers			Air Cond. Unit(s)	1112	
MECHANICAL	Ducts/ Plenums			Ducts/ Plenums			□ Radiant Htr(s) □ Unit Htr(s)			Refrigeration Equipment	- 3-	
ECH				Duct Insulation			Pool Heater			Furnace(s)		
2				Combustion Products Vents			Ventilation □ Supply □ Exhst.			FINAL APPROVAL	4/14	罗
	Conduits & or Cable			Conduits/ Cable			□ Range □ Dryer			Temp Service Temp Lighting		
AL	Grounding & or Bonding			Rough Wiring			☐ Generator(s)☐ Motors			Fixtures Lampholders		
TRIC	Floor Ducts Raceways			Service Panel Switchboard	b		□ Water Htr □ Welder			Signs	7 A	
ELECTRICAL	Service Conduit			Busways Ducts			□ Heaters □ Heat Cable			Electric Mtr. Clearance		
ш	Temporary Power Pole			Subpanels			□ Duct Htr(s) □ Furnace(s)			FINAL APPROVAL		
	Location, Set- backs, Esmt(s)			Exterior Wall Construction	2/18	5,	Roof Covering Roof Drainage	3/3	E	Smoke Detector	4/14	50
	Excavation	8/28	5/4				Exterior Lath			Demolition (sewer cap)	15	
48	Footings & Reinforcing		E.				□ Interior Lath □ Wallboard			7.1		
BUILDING	Floor Slab			Interior Wall Construction	2/18	54	Fire Wall(s)			Building or Structure	1/14	5
BUIL	Foundation Walls		F4	Columns & Supports			Fireplace Chimney					
	Sub-soil Drain			Crawl Space ☐ Vent ☐ Access			Attic Vent Access	3/3	54			
	Piles			Floor System(s)	418	51		tre5		FINAL APPROVAL BLDG. DEPT.	5/12	5
				Roof System	3/3	51	Special Insp Reports Rec'd			Certificate of Occupancy Issued	1/3	13
		NSPE	СТІС	NS, CORRECTIO	NS, ET	C.	INSP	ECTIO	NS,	CORRECTIONS, I	ETC.	
NAL	PROUID	Z L	566	VENT ARO	5/12	54						
ADDITIONAL	TI CA MAPALES	Ui		w Loger	5.5	5.1	51. to 8				THE S	+ -
A							£1					
							A. A. mumani P. o.					

ITY OF NAPOLEON 155 West Riverview Avc. Papeleon, Ohio 43545 119/592-4010

ADDENDUM TO Permit No. 01460 - (1)

Owner BECKII CONSTRUCTION

Contractor BECKII CONSTRUCTION

Location BS VINCENNSE

GENERAL	SSUED, INCORPORATE ITEMS DURING CONSTRUCTION.
Provide approved smoke detector(s) as reg'd.	Show size of members supporting porch roo
Provide 3" gypsum wallboard between	Provide double top plate for all bearing partitions and exterior walls.
dwelling and garage, on garage side.	Provide design data for prefab wood truss
Provide min. 1 3/8" solid wood door from garage to dwelling. (or equal)	Ceiling joists undersized in
Submit fully dimensioned plot plan.	Roof rafters undersized in
Provide min. of 1-3'0" x 6'8" evit door	PLUMBING AND MECHANICAL
Provide min. 22" x 30" attic access opening.	Terminate all exhaust systems to outside
Provide min. 18" x 24" crawl space access	Insulate ducts in unheated areas.
opening. Provide approved sheathing or flashing	Provide backflow prevention device on all hose bibs.
pening masonry veneer.	Terminate pressure and temperature relief valve drain in an approved manner.
Provide min. 15# underlayment on roof.	Provide dishwasher drain with approved ai
Provide adequate fireplace hearth.	gap device.
Install factory built fireplaces/stoves according to manufacturers instructions.	METAL VENEERS
Terminate chimney 2' above roof or 2' above highest point of building within	Contact City Utilities Dept. to remove conductors and/or meter.
10' of chimney.	Provide approved system of grounding and bonding.
LIGHT AND VENTILATION	ELECTRICAL
Provide mechanical exhaust or window in bathroom	Show location of service entrance panel and service equipment panel.
Provide min. 965 Sq. In. net free area attic ventilation. 1/2 C R/06E	G. F. C. I. req'd. on temporary electric.
ovide min. /// Sq. In. net free srea crawl space ventilation.	Outdoor, bathroom and garage recepticles shall be protected by G. F. C. I. & KITL
FOUNDATION	Maximum number of recepticles permitted
Min. depth of foundationbelow finished grade is 32".	on a G. F. C. I. circuit shall be 10 for 20 A. circuits and 7 for 15A. circuits.
Min. size of footer "x ".	Refrigerators, microwaves, washers, dispo furnace and air conditioners shall be on
Provide anchor bolts, 5" 8 6' o.c. 1' from each corner. Embedded 7" in concrete and	separate circuits.
15" in masonry.	
Show size of basement columns.	The following indicated inspections are required. The owner or his agent shall
FRAMING	contact the City Building Dept. at least
Show size of wood girder in	24 hrs prior to the time the inspection is to be made.
Provide design data for structural member	Footers and Setbacks. X Building sewer.
in	Foundation. HVAC rough-in.
Floor joists undersized in	Plumbing rough-in. Final Building
Provide double joists under parallel bearing partitions.	Plumbing final. other,
Provide 1" x 4" let in corner bracing.	Electrical service. Juicoung FRAA
approved sheathing, or equal. Show size of headers for openings over	Electrical rough-in.
4' wide	
Additional Corrections. PROVIDE 1-HR TTIC ACCESS OPENING THE R THE BEDROOM NO 2 WIN	RATED OPENING PROTECTIVE FOR MIN. CLEAR OPENING ARE
pproval of plans and specifications does not	permit the violation of any section of the Build
	attached to Permit No 01460 and made a part

		9
		÷ ;
		d

· (.,)

ITY OF NAPOLEON 55 West Riverview Avc. apoleon, Ohio 43545 19/592-4010

ADDENDUM TO Permit No. 0/460-(1)

Owner RECK'S CONSTRUCTION

Contractor RECK'S CONSTRUCTION

Location BC VINCENUSE

note the items checked below and incorporate UED, CORRECT PLANS AND RE-SUBMIT. PERMI	ate them into your plans as indicated: PERMIT NOT ISSUED, INCORPORATE ITEMS DURING CONSTRUCTION.
GENERAL	Show size of members supporting porch roof.
Provide approved smoke detector(s) as req'd.	Provide double top plate for all bearing
Provide h gypsum wallboard between dwelling and garage, on garage side.	partitions and exterior walls.
Provide min. 1 3/8" solid wood door from	Provide design data for prefab wood truss.
garage to dwelling. (or equal)	Ceiling joists undersized in
Submit fully dimensioned plot plan.	Roof rafters undersized in
Provide min. of 1-3'0" x 6'8" exit door	PLUMBING AND MECHANICAL
Provide min. 22" x 30" attic access opening.	Terminate all exhaust systems to outside air.
Provide min. 18" x 24" crawl space access opening.	Insulate ducts in unheated areas. Provide backflow prevention device on all
Provide approved sheathing or flashing behind masonry veneer.	hose bibs. Terminate pressure and temperature relief
Provide min. 15# underlayment on roof.	valve drain in an approved manner.
Provide adequate fireplace hearth.	Provide dishwasher drain with approved air gap device.
Install factory built fireplaces/stoves according to manufacturers instructions.	METAL VENEERS
Terminate chimney 2' above roof or 2' above highest point of building within	Contact City Utilities Dept. to remove conductors and/or meter.
10' of chimney. LIGHT AND VENTILATION	Provide approved system of grounding and bonding.
	ELECTRICAL
Provide mechanical exhaust or window in bathroom	Show location of service entrance panel and service equipment panel.
Provide min. 965 Sq. In. net free rea attic ventilation. 1/2 C R/06 E	G. F. C. I. req'd. on temporary electric.
ovide min. 138 Sq. In. net free area crawl space ventilation.	Outdoor, bathroom and garage recepticles shall be protected by G. F. C. I. W & 1704E.
FOUNDATION	Maximum number of recepticles permitted
Min. depth of foundationbelow finished grade is 32".	on a G. F. C. I. circuit shall be 10 for 20 A. circuits and 7 for 15A. circuits.
Min. size of footer "x".	Refrigerators, microwaves, washers, disposal furnace and air conditioners shall be on
Provide anchor bolts 4" 0 6' o.c. 1' from each corner. Embedded 7" in concrete and	separate circuits. INSPECTIONS
15" in masonry.	The following indicated inspections are
Show size of basement columns.	required. The owner or his agent shall
FRAMING	contact the City Building Dept. at least 24 hrs prior to the time the inspection
Show size of wood girder in	is to be made.
Provide design data for structural member in	Footers and Setbacks. X Building sewer.
Floor joists undersized in	Foundation. HVAC rough-in.
Provide double joists under parallel	Plumbing rough-in. Final Building
bearing partitions.	Plumbing final. other,
/ Provide 1" x 4" let in corner bracing, approved sheathing, or equal.	Electrical service. Electrical rough-in.
Show size of headers for openings over 4° wide_	Electrical final
Additional Corrections. PROVIDE 1-HE ATTIC ACCESS OPENING THE FOR THE BEDROOM NO 2 W	E RATED OPENING PROTECTIVE FOR E MIN. CLEAR OPENING AREA INDOW IS S SQ. FT.
pproval of plans and specifications does not pprove or other City Ordinance. This addendum here-of. DATE APPROVED OR DISAPPROVED 9-29-	ot permit the violation of any section of the Buildis attached to Permit No. <u>0/460</u> and made a part
DATE RECHECKED AND APPROVED	Plan Examiner. Checked by

·.		Q).

CITY OF NAPOLEON - BUILDING DEPARTMENT


0 1460 255 West Riverview Avenue, Nag	oleon, Ohio 43545 -	419-592-4010	ni .	
Permit No	FEES	BASE	PLUS	TOTAL
Job Location B 5 VINCENUSE	BUILDING	6,00	101,00	107.00
Lot 96 RIVERIA HEICHTS 4 THADD Bub-div or legal discript	ELECTRICAL	10.00	44,00	54,00
Issued By 24 building official	PLUMBING	6.00	20.00	26,00
Owner RECK'S CONSTRUCTIONIO, name tel.	MECHANICAL	12,00	,00	12,00
Address 1622 RDM NAP OH	DEMOLITION			
Agent BECK'S CONSTRUCTION 592-807 builder-engetc. tel. Address 11622 RD M NAPOH	ZONING	5.00	,00	5.00
Description of Use PESIDENCE	SIGN	-		
	X WATER TAP	300,00	100	300.00
Residential	XSEWER TAP	60.00	100	60,06
CommercialIndustrial	XTEMP. ELECT.	10.00	100	10,00
NewAdd'nAlterRemodel	ADDITIONAL	Struct.	hrs .	
Mixed Occupancy	PLAN REVIEW	Elect.	bre	•
Change of Occupancy	TOTAL FEES.		- 9	
Estimated Cost \$ 48,000,00	LESS MIN. FE			2.674
ZONING INFORMATION	BALANCE DU	d	Ate	
district fot dimensions area	front yd	l side	uda I	
17 801× 1201 9600 5,F	301	8ide R - 7,5 1 L -	75 51	rear yd
10 109 00000	-3/	or appeal req'd		date appr
WORK INFORMATION:			er om deminer was group of	
26' 72' Size: Length 43' Width 38.34 Stori		PRAGE	573	
Height 121 ± Building Volume (for dem		ind Floor Are	4	
	UP SERVICE +	77 (.cu. ft.
Plumbing: 2 - BATHS KITCHEN	+ CAUND		The corr	
Mechanical: 75,000 B. 70, NAT. 68	AS FURNACE +	,	407 131	R Rous
Sign:Dimensions	s	ign Area		
Additional Information;				1,11
	2.			
DateApplicant Signature			(9)	
The state of the s	01	vner-agent		2


		ggi v	
S.			

APPLICATION FOR PERMIT TO TAP SEWER

Owner BECKIS CONSTRUCTION	NO. SA 0026-87
ADDRESS 11622 RDM WAP OH	BLDG. PERMIT 0/460
CONTRACTOR BECKIS CONSTRUCTION	PERMIT FEE \$ 60.00
ADDRESS / 1622 RD M NAP OH TEL. 592-8307	STREET BOND NONE
	DATE PAID 9-29-87
	For office use only
LOCATION OF CONNECTION	
Street and No. 85 VINCENUSE Sanitary	> Storm_
Lot No. 96 Subdivision RIVERIA HEIGHT	4 Size of Tap 4 11
Size and Type of Sewer 4" SDR 35 ALI	L WORK MUST BE INSPECTED
Street to be opened-YesNo Opening bond fee	set by Engineer \$
Street opening agreement approval date NONE	
I certify that the sewer will be used only as indicated will be connected. Date Signature Owner-	
DO NOT WRITE BELOW THIS L	INE
INSPECTION RECORD	
Date Inspected Size and Type	of Sewer 4 15,0, R, 35
Location SEK SKIN PLAN Depth	Type of Test DONA
Inspected and Approved by: Malcalm Helberg	Date
Additional information	
Send copy to:	=

SKETCH OF INSTALLATION -ON BACK





F NAPOLEON Zoning Permit No. ___87-022 PERMIT Issued 9-30-87 By Richard A. Hayward ruction Zoning Inspector Filing Fee 35.00 Amount Date Paid les n_ Riveria Heights 4th Addition (or Legal Description) Yard Set Back: Front___301 Rear _ Sq. Ft. Side ___ Side ____ _____ Description of Use____ Off Street Parking Spaces Required_ ___ Loading Spaces Required ___ N/A Board of Zoning Appeals Applicant Signature Owner-Agent Pink - Engineering

Yellow - Board of Zoning Appeals



CITY OF NAPOLEON BUILDING INSPECTION DEPARTMENT APPLICATION FOR BUILDING PERMIT (Please print or type)

The undersigned hereby makes application for construction, installation, or alteration work as herein specified, agreeing to do all such work in strict accordance with the City of Napoleon's adopted Building Codes.

85 VIDGENSE	
Location of project Kirpra Hoalts Cost of project	200
Owner's Name Becks Const Co Address 1622 Rol	M
Contractor Bock's Const Co Telephone No. 592-8 Address 11622 RM No. 0.	307
Lot Information: (Not required for siding job)	
Lot No. 96 Subdivision	
	. ft.
Zoning District Lot Size ft. X ft. Area sq Setbacks: Front Right Side Left Side Rear	
Work Information:	
Residential Commercial Industrial	
New Construction Addition Remodel	
Accessory Building Siding Siding (Specific Type) Brief Description of Work: New Aug.	
Brief Description of Work: New Rone A	
Size: Length 65 Width 38 No. of Stories /	
Area: lst Floor 1444 sq. ft. Basement sq. ft.	,
2nd Floor sq. ft. Accessory Bldg. sq. ft.	
3rd Floor sq. ft. Other sq. ft.	
Additional Information:	
APPLICATION FOR PERMIT SHALL BE ACCOMPANIED BY TWO COMPLETE SETS OF PRINCLUDING: ELEVATIONS, FLOOR PLANS, CROSS SECTIONS AND PLOT PLAN. IN ADDITION OR REMODELING, SHOW ALL EXISTING STRUCTURES AND THEIR SIZE AND LOCATION. ALL PLANS SHALL BE DRAWN TO SCALE.	F
11 1 11	

_ Applicant's Signature_ Nober /

		3 3

CITY OF NAPOLEON BUILDING INSPECTION DEPARTMENT APPLICATION FOR ELECTRICAL PERMIT (Please print or type)

The undersigned hereby makes application for installation or replacement of electrical equipment as herein specified, agreeing to do all such work in strict accordance with the City of Napoleon's adopted Electrical Codes. Owner's Name _____ Address_____ Electrical Contractor______ Telephone No.____ Address General Contractor_____ Telephone No.____ Address____ Location of Project_____ Cost of Project____ Work Information: No. Units Industrial Residential____ New _____ Service Change ____ Rewiring ____ Additional Wiring _____ Brief Description of Work: New Rone h Size of proposed service entrance 200 Number of new circuits 22Type of proposed service entrance_____ Underground_____ Overhead_____ Require Temporary Electric Ves (Yes or No) Total Floor Area - Commercial and Industrial only sq. ft Additional Information:_____ *Ground fault circuit interrupter protection is required on all 120-volt single phase, 25 and 20 amp. Circuits which are part of a temporary electric service: and also on bathroom, outdoor, and garage receptacles. in all dwelling units. Art. 220-8 N.E.C. Application for permit shall be accompanied by two complete sets of plans including: Electrical layout and riser diagram. (For commercial and industrial work only). ate 9/22/87 Applicant's Signature Markeys

		14
		+
5		
×		

CITY OF NAPOLEON BUILDING INSPECTION DEPARTMENT APPLICATION FOR PLUMBING PERMIT (Please print or type)

The undersigned hereby makes application for the installation or replacement of plumbing work as herein specified, agreeing to do all such work in strict accordance with the City of Napoleon's adopted Plumbing Codes. (1, 2 and 3 family dwelling units only).

Owner's Name	Address
Plumbing Contractor	Telephone No
Address	
General Contractor	Telephone No
Address	
Location of Project	Cost of Project
Work Information:	ਸ ਸ
No. of dwelling units / New Replacement	AdditionAddition
Brief description of work: New Ronc	
	FEE:
Is water tap required <u>VP5</u> Size / Type o	
Is sewer tap required VCS Size Type o	/
Type of Water Distribution pipe 3 Plos	stic
Type of Drainage, Waste and Vent Pipe	
Size of main building drain Size of	main vent pipe3
Water closets Bathtubs No. Trap Size	Shower No. Trap Size
Lavatories / Trap Size Kitchen Sink No. Trap	Disposal No. Trap Size
Dishwasher / / / Clothes Washer / No. Trap Size	Other
All installations are subject to plumbing tests and/or insposed by the subject tests and subjec	Rout Bent
/	

CITY OF NAPOLEON BUILDING INSPECTION DEPARTMENT APPLICATION FOR HEATING PERMIT (PLEASE PRINT OR TYPE)

The undersigned hereby makes application for the installation, replacement or alteration of a heating system or device as herein specified, agreeing to do all such work in strict accordance with the City of Napoleon's adopted Mechanical Code for 1, 2 and 3 Family Buildings. Owner's Name______ Address_____ Contractor's Name _____ Address _____ Tel.___ BUILDING INFORMATION: Single Family Double Family Multiple New Construction Addition Remodel Replacement No. of Stories DESCRIPTION OF WORK Heating System - Warm Air Hot Water Steam Electric Unit Heaters ____ Unit Gas Heaters ____ Other ____ Type - Gravity_____ Forced / Radiant____ No. of Thermostatical Heating Zone_____ Hot Water - One Pipe _____ Two Pipe ____ Series Loop ____ Electric Heat - No. of Circuits ____ Other_ Total Heat Loss of Area to be Heated 65,000 ____Btü. Rated Capacity of Furnace/Boiler . 73000 Btu. No. of Furnaces______ No. of Hot Air Runs____ No. of Hot Water Radiators _____ Type of Fuel _____ 5 Heating Units Located: Crawl Space ____ Floor Level ___ Suspended ____ Roof or Exposed to Outside Air Attic Other APPLICATION FOR PERMIT SHALL BE ACCOMPANIED BY TWO COMPLETE SETS OF PLANS INCLUDING: LOCATION OF FURNACE OR UNIT HEATERS AND SIZE AND LOCATION OF FEEDER DUCTS AND RETURN AIR DUCTS. ALL PLANS SHALL BE DRAWN TO SCALE. ESTIMATED COST OF COMPLETED PROJECT:

87 APPLICANT'S SIGNATURE Moly

TAPPING PERMIT

Office of Water Works Napoleon, Ohio

No. W- 504-81	Date 9-29-87
Received of RECK'S CONSTR	2027102
THREE HUNDRED	Dollars, 22
Charge for tapping permit to supply water s	ervices to Lot No. 96
Addition PIVERIA HEIGHTS	4 7 H AOD
Street No. 85 VINCENNIE	
Tap Size / // Inch	Cost 300.00
Plumber MEYERS PL + H7/9,	
Clerk	-Treasurer
Date completed	
Water Distribution Department	

	(s)	

3-6" DOOR OK


MIN CLEAR OPEN ARKA OF WINDOW

IN DEDROOM N°Z 15 5 SQ, FT,

FLOOR JOISTI OK

PAFTERS PERFORE OIC

CEILING VOISTS



7 % 7 % = 14 % 2 % = 14,1667 % 5 % 4167 % 14,1667 % 5,4167 % 80 = 6139 % 5,4167 = 1134 $M = \frac{\omega C}{8} = \frac{1134 \% 5,4167 \% 5,4167 \% 12}{6} = 49,908$ $S = \frac{\omega d^{2}}{6} = \frac{6 \times 7,25^{2}}{6} = 57.56 = 410 \% 299.54$ BEAN OK

