

PERMIT

CITY OF NAPOLEON, OHIO — DEPT. OF BUILDING & ZONING

255 W. Riverview Avenue, Napoleon, Ohio 43545 (419) 592-4010

Permit No. 728 Date Nov. 7, 1983

Job Location 1033 W. Washington Valuation \$ 40,000

Owner United Pentecostal Church Address 1033 W. Washington

Contractor Self Telephone No. 599-4131

Address 1033 W. Washington

Electric Contractor _____

Plumbing Contractor _____

Mechanical Contractor _____

This permit is issued for work described in the plans, specifications, and/or application submitted, as approved by the Building Commissioner of the City of Napoleon, Ohio. Work shall conform to all pertinent construction and land use Codes and Ordinances.

Work Information:

Residential _____ Commercial X Industrial _____

New Construction _____ Addition X Remodel _____

Brief Description of Work New addition to church, front and rear, building will be enlarged in rear only

ISSUED BY Richard S. Staysman Building Official DEPT. OF BUILDING & ZONING

It is the owners or contractors responsibility to call the Building Department for the following (X) inspections:

- Footing excavation prior to placing concrete.
- Footing drains and foundation prior to backfill.
- Prepared sub-grade prior to placing concrete floor slab.
- Sanitary sewer
- Rough-in electrical, plumbing and service framing prior to installing wall board.
- Final electrical, plumbing and heating.
- Final building inspection, prior to occupancy.

PERMIT & FEES

Building Permit	\$ <u>74.20</u>
Electrical Permit	\$ <u>47.32</u>
Plumbing Permit	\$ _____
Mechanical Permit	\$ _____
Demolition Permit	\$ _____
Zoning Permit	\$ _____
Sign Permit	\$ _____
Water Tap	\$ _____
Sewer Tap	\$ _____
Temp. Elec.	\$ _____
Other _____	\$ _____
TOTAL FEES	\$ <u>121.52</u>
LESS FEES PAID	\$ <u>-0-</u>
BALANCE DUE	\$ <u>121.52</u>

Permit is not valid until all fees are paid in full, and shall be void if work is not started within six months of date above.

PAID
NOV 7 1983
CITY OF NAPOLEON

CITY OF NAPOLEON
BUILDING INSPECTION DEPARTMENT
APPLICATION FOR BUILDING PERMIT
(Please print or type)

59.20
35.00
55.00
39.20
18.40

The undersigned hereby makes application for construction, installation, or alteration work as herein specified, agreeing to do all such work in strict accordance with the City of Napoleon's adopted Building Codes.

Location of project 1033 W WASHINGTON ST Cost of project \$30,000
Owner's Name UNITED PENTECOSTAL CHURCH Address SAME AS ABOVE
Contractor SELF Telephone No. 599-4131
Address SAME AS ABOVE

Lot Information: (Not required for siding job)

Lot No. 9 Subdivision HELLERT + DONNELLEY'S 2ND ADDITION
Zoning District _____ Lot Size 132 ft. X 50 ft. Area 6600 sq. ft.
Setbacks: Front 29' Right Side 10'8" Left Side 7'0" Rear 15'-0"

Work Information:

Residential _____ Commercial X Industrial _____
New Construction X Addition X Remodel _____
Accessory Building _____ Siding _____ (Specific Type)

Brief Description of Work: NEW ADDITION TO CHURCH

FRONT AND REAR, BUILDING WILL BE ENLARGED IN REAR ONLY

Size: Length 25' Width 32'4" No. of Stories 2
Area: 1st Floor 800 sq. ft. Basement 640 sq. ft.
2nd Floor 800 sq. ft. Accessory Bldg. _____ sq. ft.
3rd Floor _____ sq. ft. Other _____ sq. ft.

Additional Information: _____

APPLICATION FOR PERMIT SHALL BE ACCOMPANIED BY TWO COMPLETE SETS OF PLANS INCLUDING: ELEVATIONS, FLOOR PLANS, CROSS SECTIONS AND PLOT PLAN. IF ADDITION OR REMODELING, SHOW ALL EXISTING STRUCTURES AND THEIR SIZE AND LOCATION. ALL PLANS SHALL BE DRAWN TO SCALE.

Date Oct. 18 Applicant's Signature United Pentecostal Church
By Gary L. Malone

PERMIT NO. 728
PERMIT FEE \$ 74.20

CITY OF NAPOLEON
BUILDING INSPECTION DEPARTMENT
APPLICATION FOR ELECTRICAL PERMIT
(Please print or type)

The undersigned hereby makes application for installation or replacement of electrical equipment as herein specified, agreeing to do all such work in strict accordance with the City of Napoleon's adopted Electrical Codes.

Owner's Name UNITED PENTECOSTAL CHURCH Address 1033 W WASHINGTON ST

Electrical Contractor SELF Telephone No. 599-4131

Address SAME AS ABOVE

General Contractor SELF Telephone No. _____

Address SAME AS ABOVE

Location of Project SAME AS ABOVE Cost of Project \$1,800

Work Information:

Residential _____ Commercial X Industrial _____

New _____ No. Units _____ Service Change X Rewiring _____ Additional Wiring X

Brief Description of Work: CHANGE SERVICE TO 150 AMP, RELOCATE

METER BASE, INSTALL WIRING IN NEW ADDITION

Size of proposed service entrance 150 A Number of new circuits 12

Type of proposed service entrance _____ Underground _____ Overhead X

Require Temporary Electric NO (Yes or No)

Total Floor Area - Commercial and Industrial, only 2,240 sq. ft.

Additional Information: _____

*Ground fault circuit interrupter protection is required on all 120-volt single phase, 15 and 20 amp. Circuits which are part of a temporary electric service; and also on bathroom, outdoor, and garage receptacles in all dwelling units. Art. 220-8 N.E.C.

*Application for permit shall be accompanied by two complete sets of plans including: Electrical layout and riser diagram. (For commercial and industrial work only).

Date Oct. 18

Applicant's Signature United Pentecostal Church
By Gary L. Mabre

PERMIT NO. 728

PERMIT FEE \$ 47.32

PROJECT RECORD FORM

ADDRESS 1033 W. Washington NAME Pentecostal Church

DATE	REMARKS
1/2/85	Pastor Gary Malone 599-5660
	The church added a porch roof
	to the front of the new addition on
	Monday Dec. 31, 1984. The addition is
	about 6 ft out and 15 ft long.
	The houses in the block are only
	one ft. out from the front of the
	bathroom addition. Section 157.23 B3
	does not permit covered porches in the
	set back without a variance from
	the Board of Zoning Appeals. I talked
	to Mr. Malone this morning and he
	stated that he had talked to Paul Bentler
	and was told he could build the porch.
	I feel that there was a misunderstanding
	between them on what could be built.
	They will have to get a variance from
	the BZA
	Richard Hannon 1/2/85

PERMIT

CITY OF NAPOLEON, OHIO — DEPT. OF BUILDING & ZONING
255 W. Riverview Avenue, Napoleon, Ohio 43545 (419) 592-4010

Permit No. 720 Date Nov. 7, 1983

Job Location 1033 W. Washington Valuation \$ 40,000

Owner United Pentecostal Church Address 1033 W. Washington

Contractor Self Telephone No. 599-4131

Address 1033 W. Washington

Electric Contractor _____

Plumbing Contractor _____

Mechanical Contractor _____

This permit is issued for work described in the plans, specifications, and/or application submitted, as approved by the Building Commissioner of the City of Napoleon, Ohio. Work shall conform to all pertinent construction and land use Codes and Ordinances.

Work Information:

Residential _____ Commercial X Industrial _____

New Construction _____ Addition X Remodel _____

Brief Description of Work New addition to church, front and rear, building will be enlarged in rear only

ISSUED BY _____ DEPT. OF BUILDING & ZONING

It is the owners or contractors responsibility to call the Building Department for the following (x) inspections:

- Footing excavation prior to placing concrete.
- Footing drains and foundation prior to backfill.
- Prepared sub-grade prior to placing concrete floor slab.
- Sanitary sewer
- Rough-in electrical, plumbing and service framing prior to installing wall board.
- Final electrical, plumbing and heating.
- Final building inspection, prior to occupancy.

PERMIT & FEES

Building Permit	\$ <u>74.20</u>
Electrical Permit	\$ <u>47.32</u>
Plumbing Permit	\$ _____
Mechanical Permit	\$ _____
Demolition Permit	\$ _____
Zoning Permit	\$ _____
Sign Permit	\$ _____
Water Tap	\$ _____
Sewer Tap	\$ _____
Temp. Elec.	\$ _____
Other	\$ _____

TOTAL FEES \$ 121.52

LESS FEES PAID \$ _____

BALANCE DUE \$ 121.52

PAID
NOV 7 1983
CITY OF NAPOLEON

Permit is not valid until all fees are paid in full, and shall be void if work is not started within six months of date above.

INSPECTION RECORD

UNDERGROUND		ROUGH-IN			FINAL	
Type	Date	By	Type	Date	By	Type
Sewer Connection			Drainage, W. & Vent			Drainage, W. & Vent
Building Sewer			Water Piping			Water Heater
Water Piping			Condensate Lines			Backflow Prevention
			Indirect Waste			
Floor Ducts Raceways			Rough Wiring	1/9/85	PPA	FINAL APPROVAL Electric Mtr. Clearance
Conduits & Cable			Conduits/Cable			Signs
Grounding & Bonding	1/6/85	PPA	Service Panel	1/6/85	PPA	
			Switchboard			
			Subpanels			
			<input type="checkbox"/> Range <input type="checkbox"/> Dryer			FINAL APPROVAL
Refrigerant Piping			Refrigerant Piping			Duct Insulation
Ducts/Plenums			Ducts/Plenums			Chimney(s)
			Ventilation			Furnace(s)
			<input type="checkbox"/> Supply			FINAL APPROVAL
			<input type="checkbox"/> Exhst.			
Location, Set-backs, Esmt(s)			Wall Construction			Fireplace Chimney
Excavation			Crawl Space			Attic
Footings & Reinforcing	1/12/85	PPA	<input type="checkbox"/> Vent <input type="checkbox"/> Access			<input type="checkbox"/> Vent <input type="checkbox"/> Access
Sub-soil Drain			Floor System(s)			Special Insp Reports Rec'd
Foundation Walls			Roof System			Smoke Detector
Floor Slab			Fire Wall(s)			Demolition (sewer cap)
			Roof Cover			Building or Structure
			Roof Drain			
FINAL APPROVAL BLDG. DEPT			Certificate of Occupancy Issued			#

Rough bleed in bathroom
 5/15/84
 8/8/84 new footer ins.
 1/3/85 Porch roof installed on front
 need variance
 2/12/85 Variance granted 2/27/85
 2/13/85 Meet insp. Final

If the owner or contractor responsibility to call the Building Department for the following (x) inspections:
 Footing excavation prior to placing concrete
 Footing slabs and foundation prior to backfill
 Prepared sub-grade prior to placing concrete floor slab
 Sanitary sewer
 Rough-in electrical plumbing and service framing prior to installing well head
 Final electrical plumbing and footing
 Final building inspector prior to occupancy

CITY OF NAPOLEON WORK ORDER

No 60920

Dept. Electric

Name West Pentecostal Church

Date Ordered 1-9-85

Address 1300 West Washington

By Richard Hayman

LOCATION	Remove			Meter		Install	
	No.	Date	Rdg.	No.	Date	Rdg.	
Electric							
Water							
Water Hr.							

Request: Change service to 200 Amp

Date Completed _____ By _____

