

# METER YOKE RELEASE

This document is for the release of **one (1)** Water Meter Yoke for Residential water service lines.

RELEASE NO. 0037

PERMIT NO. \_\_\_\_\_

ISSUED 5/28/93

JOB LOCATION 217 W. Washington

- Inside City Limits

- Outside City Limits

ISSUED BY MSG

OWNER Mary Lou Van Arsdale

ADDRESS P-895 Co. Rd. 16, Pt. 2 NAPOLEON

CONTRACTOR ~~Mary Phibby & Heating~~ Kim Moore

ADDRESS ~~Retain Street~~ 0-829 Co. Rd. 11-C

CONTRACTOR'S PHONE NO. ~~592-6771~~ 599-1031

WATER TAP SIZE:  = 1"     = 1-1/2"     = 2"

WATER METER s# \_\_\_\_\_

- New Dwelling

- Existing Dwelling

Water Service Line to be **Type (K) Copper or (CTS) Polyethelene Tubing of one inch (1") minimum.**

Watts No. 7 Dual check required  = Yes     = No

**Water Meter Yoke installation is subject to the following conditions:**

- 1.) Must be located in an accessible area.
- 2.) Must be in an area not subject to freezing temperatures.
- 3.) Must be eighteen inches (18") above floor level, **not in crawl spaces, unless circumstances dictate.**
- 4.) Must comply with the mounting criteria and clearances as set forth in **DRAWING #04403901.**