

PERMIT

CITY OF NAPOLEON, OHIO — DEPT. OF BUILDING & ZONING
255 W. Riverview Avenue, Napoleon, Ohio 43545 (419) 592-4010

Permit No. 801 Date April 20, 1984
Job Location 512 W. Washington Valuation \$ _____
Owner Gary Taylor Address 512 W. Washington
Contractor Whitley Telephone No. 592-5096
Address Liberty Center, Ohio
Electric Contractor _____
Plumbing Contractor _____
Mechanical Contractor _____

This permit is issued for work described in the plans, specifications, and/or application submitted, as approved by the Building Commissioner of the City of Napoleon, Ohio. Work shall conform to all pertinent construction and land use Codes and Ordinances.

Work Information:

Residential Commercial _____ Industrial _____
No. dwelling units

New Construction _____ Addition _____ Remodel _____

Brief Description of Work redo wiring in basement and kitchen and put in 150 amp service box with breakers

ISSUED BY Richard A. Wayman DEPT. OF BUILDING & ZONING
Building Official

It is the owners or contractors responsibility to call the Building Department for the following (x) inspections:

- Footing excavation prior to placing concrete.
- Footing drains and foundation prior to backfill.
- Prepared sub-grade prior to placing concrete floor slab.
- Sanitary sewer
- Rough-in electrical, plumbing and service framing prior to installing wall board.
- Final electrical, plumbing and heating.
- Final building inspection, prior to occupancy.

PERMIT & FEES

Building Permit	\$ _____
Electrical Permit	\$ <u>25.00</u>
Plumbing Permit	\$ _____
Mechanical Permit	\$ _____
Demolition Permit	\$ _____
Zoning Permit	\$ _____
Sign Permit	\$ _____
Water Tap	\$ _____
Sewer Tap	\$ _____
Temp. Elec.	\$ _____
Other _____	\$ _____
TOTAL FEES	\$ <u>25.00</u>
LESS FEES PAID	\$ <u>-0-</u>
BALANCE DUE	\$ <u>25.00</u>

Permit is not valid until all fees are paid in full, and shall be void if work is not started within six months of date above.

PAID
APR 23 1984
CITY OF NAPOLEON

PERMIT

CITY OF NAPOLEON, OHIO — DEPT. OF BUILDING & ZONING

255 W. Riverview Avenue, Napoleon, Ohio 43545 (419) 592-4010

Permit No. 501 Date April 20, 1984
Job Location 512 W. Washington Valuation \$ _____
Owner Gary Taylor Address 512 W. Washington
Contractor Whitley Name _____ Address _____
Address Liberty Center, Ohio Telephone No. 592-5096
Electric Contractor _____
Plumbing Contractor _____
Mechanical Contractor _____

This permit is issued for work described in the plans, specifications, and/or application submitted, as approved by the Building Commissioner of the City of Napoleon, Ohio. Work shall conform to all pertinent construction and land use Codes and Ordinances.

Work Information:

Residential X Commercial _____ Industrial _____
No. dwelling units _____
New Construction _____ Addition _____ Remodel _____
Brief Description of Work New wiring in basement and kitchen and put in 150 amp service box with breakers

ISSUED BY Richard A. ... Building Official DEPT. OF BUILDING & ZONING

is the owners or contractors responsibility to call the Building Department for the following (X) inspections:

- Footing excavation prior to placing concrete.
- Footing drains and foundation prior to backfill.
- Prepared sub-grade prior to placing concrete floor slab.
- Sanitary sewer
- Rough-in electrical, plumbing and service framing prior to installing wall board.
- Final electrical, plumbing and heating.
- Final building inspection, prior to occupancy.

PERMIT & FEES

Building Permit	\$	_____
Electrical Permit	\$	<u>25.00</u>
Plumbing Permit	\$	_____
Mechanical Permit	\$	_____
Demolition Permit	\$	_____
Zoning Permit	\$	_____
Sign Permit	\$	_____
Water Tap	\$	_____
Sewer Tap	\$	_____
Temp. Elec.	\$	_____
Other	\$	_____
TOTAL FEES	\$	<u>25.00</u>
LESS FEES PAID	\$	<u>0.00</u>
BALANCE DUE	\$	<u>25.00</u>

Permit is not valid until all fees are paid in full, and shall be void if work is not started within six months of date above.

PAID
APR 20 1984
CITY OF NAPOLEON

FIELD CORRECTION NOTICE

LOCATION 512 W. WASHINGTON PERMIT NO. _____

ISSUED TO _____
PERMIT HOLDER AND/OR ALL RESPONSIBLE PARTIES.

NOTICE DELIVERED TO _____

Upon inspection, violations of the _____ Sec. _____ were in evidence.

The following orders are hereby issued for their correction: Service mast

must be three ft. from window
on sides or below by three ft.
A ground wire from driven rod
shall go to grounding lug in
meter socket. Panel inside si
have ground to water line. M.
conduit from meter &
panel can be groc.

PLEASE CALL FOR INSPECTION WHEN CORRECTIONS HAVE BEEN COMPLETED. ACCEPTANCE AND APPROVAL BY AN INSPECTOR OF THIS DEPARTMENT IS REQUIRED AND MUST BE CORRECTED

ON OR BEFORE hook up

DATE 5/8/84 BY R. Chapman INSPECTOR

Corrected 5/17/84

FIELD COPY

CITY OF NAPOLEON
BUILDING INSPECTION DEPARTMENT
APPLICATION FOR ELECTRICAL PERMIT
(Please print or type)

The undersigned hereby makes application for installation or replacement of electrical equipment as herein specified, agreeing to do all such work in strict accordance with the City of Napoleon's adopted Electrical Codes.

Owner's Name GARY DARRA TRUNK Address 572 W WASHINGTON

Electrical Contractor _____ Telephone No. 592-5096

Address LIBERTY CENTER

General Contractor _____ Telephone No. _____

Address _____

Location of Project NAPOLEON Cost of Project _____

Work Information:

Residential 1 FAMILY UNIT Commercial _____ Industrial _____

No. Units _____

New _____ Service Change _____ Rewiring X Additional Wiring _____

Brief Description of Work: REDO WIRING IN BASEMENT + KITCHEN AND

PUT IN 150 AMP SERVICE BOX WITH BREAKERS

Size of proposed service entrance 150 Number of new circuits 20

Type of proposed service entrance _____ Underground _____ Overhead _____

Require Temporary Electric _____ (Yes or No)

Total Floor Area - Commercial and Industrial only _____ sq. ft.

Additional Information: _____

*Ground fault circuit interrupter protection is required on all 120-volt single phase, 15 and 20 amp. Circuits which are part of a temporary electric service; and also on bathroom, outdoor, and garage receptacles in all dwelling units. Art. 220-8 N.E.C.

*Application for permit shall be accompanied by two complete sets of plans including: Electrical layout and riser diagram. (For commercial and industrial work only).

Date 4-20-84 Applicant's Signature [Signature]

PERMIT NO. 801
PERMIT FEE \$ 25.00