

**PERMIT**

**CITY OF NAPOLEON, OHIO — DEPT. OF BUILDING & ZONING**  
**255 W. Riverview Avenue, Napoleon, Ohio 43545 (419) 592-4010**

Permit No. 288 Date July 1, 1981

Job Location 915 Welsted Valuation \$ 225.00  
Address

Owner Fred Yocom Address 915 Welsted  
Name

Contractor Mike's Electric Telephone No. 592-8356  
Name  
 Address 1048 E. Riverview Ave.

Electric Contractor \_\_\_\_\_  
 Plumbing Contractor \_\_\_\_\_  
 Mechanical Contractor \_\_\_\_\_

**This permit is issued for work described in the plans, specifications, and/or application submitted, as approved by the Building Commissioner of the City of Napoleon, Ohio. Work shall conform to all pertinent construction and land use Codes and Ordinances.**

**Work Information:**

Residential XX Commercial \_\_\_\_\_ Industrial \_\_\_\_\_  
No. dwelling units

New Construction \_\_\_\_\_ Addition \_\_\_\_\_ Remodel XX

Brief Description of Work Service change, to 100amp.

ISSUED BY *Richard S. Heyman* DEPT. OF BUILDING & ZONING  
Building Official

**It is the owners or contractors responsibility to call the Building Department for the following (X) inspections:**

- \_\_\_\_\_ Footing excavation prior to placing concrete.
- \_\_\_\_\_ Footing drains and foundation prior to backfill.
- \_\_\_\_\_ Prepared sub-grade prior to placing concrete floor slab.
- \_\_\_\_\_ Sanitary sewer
- X \_\_\_\_\_ Rough-in electrical, plumbing and service framing prior to installing wall board.
- X \_\_\_\_\_ Final electrical, plumbing and heating.
- \_\_\_\_\_ Final building inspection, prior to occupancy.

**PERMIT & FEES**

Building Permit	\$ _____
Electrical Permit	\$ <u>7.00</u>
Plumbing Permit	\$ _____
Mechanical Permit	\$ _____
Demolition Permit	\$ _____
Zoning Permit	\$ _____
Sign Permit	\$ _____
Water Tap	\$ _____
Sewer Tap	\$ _____
Temp. Elec.	\$ _____
Other	\$ _____
<b>TOTAL FEES</b>	\$ <u>7.00</u>
<b>LESS FEES PAID</b>	\$ <u>-0-</u>
<b>BALANCE DUE</b>	\$ <u>7.00</u> <b>PAID</b>

**Permit is not valid until all fees are paid in full, and shall be void if work is not started within six months of date above.**

**JUL 22 1981**



# PERMIT

CITY OF NAPOLEON, OHIO — DEPT. OF BUILDING & ZONING  
255 W. Riverview Avenue, Napoleon, Ohio 43545 (419) 592-4010

Permit No. 200 Date July 1, 1981  
Job Location 915 Welsted Address Valuation \$ 225.00  
Owner Fred Yocom Address 915 Welsted  
Contractor Mike's Electric Name Telephone No. 592-8356  
Address 1048 E. Riverview Ave.  
Electric Contractor \_\_\_\_\_  
Plumbing Contractor \_\_\_\_\_  
Mechanical Contractor \_\_\_\_\_

This permit is issued for work described in the plans, specifications, and/or application submitted, as approved by the Building Commissioner of the City of Napoleon, Ohio. Work shall conform to all pertinent construction and land use Codes and Ordinances.

Work Information:  
Residential XX Commercial \_\_\_\_\_ Industrial \_\_\_\_\_  
No. dwelling units  
New Construction \_\_\_\_\_ Addition \_\_\_\_\_ Remodel XX  
Brief Description of Work Service change, to 100amp.

ISSUED BY \_\_\_\_\_ Building Official DEPT. OF BUILDING & ZONING

It is the owners or contractors responsibility to call the Building Department for the following (x) inspections:

- \_\_\_\_\_ Footing excavation prior to placing concrete.
- \_\_\_\_\_ Footing drains and foundation prior to backfill.
- \_\_\_\_\_ Prepared sub-grade prior to placing concrete floor slab.
- \_\_\_\_\_ Sanitary sewer
- X \_\_\_\_\_ Rough-in electrical, plumbing and service framing prior to installing wall board.
- X \_\_\_\_\_ Final electrical, plumbing and heating.
- \_\_\_\_\_ Final building inspection, prior to occupancy.

### PERMIT & FEES

Building Permit	\$ _____
Electrical Permit	\$ <u>7.00</u>
Plumbing Permit	\$ _____
Mechanical Permit	\$ _____
Demolition Permit	\$ _____
Zoning Permit	\$ _____
Sign Permit	\$ _____
Water Tap	\$ _____
Sewer Tap	\$ _____
Temp. Elec.	\$ _____
Other _____	\$ _____
TOTAL FEES	\$ <u>7.00</u>
LESS FEES PAID	\$ <u>-0-</u>
BALANCE DUE	\$ <u>7.00 PAID</u>

Permit is not valid until all fees are paid in full, and shall be void if work is not started within six months of date above.

JUL 22 1981

CITY OF NAPOLEON



# INSPECTION RECORD

UNDERGROUND		ROUGH-IN & FINAL			
Type	Date	By	Type	Date	By
<b>PLUMBING</b>	Sewer Connection		Drainage, W. & Vent		
	Building Sewer		Water Piping		
	Water Piping		Condensate Lines		
			Indirect Waste		
<b>ELECTRICAL</b>	Floor Ducts Raceways		Rough Wiring		
	Conduits & or Cable		Conduits/ Cable		
	Grounding & or Bonding		Service Panel/ Switchboard		
			Subpanels		
			<input type="checkbox"/> Range <input type="checkbox"/> Dryer		
			Refrigerant Piping		
<b>MECHANICAL</b>	Ducts/ Plenums		Ducts/ Plenums		
			Ventilation Supply		
			<input type="checkbox"/> Exhst.		
			Wall Construction		
<b>BUILDING</b>	Location, Set-backs, Esmt(s)		Wall Construction		
	Excavation		Crawl Space		
	Footings & Reinforcing		<input type="checkbox"/> Vent <input type="checkbox"/> Access		
	Sub-soil Drain		Floor System(s)		
	Foundation Walls		Roof System		
			Fire Wall(s)		
	Floor Slab		Roof Cover/ Roof Drain		
FINAL APPROVAL BLDG. DEPT			Certificate of Occupancy Issued #		

12/2/81

CITY OF NAPOLEON  
BUILDING INSPECTION DEPARTMENT  
APPLICATION FOR ELECTRICAL PERMIT  
(please print or type)

#288  
\$7.00

The undersigned hereby makes application for installation or replacement of electrical equipment as herein specified, agreeing to do all such work in strict accordance with the City of Napoleon's adopted Electrical Codes.

Owner's Name FRED YOCOM Address 915 WELSTEAD

Electrical Contractor MIKE'S ELECTRIC Telephone No. 592-8356

Address 1048 E RIVERVIEW

General Contractor OWNER Telephone No. \_\_\_\_\_

Address SAME

Location of Project SAME Cost of Project \$225.00

Work Information:

Residential 1 Commercial \_\_\_\_\_ Industrial \_\_\_\_\_  
No. Units

New \_\_\_\_\_ Service Change X Rewiring \_\_\_\_\_ Additional Wiring X

Brief Description of Work: Installing New 100A 220V SERVICE. Adding 1 220 for RANGE & 1 220V DRYER

Size of proposed Service Entrance 100A Number of new Circuits 2

Type of proposed Service Entrance \_\_\_\_\_ Underground \_\_\_\_\_ Overhead X

Require Temporary Electric NO (Yes or No)

Total Floor Area - Commercial and Industrial only \_\_\_\_\_ sq. ft.

Additional Information: \_\_\_\_\_

\*GROUND-FAULT CIRCUIT INTERRUPTER PROTECTION IS REQUIRED ON ALL 120-VOLT SINGLE PHASE, 15 AND 20 AMP. CIRCUITS WHICH ARE PART OF A TEMPORARY ELECTRIC SERVICE: AND ALSO ON BATHROOM, OUTDOOR, AND GARAGE RECEPTACLES IN ALL DWELLING UNITS. Art. 210-8 N.E.C.

\*APPLICATION FOR PERMIT SHALL BE ACCOMPANIED BY TWO COMPLETE SETS OF PLANS INCLUDING: ELECTRICAL LAYOUT AND RISER DIAGRAM. (FOR COMMERCIAL AND INDUSTRIAL WORK ONLY).

Date July 1, 81 Applicant's Signature Mike Spivee

