ORODER PERMIT

CITY OF NAPOLEON - BUILDING DEPARTMENT 255 West Riverview Avenue, Napoleon, Ohio 43545 - 419-592-4010

740 77	C/42/77			MYN	TOTAL CONTRACTOR OF THE PARTY O	TOTAL
Permit No. 748-77 Iss	sued 6/13/77	- Notes	FEES	BASE	PLUS	TOTAL
ob Location 1006 Westmon		E	BUILDING	\$22.50		22.50
ot 72 & 1/2 of 71 in Wes	address twood Add'n or legal discript	Compa	ELECTRICAL	3.00		3.00
ssued By building official	muenberg		PLUMBING	grild		19) EE
OwnerLarry Brubaker	tel.	_ 1	MECHANICAL			
ddress 1006 Westmont Av		I I			no	
gent Ron Zachrich	762-5	277	DEMOLITION	Напидния	36.4	agivier.
builder-engetc. ddressR.#2 Napden, O	tel.	2	ZONING	Buildig		Putdial
escription of Use Addition		tisy o	SIGN			Veltstatel
(4) Farmos (4)	(31004.)	loidi	WATER TAP	Plenums	В	Planum
esidential XX(1)	notes.	Miles Cr. II		meular on		
no. dwelling units	s lack To vigi	MB TI	SEWER TAP	KIDCOOTS		
ommercialIndust		a Ram	TEMP. ELECT.	afubrico	1	Condu
ewAdd'n.XXAlter	Remodel	Teled to	ADDITIONAL	Struct.	hrs _	1
ixed Occupancy		70.0	PLAN REVIEW	Gelect.	hre	Floor
englis		BW D	DEVIEW	LICUL.	1113	
hange of Occupancy		ISW D	TOTAL FEE	Swittenbox	la se	25.50
hange of Occupancystimated Cost \$8,500.00		Mark to 10	TOTAL FEE	Server A	la se	Pacuno
stimated Cost \$ 8,500.00	der d Cobbe of Hirls) meder(a)	I Duck to Wall to Present to Pres	TOTAL FEES	SEES PAID	Y 16-	25.50 -0-
thange of Occupancystimated Cost \$8,500.00	der d Cobbe of Hirls) meder(a)	I Duck to Wall to Present to Pres	TOTAL FEES	S	Y 16-	25.50
stimated Cost \$ 8,500.00	ATION	Control of the contro	TOTAL FEES	SEES PAID	Y California	25.50 -0- 325.50
zoning informations district lot dimensions 90' x 120' max hgt no pkg spaces	ATION area 10,800s no Ida spaces	Sq. max	TOTAL FEES LESS MIN. F BALANCE D front yd n/a	EES PAID	e c	25.50 -0- 325.50 rear yd
zoning informations "A" 90' x 120' max hgt no pkg spaces	area 10,800s no ldg spaces n/a	sq max	TOTAL FEES LESS MIN. F BALANCE D front yd n/a cover petitic	EES PAID date UE. side yd 10' W on or appeal req'd n/a	s OK 40'	25.50 -0- 325.50 rear yd OK date appr
zoning informations zoning informations district lot dimensions "A" 90' x 120' max hgt no pkg spaces additional	area 10,800s no ldg spaces n/a	sq i	TOTAL FEES LESS MIN. F BALANCE D front yd n/a cover petitio	EES PAID date UE. side yd 10' W on or appeal req'd n/a	s OK 40'	25.50 -0- 325.50 rear yd OK date appr
ZONING INFORMATION:	area 10,800s no ldg spaces n/a	sq ¹ max of 35%	TOTAL FEES LESS MIN. F BALANCE D front yd n/a cover petitio	UEside yd	s OK 40 '	25.50 -0- 325.50 rear yd OK date appr
ZONING INFORMA district lot dimensions 90' x 120' max hgt OK no pkg spaces additional ORK INFORMATION: ize: Length 30' Wid	area 10,800s no ldg spaces n/a	sq max 35%	TOTAL FEES LESS MIN. F BALANCE D front yd n/a cover petition OK Green	EES PAID date UE. side yd 10' W on or appeal req'd n/a	s OK 40'	25.50 -0- 325.50 rear yd OK date appr
ZONING INFORMATION: istimated Cost \$8,500.00 ZONING INFORMATION: ize: Length 30' Wide Height Builtignary	area 10,800s no ldg spaces n/a Ith 21' ilding Volume (fo	sq max 35%	TOTAL FEES LESS MIN. F BALANCE D front yd n/a cover petition OK Greenit)	UEside yd	s OK 40'	25.50 -0- 325.50 rear yd OK date appr
zoning information: zoning information zonin	area 10,800s no ldg spaces n/a Ith 21' ilding Volume (fo	sq' 35% Stories 2 or demo. p	TOTAL FEES LESS MIN. F BALANCE D front yd n/a cover petition OK Greenit)	UEside yd	s OK 40'	25.50 -0- 325.50 rear yd OK date appr
ZONING INFORMA district lot dimensions "A" 90' x 120' max hgt no pkg spaces additional ORK INFORMATION: ize: Length 30' Wid Height Buildectrical: Wiring in new 1 lumbing:	area 10,800s no ldg spaces n/a Ith 21' Ilding Volume (for pooms brief descrip	sq max of 35% Stories 2 or demo. p	TOTAL FEES LESS MIN. F BALANCE D front yd n/a cover petition OK Greenit)	EES PAID date UE. side yd 10' W on or appeal req'd n/a	s OK 40'	25.50 -0- 325.50 rear yd OK date appr
ZONING INFORMATION: ize: Length 30' Widhers and in new multiple controls. Wiring in new multiple controls.	area 10,800s no ldg spaces n/a Ith 21' Ilding Volume (for pooms brief descriptorief	Stories 2 or demo. p	TOTAL FEES LESS MIN. F BALANCE D front yd n/a cover petition OK Greenit)	EES PAID date UE. side yd 10' W on or appeal req'd n/a	s OK 40'	25.50 -0- 325.50 rear yd OK date appr
ZONING INFORMA district lot dimensions 'A" 90' x 120' max hgt no pkg spaces additional ORK INFORMATION: ize: Length 30' Wid Height Buildectrical: Wiring in new 1 lumbing: echanical: gn: Dime	area 10,800s no ldg spaces n/a Ith 21' Ilding Volume (for brief descriptorief descri	Stories 2 or demo. p	TOTAL FEES LESS MIN. F BALANCE D front yd n/a cover petition OK Greenit)	EES PAID date UE. side yd 10' W on or appeal req'd n/a	s OK 40'	25.50 -0- 325.50 rear yd OK date appr
zoning information: Cost \$ 8,500.00	area 10,800s no ldg spaces n/a Ith 21' Ilding Volume (for brief descriptorief descri	Stories 2 or demo. p	TOTAL FEES LESS MIN. F BALANCE D front yd n/a cover petition OK Greenit)	EES PAID date UE. side yd 10' W on or appeal req'd n/a	s OK 40'	25.50 -0- 325.50 rear yd OK date appr
zoning information: See atternal cost \$8,500.00 zoning information: stimated cost \$8,500.00 zoning informatio	area 10,800s no ldg spaces n/a Ith 21' Ilding Volume (for brief descriptorief descri	Stories 2 or demo. p	TOTAL FEES LESS MIN. F BALANCE D front yd n/a cover petition OK Greenit)	EES PAID date UE. side yd 10' W on or appeal req'd n/a	s OK 40'	25.50 -0- 325.50 rear yd OK date appr

INSPECTION RECORD

UNDERGROUND				H-IN			FINAL				
Туре	Date	Ву	Туре	Date	Ву	Туре	Date	Ву	Туре	Date	Ву
Building Drains			Drainage, Waste & Vent Piping			Indirect Waste			Drainage, Waste & Vent Piping		A.
Water									Backflow Prevention	ME GE	
Building Sewer			Water Piping			Condensate Lines			Water Heater		
									III II a		
Sewer Connection									FINAL APPROVAL		le .
Refrigerant Piping			Refrigerant Piping			Chimney(s)			Grease Exhaust System		
			Duct			Fire Dampers			Air Cond. Unit(s)		
Ducts/			Ducts/			☐ Radiant Htr(s)☐ Unit Htr(s)			Refrigeration Equipment	7	
Tichano			Duct	- 10		Pool Heater			Furnace(s)		
			Combustion Products Vents			Ventilation □ Supply □ Exhst.			FINAL APPROVAL	150	
Conduits &	7		Conduits/			□ Range □ Dryer			Temp Service Temp Lighting	70,022	
Grounding &			Rough	6/24/	NA	☐ Generator(s)☐ Motors			Fixtures Lampholders		
Floor Ducts			Service Panel Switchboard	6/54/	cr	□ Water Htr □ Welder			Signs		
Service Conduit			Busways Ducts			□ Heaters □ Heat Cable			Electric Mtr. Clearance	G.	
Temporary Power Pole	- 10.		Subpanels			□ Duct Htr(s) □ Furnace(s)			FINAL APPROVAL	1/1/27	U
Location, Set- backs, Esmt(s)			Exterior Wall Construction	6/23/17	Pal	Roof Covering Roof Drainage	6/23/	Red	Smoke Detector		
Excavation			. 1			Exterior Lath		t	Demolition (sewer cap)		
Footings & Reinforcing					2.4	□ Interior Lath □ Wallboard)	K
Floor			Interior Wall Construction	"	Red.	Fire Wall(s)			Building or Structure		
Foundation Walls			Columns & Supports	1.	M	Fireplace Chimney			- DIAMSCRE	41.03	
Sub-soil 1	1 1		Crawl Space	7		Attic Vent Access	9/1/1	Red.		- D K	
Piles			Floor System(s)	11	BO	SIIXI TII			FINAL APPROVAL BLDG. DEPT.	8/1/19	B
			Roof System) (est.	Special Insp Reports Rec'd			Certificate of Occupancy Issued	111	
	NSPE	CTIC	ONS, CORRECTIO	NS, ET	C.	INSP	ECTIO	ONS,	CORRECTIONS, I	ETC.	Ī
										Pi)	
						2 =11 0: _		le_j	18		L,
					-	-1		À		- 16	
	Building Drains Water Piping Building Sewer Sewer Connection Refrigerant Piping Ducts/ Plenums Conduits & or Cable Grounding & or Bonding Floor Ducts Raceways Service Conduit Temporary Power Pole Location, Setbacks, Esmt(s) Excavation Footings & Reinforcing Floor Slab Foundation Walls Sub-soil Drain Piles	Building Drains Water Piping Building Sewer Sewer Connection Refrigerant Piping Ducts/ Plenums Conduits & or Cable Grounding & or Bonding Floor Ducts Raceways Service Conduit Temporary Power Pole Location, Set-backs, Esmt(s) Excavation Footings & Reinforcing Floor Slab Foundation Walls Sub-soil Drain Piles	Building Drains Water Piping Building Sewer Sewer Connection Refrigerant Piping Ducts/ Plenums Conduits & or Cable Grounding & or Bonding Floor Ducts Raceways Service Conduit Temporary Power Pole Location, Setbacks, Esmt(s) Excavation Footings & Reinforcing Floor Slab Foundation Walls Sub-soil Drain Piles	Building Drains	Building Drains & Vent Piping Building Sewer Piping Building Sewer Piping Building Sewer Piping Piping Piping Piping Piping Building Sewer Piping Piping Piping Duct Furnace(s) Ducts/ Plenums Duct Insulation Combustion Products Vents Piping	Building Drains Building Drains Water Piping Building Sewer Piping Building Sewer Refrigerant Piping Duct Furnace(s) Ducts/ Plenums Duct Insulation Combustion Products Vents Conduits & Cable Grounding & Rough Wiring Floor Ducts Raceways Service Conduit Temporary Power Pole Location, Setbacks, Esmit(s) Excavation Footings & Reinforcing Floor Slab Conduation Combustion Rough Wiring Floor Ducts Service Panel Switchboard Sub-soil Construction Interior Wall Construction Foundation Sub-soil Construction Crawl Space Vent Access Floor System(s) INSPECTIONS, CORRECTIONS, ETC.	Building Drainage, Waste Waste Waste Waste Piping Water Piping Building Sewer Piping Water Piping Condensate Lines Sewer Connection Refrigerant Piping Duct Fire Dampers Ducts Plenums Ducts Plenums Ducts Plenums Duct Piping Ducts Piping Diping Dipi	Building Drainage, Waste & Vent Piping	Building Drains Drainage, Waste & Vent Piping Indirect Waste Was	Drainage, Waste Drainage, Waste Maste Maste Drainage, Waste Waste Waste Waste Waste Waste Waste Piping Backflow Prevention Backflow Prevention Backflow Prevention Backflow Prevention Water Piping Water Piping Condensate Lines Water Piping Pip	Dust Prince Dust D

RESIDENTIAL PLAN CORRECTION SHEET

CITY OF NAPOLEON, Building Dept. 255 West Riverview Avenue Napoleon, Ohio 43545 (419) 592-4010

ADDENDUM to Permit No. 74-8-77 Owner L. BRUBAKER Location 1006 WESTMONT

Please note the Items checked below and incorporate them into your plans as indicated:

Permit not yet issued Permit issued incorporate the items during construction. Correct Plans and Re-Submit.

	GENERAL			Show size of members supporting porch roof.
	Provide 1 approved smoke detector.		V	Provide double top plate.
X	Provide 1 hour fire wall and/or ceiling between garage and dwelling.			Provide design data for pre-fab. wood truss/ members.
	Provide (Class B) 1 hour fire rated door from garage to dwelling.			Ceiling joists undersized in
	Submit fully dimensioned plot plan.			Roof rafters undersized in
	Provide 1-3'0" x 6'8" exit door.			,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,
X	Provide min. 22" x 30" attic access.	.5		PLUMBING AND MECHANICAL:
	Provide min. 18" x 24" crawl space access opening.		\times	Terminate all exhaust systems to outside air.
Н	LIGHT AND VENTILATION:		\sim	Insulate ducts in unheated areas.
\vdash	Provide mechanical exhaust or window in			Provide back flow device on all hose bibs.
	bathroom			ELECTRICAL:
X	Provide Min. 2/2 sq. in. net free area attic ventilation.			Show location of service entrance and service equipment panel.
	Provide minsq. in. net free			G.F.C.I. req'd. on Temp. Electric.
	area crawl space ventilation.		X	Outdoor and bathroom receptacles shall be protected by G.F.C.I.
	FOUNDATION:		<u> </u>	METAL VENEERS:
	Min. depth of foundation below finished grade 30".			Contact City Utilities Dept. to remove conductors and/or meter.
-	Min. size of footer" x		-	Provide 18" x 18" x ¾" wood backer for meter
	Provide anchor bolts ½" @ 8' o.c. 1' from each corner. Embedded 8" concrete and 15" in			base. Provide approved system of grounding and
	Show size of basement columns.	7	X	bonding.
		·	1	MISCELLANEOUS:
	FRAMING:			Provide backwater valve in sub-soil drain tile.
3	Show size of wood girder in			Provide approved sheathing and flashing behind masonry veneer.
	Provide design data for structural member in			Provide 15# felt underlayment on roof.
-	Floor joists under sized in		_	Provide adequate fireplace hearth exten-
	rioor joists under sized in			sions
	Provide double joists under parallel partitions.			Install factory built fireplaces/stoves according to manufacturers recommendations.
X	Provide 1" x 4" let in corner bracing or approved sheathing.			Terminate chimney 3' above roof or 2' above highest point of building within 10' of chimney.
	Show size of headers for openings over 4' wide.	77		
	90			All sile a verbe directions

	wide.	41			1
ADD	ITIONAL CORRECTIONS: PROVIDE APPR	LOVED MEANS	OF ANCHO	RING 4"X4" WOOD	_
PAT	10 COLUMNS. RAILING AROUND I	SPPER DECK	MIN. 42"	41GH - R-215	
	approval of plans and specifications does not p				
	Ordiance or State Law. This addendum is a				f.
Date	Approved or Disapproved 6/13/77	Checker	d By Konale	(D. Sonnenberg	_
Date	Rechecked and Approved	Checker	d By	Plan Examiner	_
	Mileto Dutiding F	Samuelmant Valla	w. Amplianna		

CITY OF NAPOLEON BUILDING INSPECTION DEPARTMENT APPLICATION FOR CONSTRUCTION PERMIT (PLEASE PRINT OR TYPE)

148-17

The undersigned hereby makes application for the construction, installation, replacement or alteration as herein specified, agreeing to do all such work in strict accordance with the City of Napoleon's Building Code for 1, 2 and 3 Family Buildings. Owner's Name Larry Bruboker Address 1006 Westmout Builder's Name Pou Lochrich Address Pt 2 Nopoleon Tel. 762-5277 LOT INFORMATION: (Not required for roofing or siding job.) Location of Project 1006 Westmont Lot # Subdivision Lot Area Sq. Ft. Yard Set Back: Front 23 Rear 40'4 Left Side 10' Right Side 3/ Zoning District BUILDING INFORMATION: Single Double Multiple New Construction Addition Remodel Attached Garage Detached Garage Accessory Building Replacement Brief Description of Work: Remove present roof, Add /Lange room over existing Family Pm, Utility, BATA & Enclose potio Size: Length 2/ Width 2/ No. of Stories / Floor Area: 1st Floor Sq. Ft. 2nd Floor 44/ Sq. Ft. 3rd Floor Sq. Ft. Basement Sq. Ft. Unfinished Attic Garage Foundation: Piers Full Basement Part Basement Concrete Thickness Block Size Walls: Frame X Block Brick Other Specific Type of Exterior Siding Phominum APPLICATION FOR PERMIT SHALL BE ACCOMPANIED BY TWO COMPLETE SETS OF PLANS INCLUDING: ELEVATIONS, FLOOR PLANS, CROSS SECTIONS AND PLOT PLAN. IF ADDITIONS OR REMODELING, SHOW ALL EXISTING STRUCTURES AND THEIR SIZE AND LOCATION. ALL PLANS SHALL BE DRAWN TO SCALE. ESTIMATED COST OF COMPLETED PROJECT: \$500. DATE 6-13-17 APPLICANT'S SIGNATURE COW LUCK OWNER-BUZLDER-AGENT

		ran	

LARRY BrubAler Ron Zachnich

150

1006 Westmont P.J. Z, Napolea 762-5277

1006 Westmont

441 Sq.ft

No

Commence of the second second

150. Eon gachint 6-13-77