



FLOOR PLAN




EXISTING

LEFT SIDE ELEV



EXISTING

REAR ELEV



EXISTING

RIGHT SIDE ELEV

PROVIDE TEMP. STEP + STOOD  
IF THE DECK IS NOT  
CONSTRUCTED IMMEDIATELY

20110 Insp  
COPY

MR & MRS BRET SPEISER		
SCALE 1/4" = 1'-0"	1026 Westwood	AG
11-8-89		
FAMILY ROOM ADDITION		
GERMANN BUILDERS		

NAPOLEON BUILDING DEPARTMENT (SAMPLE DRAWING)

VENTS CONTINUOUS

ROOFING 235<sup>3</sup> ASPHALT

UNDERLAYMENT 15<sup>3</sup>

SHEATHING 7/16 WAFER

12" AIR SPACE

3" DRIP EDGE

ALUM GUTTER

ALUM FASCIA

ALUM SIDING

ALUM SOFFIT WITH CONT VENTS

R-14 INSULATION

7/16 WAFER SHEATHING

BUILDING PAPER

2x4 STUDS @ 16" O.C.

2x4 PLATE

2x10 BOX SILL

2x8 SILL

WEEP HOLES @ 4'-0" O.C.

FIN. GR.

1/2" ANCHOR BOLTS @ O.C.

STONE FILL

4" FT/4 ORI TILE

CONC. FT/4 WITH REBAR

12" CEILING HT.

2'-0" OVERHANG

R-25 CEILING INSULATION

1/2" DRYWALL FINISH CEILING

2x2x4 PLATES

2x OUTLOOKERS @ 16" O.C.

VAPOR BARRIER

1/2" DRYWALL WALL FINISH

R-13 INSULATION

ROWS BRIDGING

2x10 FLOOR JOISTS @ 16" O.C.

2x SOLID BLK.

2x GIRDER

8" BLOCK FOUNDATION WALL

THERMAL BARRIER

4" RIGID INSULATION

1/2" ANCHOR BOLTS

STONE

POLY VAPOR BARRIER

PIER

FOOTING WITH REBAR @ O.C.

2x8 RAFTERS @ 16" O.C.

2x11A CEILING JOISTS @ O.C.

R-25 CEILING INSULATION  
1/2" DRYWALL FINISH CEILING

#2x4 & SPF TYPE OF FRAMING LUMBER

2x12 SIZE OF HEADERS

3/4" TEL COX SUB FLOOR

2x10 FLOOR JOISTS @ 16" O.C.

2x SOLID BLK.

2x GIRDER


1/2" ANCHOR BOLTS

STONE

POLY VAPOR BARRIER

PIER

FOOTING WITH REBAR @ O.C.



SCALE 1" = 20'-0"

DATE	WALL SECTION - <del>BRICK VENEER</del>	DWG N° OF
------	--	-----------

4-11-89 51